

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631  
Jackson, MS 39289-0631  
WATER WELL DRILLERS LOG

|                                      |       |  |
|--------------------------------------|-------|--|
| COUNTY WELL LOCATED<br><i>Adams</i>  |       | PERMIT NUMBER<br><i>0-60</i>                     |
| WELL NUMBER<br><i>B 2035</i>         | CODED | NAME OF DRILLING FIRM<br><i>Rayburn Drilling</i> |
| DATE WELL COMPLETED<br><i>5-4-94</i> |       | <i>Natchez ms</i>                                |

NAME & MAILING ADDRESS OF LANDOWNER  
*Henry Beames*  
*153 Wickcliff Rd*  
*Natchez, ms*

WELL LOCATION SEC TOWNSHIP RANGE  
*58 8 S 1 E*

DISTANCE DIRECTION NEAREST TOWN  
*2 Miles South of Stanton*

OTHER LANDMARK  
*Access from Nth. State Park Lane*

WELL PURPOSE:  Home,  Irrigation,  Municipal,  Industrial,  Fish Pond, etc.  
*Home*

PUMP DATA

PUMP TYPE (Circle One):  
 Submersible, Turbine, Jet, Flowing Well, Other (Describe)

POWER TYPE (Circle One):  
 Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) *1* H/P

Pump Capacity (GPM) No. of Stages Setting Depth FT.

PUMP TEST  
Well yielded \_\_\_\_\_ GPM with a drawdown of \_\_\_\_\_ ft. after \_\_\_\_\_ hours of pumping

WELL DATA

|                              |                                    |  |
|------------------------------|------------------------------------|--|
| Well Depth<br><i>200'</i>    | Casing Diameter (In.)<br><i>4"</i> | Casing Length (Ft.)<br><i>190'</i>         |
| Type of Casing<br><i>PVC</i> | Hole Depth<br><i>200'</i>          | Depth to Static Water Level<br><i>150'</i> |

TYPE OF COMPLETION: (Circle One or More):  
 Gravel Packed,  Underreamed,  Telescoped,  Natural Development,  Open Hole,  Other (Describe)

WELL GROUTED TO A DEPTH OF \_\_\_\_\_ FEET  
Type Grout (circle one): Cement, Bentonite, or Mix

LOG DATA

TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe)

Name of Organization Running Log

SCREEN DATA

|                                  |                                       |                                   |
|----------------------------------|---------------------------------------|-----------------------------------|
| Diameter - Inches<br><i>4"</i>   | Length - Feet<br><i>10</i>            | Slot Size - Inches<br><i>.010</i> |
| Screen Type<br><i>Sch 40 PVC</i> | Depth to Bottom - Feet<br><i>200'</i> |                                   |

GEOLOGIC DATA (Office Use Only)

|               |               |                |              |
|---------------|---------------|----------------|--------------|
| Surface Elev. | Geologic Unit | Unit Thickness | Depth to Top |
| Subs. SWL     | Date          | Analysis       | Aquifer Test |

Driller's Remarks

Top of Lap Pipe or Reduction in Casing  
FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

| DESCRIPTION OF FORMATIONS ENCOUNTERED | FROM       | TO         |
|---------------------------------------|------------|------------|
| <i>Top Soil</i>                       | <i>0</i>   | <i>2</i>   |
| <i>Chalk</i>                          | <i>2</i>   | <i>150</i> |
| <i>Sand</i>                           | <i>150</i> | <i>200</i> |
|                                       |            |            |
|                                       |            |            |
|                                       |            |            |
|                                       |            |            |
|                                       |            |            |
|                                       |            |            |

RECEIVED

JUN 07 1994

Dept. of Environmental Quality  
Office of Land & Water Resources

IF MORE SPACE IS NEEDED, USE BACK