State Well Report		For Office Use Only:			
County: Adams	A 1 Part 1				
•	Mississippi Department	of Environmental Quality	Aquifer:		
Permit #:	Office of Land ar	nd Water Resources	Well #:		
Driller: Gary Rayborn		ox 10631	L. S. Elevation:		
1 1 . F		S 39289-0631 061-5210	1		
Date drilling completed: 3 24 2		-6938 (fax)	E-log #:		
	J , , ,				
State Law requires that this rep	ort be prepared by the	driller in detail and filed v	vith the Department within		
30 days of completion of drilling	g of the well.		Location		
Well Owner Inform	ation				
Owner Name Dee Hort	<u> </u>		_" Longitude: 91 • 22 · 36 "		
Mailing Address: P.O. Box	1634	Method of Lat/Long (circle one): Conventional Survey,			
		USGS quad, Hand-held	d GPS, Survey-grade GPS		
Fernday L City s	A 71334	IR 14 SW 14 Sec 2	1 Twn LON Rng 3W		
City	tate Zip Code	Distance Direction	of Nearest Town City Limits		
Telephone No. (318) 757 - 3	3279	4,8 Miles _ 5	of Nachez City Rival		
	Well	Data			
Purpose of Well (circle one) Home	Dublic Committee	Irrigation Fish Culture	Other:		
Purpose of Well (circle one Home In	idustrial Public Supply	Inigation Tion Culture	241/2		
Purpose of Well (circle one) Home III Date well drilling started:	24/12 Date	well drilling completed:	24112		
Date wen drining startest.			· ·		
If flowing, method of flow regulation: V	'alve Other (describe)	2/2/1/12		
Static Water Level: 50feet above on below (circle one) land surface Date measured: 3 24 12					
Method of Measurement (circle one)	steel tape electric tape	air line other:			
Hole depth: 120' Well depth: 120' Well grouted to a depth of 10 feet					
Type of grout (circle one): Cement	Bentonite Mix		Ouc		
inches Type of casing:					
	Ц	inches Type of screen:	PVC		
Screen length: 20 feet S	creen diameter:	inches Type of screen.	.		
Screen slot size: IDIO inche	Setting depth: From		120feet		
Screen slot size: 1010 inches Setting depth: From 100 feet to 120 feet Type of completion (circle all applicable). Gravel packed Underreamed Telescoped Open hole Natural Development					
Type of completion (circle an applicable					
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Logs run (circle all applicable): No log	grun Electric Gamma R	ay Density Sonic Neuron	Other.		
Name of organization running log(s):		- accordance with all annical	ble requirements of the Mississippi		
Leartify that the well was drilled, constructed, and completed in accordance with an applicable requirements					
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.					
DAMAGE DESIGNATION INC	O = (ai)	•	~ X		
RAYBORN DRILLING, INC.		Sionatur	re of Water Well Contractor		
Print Name of Water Well Contractor	and License No.	O I GIARTO	MECEIVED		

And the second s 2.36377 1 1 RAYBORN DRILLING, INC.

STATE WELL REPORT

Part 2

County: Adams

Permit #:

Driller: Gary Rayborn

Date completed: 3-24-12

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #:	F148	
Elevation: _		

	<u></u>			
This report should be prepared by the pump installer in detail installation of pump.	and filed with the Department within 30 days of the			
Well Owner Information	Well Location			
Owner Name: Dee Horton	Latitude:Longitude:			
Mailing Address: P.O. Box 1634	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Ferri day La 71334 City State Zip Code	14 Sec 27 Twn 6 N Rng 3 W Distance Direction Nearest Town			
Telephone No. (318) 757 - 3274	4.8 Miles 5 of Ntz city limits			
Pump Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: 4 3 12	Setting Depth:feet			
Rated Pump Capacity: Gallons Per Minute	Number of Stages:			
Pump Test Data Date Well Tested: 4312	Method of Measuring Water Level Circle one			
Static Water Level (A): 50 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
Pumping Water Level (B):Feet Below Land Surface	Other (specify):			
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: Gallons Per Minute	Well yieldedGPM with a drawdown of			
1	feet afterhours of pumping			
Duration of Pump Test (minimum 4 hours):hours				
I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.			
RAYBORN DRILLING, INC. 060				
Print Name of Pump Installer and License No. (if applicable) Signature Pump Installer RECEIVED				
* ### ### ### ### ### ### ### ### ### #				

APR 0 4 2012

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	To
CHALK	6	70
	- 100	100
COARSE SAND	70	100
		130
Pea Gravel	100	120
		┼
		+
		1
		1
		T
		<u> </u>
		
		
		4
		-
		
		

If more than one screen, show location of each on sketch

Signature of Water Well Contractor

RECEIVED

APR 0 4 2012

BY: OLWR