

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED <u>Adams</u>		PERMIT NUMBER <u>0-60</u>
WELL NUMBER <u>H 2012</u>	CODED	NAME OF DRILLING FIRM <u>Rayburn Drilling</u>
DATE WELL COMPLETED <u>8-3-93</u>		<u>Natchez, MS</u>

NAME & MAILING ADDRESS OF LANDOWNER
Drew Boquet
228 Roxie Rd
Natchez, MS

WELL LOCATION: SEC 29 TOWNSHIP 6 S RANGE 1 E

DISTANCE 12 Miles SE of Natchez

OTHER LANDMARK
on old Roxie Rd off Lewis Rd

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.
home

PUMP DATA

PUMP TYPE (Circle One):
 Submersible Turbine Jet Flowing Well
Other (Describe) _____

POWER TYPE (Circle One):
 Electric Tractor Diesel Gasoline Butane
Other (Describe) 1 H/P _____

Pump Capacity (GPM) 15 No. of Stages 12 Setting Depth 205 FT.

PUMP TEST
Well yielded _____ GPM with
a drawdown of _____ ft.
after _____ hours of pumping

WELL DATA

Well Depth <u>210'</u>	Casing Diameter (In.) <u>4"</u>	Casing Length (Ft.) <u>190'</u>
Type of Casing <u>PVC</u>	Hole Depth <u>210'</u>	Depth to Static Water Level <u>160'</u>

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed Underreamed Telescoped
 Natural Development Open Hole Other

Top of Lap Pipe or Reduction in Casing
FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____

Name of Organization Running Log _____

SCREEN DATA

Diameter - Inches <u>4"</u>	Length - Feet <u>20'</u>	Slot Size - Inches <u>.010</u>
Screen Type <u>Sch 40 PVC</u>	Depth to Bottom - Feet <u>210'</u>	

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
<u>TOP soil</u>	<u>0</u>	<u>2</u>			
<u>BROKEN SAND</u>	<u>2</u>	<u>180</u>			
<u>SAND</u>	<u>180</u>	<u>210</u>			

IF MORE SPACE IS NEEDED, USE BACK