County: Accord	
Permit #:	
Driller: Wicson Wen	- JOHD CIX
Date drilling completed:	5-16.06

# **State Well Report**

Part 1 - Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

For Office Use Only: Aquifer: L. S. Elevation: E-log #:

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of comp	oletion of drilling of the well or borehole.	
Information on Well Owner	Well or Borehole Location	
(Landowner if borehole is not for a water well)		
Owner Name BENGE+ BuiENT	Latitude: '" Longitude: '"	
Mailing Address: 32 CR 192	Method of Lat/Long (circle one): Conventional Survey,	
Walning Address.	USGS quad, Hand-held GPS, Survey-grade GPS	
Conviru As 38834 City State Zip Code		
_	Distance Direction Nearest Town  5 Miles NE of CONINTH	
Telephone No. (662) 257- 9724		
Well / Bore	hole Data	
Date drilling started: 5-16-06 Date drilling completed: 5-16-		
Location of the source of any surface water used for drilling: losur	i Sulley	
Location of the source of any surface water used for drilling: <b>Losso</b> Method of dosing and volume of Chlorine used in drilling and devel	opment: 50 11M - ) mess	
Logs run (circle all applicable) No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:	
Purpose of borehole (check one): Water Well X Geotechnical/Geole	ogical Investigation Ground Source Heat Pump	
Seismic Survey Other (describe	)	
If drilling is not related to water well construction	n, skip the remainder of this block	
Purpose of Well (check one): Home <u>X</u> Industrial Public Supply	IrrigationFish CultureOther:	
If a flowing well, method of flow regulation: Valve O	ther (describe)	
Static Water Level:feet above or below (circle one) l	and surface Date measured: 5-/6-06	
Method of Measurement (circle one) steel tape electric tape	air line other: <u>PVC PVV</u>	
Well depth: 120 Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Cement Bentonite Mix	
Casing length: //o feet Casing diameter:	1	
Screen length: 10 feet Screen diameter: 4	inches Type of screen: LISTA IVC	
Screen slot size: . 0/0 inches Setting depth: From	//o feet to /20 feet	
Type of completion (circle all applicable) Gravel packed Under	reamed Telescoped Open hole Natural Development	
Other (describe):		
Top of lap pipe or reduction in casing: feet. If tel	escoped or more than one screen, describe on next page	
	F OLME CM/2 44	

Form: OLWR-SWR-1A

**RECEIVED** 

JUN 0 5 2006

BY: OLWR

### STATE WELL REPORT

# 

## Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

For Office Use Only:
Aquifer:
Well #: D-12
Elevation:

(601)354-6938 (fax) Copy information from block on Part I This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Owner Information** Well Location Owner Name: Benete Briens Latitude: Longitude:\_\_\_\_\_ Mailing Address: 32 CR 192 Method of Lat/Long (check one): Conventional Survey\_\_\_\_, USGS quad , Hand-held GPS , Survey-grade GPS 1/4 1/4 Sec 16 T TIS R R 8E Distance Direction Nearest Town Telephone No. (662) 287- 9524 5 Miles NE of CONINTH Pump Type **Power Type** Circle one Circle one Gasoline Engine Natural Gas Submersible Diesel Engine Air Lift Jet Electric Motor Hand Tractor PTO Bucket Piston Turbine Windmill Other (specify): \_\_\_\_ Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 5-17-06 Setting Depth: **80** feet Number of Stages: /2 Rated Pump Capacity: \_\_\_\_\_ Gallons Per Minute Method of Measuring Water Level Pump Test Data Circle one Date Weil Tested: 5-17-06 Electric Measuring Line Air Line Steel Tape Static Water Level (A): 30 Feet Below Land Surface Other (specify): PVC PLAGTIC PIPE Pumping Water Level (B): **80** Feet Below Land Surface Drawdown [(B) – (A)]: 50 For flowing well, measured shut in head: \_\_\_\_\_\_feet Feet Below Land Surface Test Pumping Rate: Well yielded \_\_\_\_\_ GPM with a drawdown of Gallons Per Minute feet after hours of pumping Duration of Pump Test (minimum 4 hours): hours

HEREBY CERTIFY that the above statements are true to the best of my knowledgy.	10/1/	$\mathcal{O}$
Print Name & Pump Installer and License No. (if applicable) Signature of	Jump Installer	Farm Child Civil 4D

RECEIVED

JUN 0 5 2006

BY: OLWR

### The sketch below only required for water wells

If well telescopes,	show depths	on sketch.
Ground Level-		

Description of formations encountered must be provided wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	ro (depin)
	Ground Level	
Brown/RA CLAY	0	20
BROWN LENIA CLAY	20	40
FINE MADEN SANI	40	60
FINT BUIND SAUN / GLAY CLAY	60	80
SAND / CCAY	80	100
SANT / CCAY	/00	120

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines. or other items that may aid in locating the property and the well; 4) a north arrow.
Landowner Name: BENGET BUIGHT

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

son 0-418 5-16-06

JUN 0 5 2006

BY: OLWR