	State W	ell Report		
County: Amite	Part 1 – Driller's Log		For Office Use Only:	
	Mississippi Department of Environmental Quality		Aquifer: 36	
Permit #:	Office of Land and Water Resources P.O. Box 2309		Well #:	
Driller: Jixt/n Kobinson	Jackson, MS 39225			
Date drilling completed:	, ,	961- 5210	L. S. Elevation:	
	(001)90	1- 5228 (fax)	E-log #:	
State Law requires that this report				
Department at the above address				
Information on Well O (Landowner if borehole is not fo		i .	rehole Location SU	
Owner Name Royald Syl		Latitude: <u>U30° 56 '83</u>	Longitude://3/1/7/2/27	
	ex rd	Method of Lat/Long (circle or	ne): Conventional Survey,	
		USGS quad, Hand-held GPS, Survey-grade GPS		
City State	39678	52 "NW" Sec 19		
		Distance Direction	Distance Direction Nearest Town 10 Miles North of Oster	
Telephone No. (ω) $\lambda\lambda$ -9966	2			
	Well / Bore	hole Data		
Date drilling started: / O/1/10 Date dril	lling completed: /0////	<u>/o</u> Hole depth: <u>260</u>	Hole diameter: 678	
Location of the source of any surface water Method of dosing and volume of Chlorine	r used for drilling:	opment: 2 lf o		
Method of dosing and volume of Chlorine used in drilling and development: Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water We		ogical Investigation Ground	Source Heat Pump	
Seismic S	urveyOther (describe	`	-	
) n, skip the remainder of this blo	ock	
Purpose of Well (check one): Home 🗾 Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 74 feet above or below (circle one) land surface Date measured: 10/1/10				
Method of Measurement (circle one) (steel tape) electric tape air line other:				
Well depth:				
Casing length: 240 feet Casing diameter: 4 inches Type of casing: PVC Sch 40				
Screen length: 30 feet Screen diameter: 4 inches Type of screen: PUC 32h 40				
Screen slot size: <u>012</u> inches Setting depth: From <u>260</u> feet to <u>240</u> feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page				
			Form: OLWR-SWR-1A (04/08)	

RECEIVED OCT 13 2010 RY-OWR

The sketch below only required for water wells	Description of formations encountered must be provide	
	wells and boreholes, unless specifically exempted by r	

If well telescopes, show depths on sketch. Ground Level		
	į.	
	ŀ	
	1	
	1	
	1	
	· ·	
	i	
	1	
]	
	j	

Description of Formations Encountered	From (depth)	To (depth)
cky with bis gravel	Ground Level	
well sorted scrudary gravel	as	70
well sorted sandard gravel	70	130
nell profiled sands	130	195
nell proked sand	195	200
	<u> </u>	
	ļ	
	<u> </u>	
	·	ļ
	ļ	
		
		
		
	 	
	<u> </u>	
	+	
	 -	
	 	
	 	
	ļ	
		+
	L	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent struct aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well is a north agrow.	tures on the property that may ating the property and the well;
Arth Mark 10 Janes	
Les Maries de la company de la	
,	
Landowner Name: Rando Sylvia	Form: OLWR-SWR-1A (04/08

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No. Date

Signature of Licensee



County:	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)		For Office Use Only: Aquifer: Well #: Elevation:	
This part of the report must be completed by a licensed water well a report must be attached and both parts filed with the Department a Well Owner Information Owner Name: Royal Sylva Mailing Address: 25/2 150x 10 Total State Zip Code Telephone No. (601) 225 9962		Method of Lat/Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS/ Distance Direction Nearest Town Miles Mothod Mothod Mothod Miles Mothod Mothod Miles Mothod Mothod Miles Mothod Miles Mothod Miles Mothod Miles Mothod Mothod Miles Mothod Mothod Miles Mothod Moth		
Pump Type Circle one Jet Bucket Piston Centrifugal Rotary Other (specify): Date Pump Installed: 10/11/0 Rated Pump Capacity: 33	The second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the section of	Diesel Engine Gasolin Electric Motor Hand	feet	
Pump Test Data Date Well Tested: / O / I / O Static Water Level (A): 74 Feet Pumping Water Level (B): / 20 Feet Drawdown [(B) – (A)]: 34 Fect Test Pumping Rate: 33 Duration of Pump Test (minimum 4 hours):	Below Land Surface Below Land Surface Gallons Per Minute	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: GPM with a drawdown of feet after hours of pumping		
This is for (circle one): New Well Replacement of Existing Pump Repair of Existing Pump				

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.