	State Well Re	port r		
County: Amite	Part 1 – Driller's Log		For Office Use Only:	
• `	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources P.O. Box 2309		Well #:	
Driller: Fitzerald well serp.	Jackson, MS 39225		L. S. Elevation:	
Date drilling completed: 3-16-12	(601)961- 5210		L. S. Elevation:	
	(601)961- 5228 (	iax)	E-log #:	
State Law requires that this report				
Department at the above address				
Information on Well Owner Well or Borehole Location (Landowner if borehole is not for a water well)				
	Latitud	: <u>31°° 16</u> °, <u>4.7°</u>	Longitude: 90° 44′, 7.4°, 07	
Owner Name FrAnkie Jeinig	. Method	03 of Lat/Long (circle one	e): Conventional Survey,	
Mailing Address: Jernizan R	<u>d.</u>			
· J	1 0		GPS, Survey-grade GPS	
4 1 1	NW:	45W 1/4 Sec 31	Twn 4N Rng 5E	
Sm-thdule my City State	,	. 1 /	1	
City State	e Zip Code Distanc	e Direction Mileso	Nearest Town	
Telephone No. ()				
	Well / Borehole Data			
Date drilling started: 3-(6-12) Date dril	_		Hole diameter: 8/1	
Date drilling started:	ning completed: - IV Id. Hol	e depui. 1 V	Hole diameter.	
Location of the source of any surface water Method of dosing and volume of Chlorine				
Logs run (circle all applicable): No log run Name of organization running log(s):	Blectric Gamma Ray Density	Sonic Neutron C	Other:	
Purpose of borehole (check one): Water We	ellGeotechnical/Geological Inv	estigation Ground	Source Heat Pump	
Seismic S	urvey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIn	dustrial Public Supply Irrig	ation Fish Culture _	Other:	
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 102 feet above or below (circle one) land surface Date measured: 3-16-12				
Method of Measurement (circle one) seel tape electric tape air line other:				
Well depth: 160 Well grouted to a depth of 10 feet Type of grout (circle one): leat Cement Bentonite Mix				
Casing length: 150 feet Casing diameter: 4" inches Type of casing: 10c				
Screen length: 10 feet Screen diameter: 4" inches Type of screen: Pec				
Screen slot size:inches Setting depth: Fromfeet_ tofeet_ tofeet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:	feet. If telescoped	or more than one scree	n, describe on next page	

**RECEIVED** 

Form: OLWR-SWR-1A (04/08)

APR 1 7 2012

BY: OLWR

The sketc	h below	only i	reauired	for	water	wells

If well	telescones	chow	denths	on	sketch.	

f well telescopes,	show	depths	on	sketch
Ground Level		_		

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Claye	0	20
Claye	20	40
chivel.	40	80
Clarke	80	100
Soud.	100	110
clare	110	130
Salur	(30	150
Course Sand	150	160
	<b>+</b>	
		1

If more than one screen, show location of each on sketch

Sketch the property layout and aid in locating th 4) a north arrow.	include the following: 1) the well location; 2) any permanent structures on the property that may e well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
Meach, lloned	Jenigan M.
Libery' Landowner Name: Frank	Y Telascum
Lancoviiot Addition	Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Bind Figure 12, 029. 3-16-12

Print Name of Responsible Licensee and License No. Date

**RECEIVED** 

APR 1 7 2012

BY: OLWR

County: Amte,  Permit #: Mississippi Departme  Driller: Fitzpeal dwellfare, Office of Land P.O.  Jackso (601)			
Sm th dule ms.  City State Zip Code  Telephone No. ()	Distance Direction Nearest Town  Miles of		
Pump Type Circle one Air Lift Jet Submersible Bucket Piston Turbine	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well  Other (specify):  Date Pump Installed: 3-/6-12-  Rated Pump Capacity: 12 Gallons Per Minute	Windmill Other (specify):  Horse Power Rating of Motor:  Setting Depth:		
Pump Test Data  Date Well Tested:  Static Water Level (A): Feet Below Land Surface  Pumping Water Level (B): Feet Below Land Surface  Drawdown [(B) – (A)]: Feet Below Land Surface  Test Pumping Rate: Gallons Per Minute  Duration of Pump Test (minimum 4 hours): hours	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Fape Other (specify):  For flowing well, measured shut in head:  GPM with a drawdown of  feet afterhours of pumping		
This is for (circle one): Replacement of Existing Pump Repair of Existing Pump			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.    BiAd ritzeral   best of my knowledge.			

. . . •

RECEIVED