CR-36#1

	·	K-36-1
STATE	WELL REPORT	
County: AMI Le	Part 1	For Office Use Only:
	Oriller's Log	Well #: 584
Mississippi Depart	tment of Environmental Quality and and Water Resources	Aquifer:
9 22 11/	P.O. Box 2309	E-Log #:
	son, MS 39225-2309 (601)961-5210	
	01)360-0535 (fax)	
State Law requires that this report be prepared by the Department at the above address within 30 days of co		
Well Owner Information		ehole Location
(Landowner if borehole is not for a water well)	Latitude: 310 11 19" Lor	ngitude: 90° 39′ 05″
Owner Name: D&D Drilling Inc		e): Conventional Survey,
Mailing Address:	USCS and Handhald C	DC Cumrou grada CDC
P.O.Box 1634	USGS quad, Hand-held G	1
Ferriday LA 71334	1 - 1	36 T 3N R 5E
City State Lip code	3,3 Miles W 0	i Mc Elveen
Telephone No. (318) 757-3274	(Distance) (Direction)	(Nearest Town)
Well /	Borehole Data	
Date drilling started: 9-22-14 Date drilling completed	1: 9-2314 Hole depth: 160	Hole diameter: 4"
Location of the source of any surface water used for drill	ing:	
Method of dosing and volume of Chlorine used in drilling	and development:	
Logs run (circle all applicable). No log run Electric Gam	nma Ray Density Sonic Neutro	on Other:
Name of organization running log(s):		
Purpose of borehole (circle one): Water Well Geotechn	nical/Geological Investigation	Ground Source Heat Pump
Seismic Survey Other	(describe)	
If drilling is not related to water well	construction, skip the remainde	r of this block
Purpose of Well (circle all applicable): Home Industrial	Public Supply Irrigation	Fish Culture
Other (describe): Rig Supply		
If a flowing well, method of flow regulation: Valve		
Static Water Level:	w] land surface Date measure	d: 9-23-14
Method of measurement (circle one): Steel tape Electric	 -	
Well depth: 160' Well grouted to a depth of: 10	feet Type of grout (circle one)	
Casing length: 140' feet Casing diameter:	À	Dic
Screen length: 20 feet Screen diameter:		screen.
Screen slot size: • 020 inches Setting dept	7	
Type of completion (circle all applicable): Gravel packed	Linderreamed Open hole	Natural Development

feet

If telescoped or more than one screen, describe on next page

Other (describe):_

Top of lap pipe or reduction in casing: ___

Form: OLWR-SWR-1A (4/93)

County:Am. +C	_			fice Use Only:
The sketch below only required for	r water wells	Description of formations enc	ountered must l	be provided for all wel
If well telescopes, show depths on s	sketch.	and boreholes, unless specific	ally exempted b	y regulations
Ground Level		Description of Formations Encou	ntered From	n (depth) To (depth)
		Red Clay		und level 60
		Coravel J		60 100
		Course Sano	. 10	00/160
	-			

		/		
If more than one screen, show location o	f each on sketch			
		•		
Sketch the property layout and include the	e following:			
Sketch the property layout and include th 1) the well location 2) any permanent structures on the p 3) any roads, power lines, or other it 4) north arrow	property that may ai ems that may aid in	locating the property and the well		
 the well location any permanent structures on the p any roads, power lines, or other it 	oronerty that may ai	d in locating the well locating the property and the well		M(Elve
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well	old Thuy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well Huy 24	old thuy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well	old Havy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old thuy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old Hwy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old Havy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old thuy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old Thuy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old Hwy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old Huy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old thuy	
 the well location any permanent structures on the p any roads, power lines, or other it 	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old Ithuy	
1) the well location 2) any permanent structures on the p 3) any roads, power lines, or other it 4) north arrow	property that may ai ems that may aid in	locating the property and the well (+tuy 24 -2	old Hwy	
1) the well location 2) any permanent structures on the p 3) any roads, power lines, or other it 4) north arrow Landowner Name: HEREBY CERTIFY that the well/boreh requirements of the Mississippi Depart f applicable, and state laws.	property that may aid in	locating the property and the well thuy 24 Read well the second seco		ZŸ
1) the well location 2) any permanent structures on the p 3) any roads, power lines, or other it 4) north arrow Landowner Name: HEREBY CERTIFY that the well/boreh requirements of the Mississippi Depart	property that may aid in which the best of	locating the property and the well thuy 24 Read well the second seco		ZŸ

STATE WELL REPORT

County: Permit #: Driller: _ Date completed: Copy information from block on Part 1

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210 (601) 360-0535 (fax)

For (Office	Use Only:	•
Well #:	J	84	
Aquifer:			

of the report must be anachea and both parts filed with the D	epartment at the above address within 30 days of well completion.
Well Owner Information	· Well Location
Owner Name: D & D Drilling Inc	Latitude: $31^{\circ}11'19''$ Longitude: $90^{\circ}39'05''$
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,
PO, Box 1634	USGS quad, Hand-held GPS, Survey-grade GPS
Ferriday LA 71334 City State Zip Code	$\frac{NE_{14} NE_{14}, Sec_{36} T_{3N} R_{5E}}{3.3 \text{ Miles} W} \text{ of } MCE_{10ec}$ $\frac{W}{(Distance)} \text{ (Direction)} \text{ (Nearest Town)}$
Telephone No. (318) 757-3274	(Distance) (Direction) (Nearest Town)
Pump Typ	e (circle one)
Submersible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (describe):
Date Pump Installed: $Q-23-14$ R	ated Pump Capacity:
Is This Pump (circle one): New Repaired Replacemen	t
Power Typ	e (circle one)
Electric Diesel Gasoline Natural Gas Tractor PTO Wind	dmill Other (describe):
Horse Power Rating of Motor: 5#P Setting Dept	n: 147feet Number of Stages:
Pump Test Data 1	or Non Flowing Well
	Duration of Pump Test (minimum 4 hours): hours
Static Water Level (A): Feet Below Land Surface	Pumping Water Level (B): Feet Below Land Surface
	Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta	Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute Air line Other (describe):
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Date	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe):
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Dat Measured shut in head:feet. Well yielded GPM with a drawdown of	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe): Feet Below Land Surface Gallons Per Minute Del Air line Other (describe):
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Dat Measured shut in head:feet. Well yielded GPM with a drawdown of	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): a for Flowing Well feet after hours of pumping Installation
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Dat Measured shut in head:feet. Well yielded GPM with a drawdown of	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): a for Flowing Well feet after hours of pumping mstallation Meter Serial Number:
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Dat Measured shut in head:feet. Well yielded GPM with a drawdown of Meter I Meter Manufacturer:	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): a for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter:
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Dat Measured shut in head:feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name:	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute per Air line Other (describe): a for Flowing Well feet after hours of pumping nstallation Meter Serial Number: Type of Meter: **1000, etc): **1000, etc):
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Dat Measured shut in head:feet. Well yielded GPM with a drawdown of Meter I Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute per Air line Other (describe): a for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter: **1000, etc):
Drawdown [(B) - (A)]:Feet Below Land Surfa Method of measurement (circle one): Steel tape Electric ta Pump Test Dat Measured shut in head:feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacementary: By submitting the above information you are ce	Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute per Air line Other (describe): a for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter: **1000, etc):

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Signature of Pump Cataller Print Name of Pump Installer and License No. (if applicable)

Form: OLWR-SWR-1B (4/13)