State V	Vell Report		
	Driller's I or		
Mississippi Departme	nt of Environmental Quality Aquifer:		
Permit #: Office of Land	and Water Resources Well #:		
Dillier ( ) ( Director, or Con or a con	BOX 10031		
7 1/ //	MS 39289-0631 L. S. Elevation:		
	54-6938 (fax) E-log #:		
(***)	71 0750 (tax)		
State Law requires that this report be prepared by the li	ense holder responsible for the work and filed with the		
Department at the above address within 30 days of com	pletion of drilling of the well or borehole.		
Information on Well Owner (Landowner if borehole is not for a water well)	Well or Barchole Location		
	Latitude: 31° 4' 388" Longitude 90° 32.266		
Owner Name Danald Mancusc	Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: Church Rd			
	USGS quad, Hand-held GPS, Survey-grade GPS		
City State Zin Code	NE 1/2 W Sec (O Two) N Rog 7 E		
City State Zip Code	Distance Direction Nearest Town Miles of		
Telephone No. ()	Mana oi		
Well / Bor	Phole Data		
Date drilling started 5-26-10 Date drilling completed 5-26-	•		
Date drilling started Vo Date drilling completed > // U-	Hole depth: 11 Hole diameter: 0		
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:			
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:		
Purpose of borehole (check one): Water WellGeotechnical/Geo	ogical Investigation Ground Source Heat Pump		
Seismic SurveyOther (describe	and the state of t		
If drilling is not related to water well construction	n, skip the remainder of this block		
Purpose of Well (check one): HomeIndustrial Public Supply			
If a flowing well, method of flow regulation: ValveOther (describe)			
Static Water Level: 10 feet above or below (circle one) land surface Date measured: 5-26-10			
Method of Measurement (circle one) teel tape electric tape air line other.			
Well depth: 112 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix			
105	inches Type of casing: PVC		
4 (	inches Type of screen: PUC		
	107 feet to 112 feet		
Type of completion (circle all applicable): Gravel packed Under			
Other (describe):	-		

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: \_

Form: OLWR-SWR-1A



## The sketch below only required for water wells

If well i	telescopes.	show de	enths on	sketch.
<u> </u>				

If well t	telescopes.	show	depths	on sketch	Į,
Gro	und Level		7		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
_	Ground Level	
clus.	0	<b>9</b> 0
Sand	20	40
(lugr.	40	80
dan de	80	100
couse sand	100	112

If more than one screen, show location of each on sketch

4) a north arrow.	@ L- well
	I anobel Hang
	·
Chyn	hRd
wner Name: Donald Mancaso	

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

Signature of Licensee

BY: OLWR

Print Name of Responsible Licensee and License No.

• '	STATE WEL	L REPORT	KIM
County: Amte	Part 2		For Office Use Only:
	Pump Installer's Completion Report		For Office Use Only:
Permit #: Mi	Mississippi Department of Environmental Quality		Aquifer:
Driller: Elycald Well face	Office of Land and Water Resources P.O. Box 10631		
Date completed: 5-26-10	Jackson, MS 39289-0631		Well #:
Date completed: 5 3 5 10	(601)961-		Elevation:
Copy information from block on Part 1	(601)354-69	38 (fax)	Elevation:
This part of the report must be completed by a report must be attached and both parts filed wi	licensed water well conti th the Department at the	ractor or a licensed pump in above address within 30 da	staller. A copy of Part 1 of the sys of well completion.
Well Owner Information		Well	Location
Owner Name: Donald Mancuse	L	atitude: <u>3194′38,8″</u>	Longitude: 90°32 26.6 7
Mailing Address: Church Rd	Mo	ethod of Lat/Long (check one	e): Conventional Survey,
	U	SGS quad, Hand-held (	GPS, Survey-grade GPS
Magnelia ms City State		¼¼ Sec	TR
City State			Nearest Town
Telephone No. ()		Miles of	
	LL		
Pump Type		Pow	ver Type
Circle one		Cir	rcle one
Air Lift Jet Suf	omersible Di	iesel Engine Gasoline	e Engine Natural Gas
Bucket Piston Tur	bine	ectric Motor Hand	Tractor PTO
Centrifugal Rotary Flo		·	specify):
Other (specify):		orse Power Rating of Motor:	
Date Pump Installed: 5-26-10	1	etting Depth: 50	3
Rated Pump Capacity: 12 Gall	ons Per Minute N	umber of Stages: 8	
			1. W.A. Y.
Pump Test Data			suring Water Level
Date Well Tested:			
Static Water Level (A):Feet Belo	w Land Surface	ir Line Electric Meas	
Pumping Water Level (B):Feet Below		ther (specify):	
Drawdown [(B) – (A)]:Feet Belo	w Land Surface Fo	or flowing well, measured shu	ut in head:feet
Test Pumping Rate:Gall	ons Per Minute W	ell yielded	_GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	hours	feet after	hours of pumping
I HEREBY CERTIFY that the above statements	are true to the best of m	v knowletige.	
1 . 1)		DTC41.1	
BIAd Edzywald Od	<u> </u>	sed dyly	
Print Name of Pump Installer and License No. (i	f applicable)	Signature of Pump Ins	staller Form: OLWR-SWR-1B

