	State Well	Report _r	
County: Amole	Part 1 – Drille	-	For Office Use Only:
	Mississippi Department of E		Aquifer:
Permit #:			Aquifer: Well #: <u>L-54</u>
Permit #: Driller: Fi-lizerald WellSe Date drilling completed: 1-5-06	P.O. Box 10		Well #:
Driller: 199944 Curde	Jackson, MS 39		L. S. Elevation:
Date drilling completed: 1-5-06	(601)961-5	,	
	(601)354-693	8 (fax)	E-log #:
	_	L	
State Law requires that this repo			
Department at the above addres			or borehole. rehole Location
Information on Well (Landowner if borehole is not		well or Bor	enole Location
	T of	tude: °,	' Longitude:^
Owner Name Dannel Mc Ob	nald		· · · · · · · · · · · · · · · · · · ·
Mailing Address: tanes ville	Al Met	hod of Lat/Long (circle one	e): Conventional Survey,
Mailing Address: <u>Aanes Ville</u>	<u> </u>	MCCC and Handle 11	CDC Current crede CDC
		USGS quad, Hand-held	
_ / ^		1/4 1/4 Sec 26	_Twn <u>21</u> Rng 21
<u>City</u>			
City St	ate Zip Code Dist	ance Direction Miles Scuth c	Nearest Town
	<u> </u>	Miles <u>Sciuth</u> of	f Glosfer
Telephone No. ()			
	Well / Borehole I	Data	
Location of the source of any surface wa Method of dosing and volume of Chlori	ter used for drilling: ne used in drilling and development		
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r	ne used in drilling and development	nt:	· · · · · · · · · · · · · · · · · · ·
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running $\log(s)$:	ne used in drilling and development	nt: sity Sonic Neutron (Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (check one): Water V	ne used in drilling and development Delectric Gamma Ray Den Well Geotechnical/Geological	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (check one): Water V Seismic	ne used in drilling and development Delectric Gamma Ray Den Vell Geotechnical/Geological Survey Other (<i>describe</i>)	nt:	Other: Source Heat Pump
If drilling is not relate	ne used in drilling and development n Electric Gamma Ray Den Well Geotechnical/Geological Survey Other (<i>describe</i>) <i>d to water well construction</i> , skip	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (check one): Water V Seismic <u>If drilling is not relate</u>	ne used in drilling and development n Electric Gamma Ray Den Well Geotechnical/Geological Survey Other (<i>describe</i>) <i>d to water well construction</i> , skip	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (check one): Water V Seismic If drilling is not related Purpose of Well (check one): Home	ne used in drilling and development Delectric Gamma Ray Den VellGeotechnical/Geological Survey Other (<i>describe</i>) <u>d to water well construction, skip</u> Industrial Public Supply In	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home If a flowing well, method of flow regulat	ne used in drilling and development an Electric Gamma Ray Den Vell Geotechnical/Geological Survey Other (<i>describe</i>) <i>d to water well construction, skip</i> Industrial Public Supply In on: Valve Other (<i>describe</i>)	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home If a flowing well, method of flow regulat	ne used in drilling and development an Electric Gamma Ray Den Vell Geotechnical/Geological Survey Other (<i>describe</i>) <i>d to water well construction, skip</i> Industrial Public Supply In on: Valve Other (<i>describe</i>)	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(c): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home If a flowing well, method of flow regulat Static Water Level:feet a	ne used in drilling and development me used in drilling and development me Electric Gamma Ray Den VellGeotechnical/Geological Survey Other (<i>describe</i>) <i>d to water well construction, skip</i> Industrial Public Supply In on: Valve Other (<i>describe</i>) bove or below (circle one) land supply.	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(c): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home If a flowing well, method of flow regulat Static Water Level:feet a	ne used in drilling and development me used in drilling and development me Electric Gamma Ray Den VellGeotechnical/Geological Survey Other (<i>describe</i>) <i>d to water well construction, skip</i> Industrial Public Supply In on: Valve Other (<i>describe</i>) bove or below (circle one) land supply.	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(c): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home If a flowing well, method of flow regulat Static Water Level:feet a	ne used in drilling and development n Electric Gamma Ray Den Vell Geotechnical/Geological Survey Other (<i>describe</i>) <i>d to water well construction, skip</i> Industrial Public Supply In on: Valve Other (<i>describe</i>) and subove or below (circle one) land subove for below (circle one) land subove or	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(c): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home V If a flowing well, method of flow regulat Static Water Level: 60 feet a Method of Measurement (circle one) Well depth: 20 Well grouted to a c Casing length: 10 feet Cas	ne used in drilling and development an Electric Gamma Ray Den Vell Geotechnical/Geological Survey Other (describe) d to water well construction, skip Industrial Public Supply In on: Valve Other (describe) industrial Public Supply In on: Valve Other (describe) steel tape electric tape depth of [U feet Type of graving ing diameter: inch	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(c): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home V If a flowing well, method of flow regulat Static Water Level: 60 feet a Method of Measurement (circle one) Well depth: 20 Well grouted to a c Casing length: 10 feet Cas Screen length: 10 feet Scr	ne used in drilling and development an Electric Gamma Ray Den Vell Geotechnical/Geological Survey Other (describe) d to water well construction, skip Industrial Public Supply In on: Valve Other (describe) industrial Public Supply In on: Valve Other (describe) steel tape electric tape depth of [0] feet Type of growing diameter: inch een diameter: inch	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(c): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home V If a flowing well, method of flow regulat Static Water Level: 60 feet a Method of Measurement (circle one) Well depth: 20 Well grouted to a c Casing length: 10 feet Cas Screen length: 10 feet Scr	ne used in drilling and development an Electric Gamma Ray Den Vell Geotechnical/Geological Survey Other (describe) d to water well construction, skip Industrial Public Supply In on: Valve Other (describe) industrial Public Supply In on: Valve Other (describe) steel tape electric tape depth of [0] feet Type of growing diameter: inch een diameter: inch	nt:	Dther:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(c): Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home V If a flowing well, method of flow regulat Static Water Level: 60 feet a Method of Measurement (circle one) Well depth: 20 Well grouted to a c Casing length: 10 feet Cas Screen length: 10 feet Scr	ne used in drilling and development m_Electric Gamma Ray Den Vell_Geotechnical/Geological Survey_Other (describe) d to water well construction, skip Industrial_Public Supply_Indon: ValveOther (describe) industrial_Public Supply_Indon: ValveOther (describe) boxe or below (circle one) land substances the figure electric tape epth of feet Type of graving diameter: incless ing diameter: incless setting depth: From []	nt:	Dther: Source Heat Pump ck Other: 1-5-ck. Dent Bentonite Mix vc vc vc vc vc
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running $log(s)$: Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home V If a flowing well, method of flow regulat Static Water Level: <u>60</u> feet a Method of Measurement (circle one) Well depth: <u>20</u> Well grouted to a consist of the set of	ne used in drilling and development m_Electric Gamma Ray Den Vell_Geotechnical/Geological Survey_Other (describe) d to water well construction, skip Industrial_Public Supply_Indon: ValveOther (describe) industrial_Public Supply_Indon: ValveOther (describe) boxe or below (circle one) land substances the figure electric tape epth of feet Type of graving diameter: incless ing diameter: incless setting depth: From []	nt:	Dther: Source Heat Pump Source Heat Pump ck
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running $log(s)$: Purpose of borehole (check one): Water V Seismic If drilling is not relate Purpose of Well (check one): Home V If a flowing well, method of flow regulat Static Water Level: <u>60</u> feet a Method of Measurement (circle one) Well depth: <u>20</u> Well grouted to a consist of the set of	he used in drilling and development m Electric Gamma Ray Den Well_Geotechnical/Geological Survey_Other (describe) d to water well construction, skip Industrial_Public Supply_Indon: ValveOther (describe) industrial_Public Supply_Indon: ValveOther (describe) and sub- steef tape electric tape epth of [U] feet Type of grav- ing diameter:inch een diameter:inch setting depth: Frominch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :inch :	nt: Ground Investigation Ground <u>p the remainder of this blo</u> rrigation Fish Culture describe) urface Date measured: air line other: out (circle one): Neat Cerne nes Type of casing: thes Type of screen: feet to d Telescoped Open I	Dther: Source Heat Pump ck Other: /-S-OC Dent Bentonite Mix Puc Duc 2ufeet hole Natural Development


,

•

JAN 2 0 2006 BY: OLWR

2-54

The sketch below only required for water wells




<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Clust	0	102

1	Ground Level	
Clurt	0	20
Sandy, loam	20	40
glaber	40	80
curse sund	80	100
Curris Sund	100	120
		•
·····		
		·
		ļ

If more than one screen, show location of each on sketch



Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. BrAd Flzgerald

5-06. Date

Print Name of Responsible Licensee and License No.

624

Signature of Licensee

JAN 2 0 2006 BY: OLWR

STATE WELL REPORT				
Permit #:				
Telephone No. ()	Miles _JOUTH of			
Pump Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: 1-5-06.	Setting Depth: <u>90</u> feet			
Rated Pump Capacity: 2 Gallons Per Minute	Number of Stages:			
Pump Test Data	Method of Measuring Water Level Circle one			
Date Well Tested:Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):			
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping			
I HEREBY CERTIFY that the above statements are true to the best WAD ELEGENTIA Print Name of Pump Installer and License No. (if applicable)	of my knowledge. <u>Buck Styper</u> Signature of Pump Installer Form: OL RECEIVE IAN 2 0 200			

	JA	N	2	0	200	6
B	Y:	(C	Ĩ	W	R