

RECEIVED  
 DEC 0 3 2008  
 BY: OLWR

Form: OLWR-SWR-1A

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Information on Well Owner (Landowner if borehole is not for a water well)  
 Owner Name: Henry Haver  
 Mailing Address: Aug 569  
 City: Liberty State: MS Zip Code: \_\_\_\_\_  
 Telephone No. ( ) \_\_\_\_\_

Well / Borehole Data  
 Date drilling started: 11-10-08 Date drilling completed: 11-10-08 Hole depth: 130' Hole diameter: 8"  
 Location of the source of any surface water used for drilling and development: \_\_\_\_\_  
 Method of dosing and volume of Chlorine used in drilling and development: \_\_\_\_\_  
 Logs run (circle all applicable): No logs run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_  
 Name of organization running logs: \_\_\_\_\_  
 Purpose of borehole (check one):  Water Well  Geotechnical/Geological Investigation  Ground Source Heat Pump  
 Seismic Survey  Other (describe) \_\_\_\_\_  
*If drilling is not related to water well construction, skip the remainder of this block*

Purpose of Well (check one):  Home  Industrial  Public Supply  Irrigation  Fish Culture  Other: \_\_\_\_\_  
 If a flowing well, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_  
 Static Water Level: 59' feet above or below (circle one) land surface Date measured: 11-10-08  
 Method of Measurement (circle one):  steel tape  electric tape  air line  other: \_\_\_\_\_  
 Well depth: 130' Well grouted to a depth of 10' feet Type of grout (circle one):  Neat Cement  Bentonite Mix  
 Casing length: 120' feet Casing diameter: 4" inches Type of casing: PVC  
 Screen length: 10' feet Screen diameter: 4" inches Type of screen: PVC  
 Screen slot size: .012 inches Setting depth: From 120' feet to 130' feet  
 Type of completion (circle all applicable):  Gravel packed  Undertanned  Telescoped  Open hole  Natural Development  
 Other (describe): \_\_\_\_\_  
 Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. *If telescoped or more than one screen, describe on next page*

For Office Use Only:  
 Acquirer: M-88  
 Well #: \_\_\_\_\_  
 L. S. Elevation: \_\_\_\_\_  
 E-log #: \_\_\_\_\_

State Well Report  
 Part I - Driller's Log  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601) 961-5210  
 (601) 354-6938 (fax)

County: Amite  
 Permit #: \_\_\_\_\_  
 Driller: Fitzgerald Well Serv  
 Date drilling completed: 11-10-08



BY: OLWB

DEC 03 2008

RECEIVED Form: OLWB-SWR-1B

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable): Bryce Fitzgerald 039

Signature of Pump Installer: [Signature]

**Pump Test Data**

Date Well Tested: \_\_\_\_\_

Static Water Level (A): \_\_\_\_\_ Feet Below Land Surface

Pumping Water Level (B): \_\_\_\_\_ Feet Below Land Surface

Drawdown (B) - (A): \_\_\_\_\_ Feet Below Land Surface

Test Pumping Rate: \_\_\_\_\_ Gallons Per Minute

Duration of Pump Test (minimum 4 hours): \_\_\_\_\_ hours

---

**Method of Measuring Water Level**

Air Line \_\_\_\_\_ Electric Measuring Line \_\_\_\_\_ Steel Tape

Other (specify): \_\_\_\_\_

For flowing well, measured shut in head: \_\_\_\_\_ feet

Well yielded \_\_\_\_\_ GPM with a drawdown of \_\_\_\_\_ feet

\_\_\_\_\_ feet after \_\_\_\_\_ hours of pumping

**Pump Type**

Circle one

Air Lift \_\_\_\_\_ Jet \_\_\_\_\_ Submersible

Bucket \_\_\_\_\_ Piston \_\_\_\_\_ Turbine \_\_\_\_\_

Centrifugal \_\_\_\_\_ Rotary \_\_\_\_\_ Flowing Well \_\_\_\_\_

Other (specify): \_\_\_\_\_

Date Pump Installed: 11-16-08

Rated Pump Capacity: \_\_\_\_\_ Gallons Per Minute

---

**Power Type**

Circle one

Diesel Engine \_\_\_\_\_ Gasoline Engine \_\_\_\_\_ Natural Gas \_\_\_\_\_

Electric Motor \_\_\_\_\_ Hand \_\_\_\_\_ Tractor PTO \_\_\_\_\_

Windmill \_\_\_\_\_ Other (specify): \_\_\_\_\_

Horse Power Rating of Motor: 3/4

Setting Depth: 90 feet

Number of Stages: 12

**Well Owner Information**

Owner Name: Harry Hoover

Mailing Address: Highway 569

City: Liberty State: MS Zip Code: \_\_\_\_\_

Telephone No. ( ) \_\_\_\_\_

---

**Well Location**

Latitude: 31° 5' 53.5" Longitude: 90° 52' 14.6"

Method of Lat/Long (check one): Conventional Survey

USGS quad \_\_\_\_\_ Hand-held GPS \_\_\_\_\_ Survey-grade GPS \_\_\_\_\_

Distance \_\_\_\_\_ Direction \_\_\_\_\_ Nearest Town \_\_\_\_\_

Miles \_\_\_\_\_ of \_\_\_\_\_

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

For Office Use Only:

Aquifer: \_\_\_\_\_

Well #: M-88

Elevation: \_\_\_\_\_

**Part 2**

**STATE WELL REPORT**

Pump Installer's Completion Report

Mississippi Department of Environmental Quality

Office of Land and Water Resources

P.O. Box 10631

Jackson, MS 39289-0631

(601)961-5210

(601)354-6938 (fax)

County: Amite

Permit #: \_\_\_\_\_

Driller: Fitzgerald Well Services

Date completed: 11-10-08

(Copy information from block on Part 1)