State Well Report						
	Oriller's Log For Office Use Only:					
Mississippi Departmen	t of Environmental Quality Aquiter					
Permit #: Office of I and a	and Water Resources					
Dillie. Fill Did III	50X 10051					
· · · · · · · · · · · · · · · · · · ·	1S 39289-0631					
	4-6938 (fax) E-log #:					
State Law requires that this report be prepared by the lice	ense holder responsible for the work and filed with the					
Department at the above address within 30 days of comp	Well or Burnhele Lection					
(Landowner if borehole is not for a water well)						
Owner Name Richal Wor	Latitude 31 · 8 · 3.6 " Longitude: 90 · 39 · 25 " OA Method of Lat/Long (circle one): Conventional Survey,					
Mailing Address: 3197 Claude Smith Rd	i e e e e e e e e e e e e e e e e e e e					
	USGS quad, Hand-heid GPS, Survey-grade GPS					
Magnelle MJ, City State Zip Code	SE 45E 4 Sec 14 Twn 2 N Rng 6E					
City State Zip Code	Distance Direction Nearest Town					
Telephone No. ()	Miles of					
Well / Bere	hole Data					
Date drilling started: 6-19-17 Date drilling completed: 6-19-	1 Hole depth: 130 Hole diameter. 2"					
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and devel	opment:					
Logs run (circle all applicable): No log run Ray Name of organization running log(s):	Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well_Geotechnical/Geole	ogical Investigation Ground Source Heat Pump					
Sciencic Survey Other (describe)					
Purpose of Well (check one): HomeIndustrial Public Supply						
If a flowing well, method of flow regulation: ValveO	ther (describe)					
Static Water Level:feet above or below (circle one) li	Static Water Level: 6-19-17, feet above or below (circle one) land surface Date measured: 6-19-17,					
Method of Measurement (circle one) (teel tipe) electric tape air line other:						
Well depth: 130 Well grouted to a depth of 10 feet Type of grout (circle one). Neat Cement Bentonite Mix						
	inches Type of casing:					
Screen length: 10 feet Screen diameter: 4 //	inches Type of screen: Puc					
	120					
Type of completion (circle all applicable): (inavel packed) Under	reamed Telescoped Open hole Natural Development					
Other (describe):						
Top of lap pipe or reduction in casing:feet. If the	successed or more than one acreen, describe on next page					
	F 01112 CV					

Form: OLWR-SWR-1A

RECEIVED

JUL 0 2 2007

BY: OLWR

	Description of Formations Encountered	Prom (dopth)	To (depth
1	Cluste	Ground Lovel	20
	Cludy	20	140
	srug.	40	\$1
	Suh.	80	10c
	Sund	100	1/0
	Cude Sand.	120	136
		+	
		 	
1		 	
1		 	
			1
		 	
			
n one screen, show location of each on sketch			
	R 7		
clunde South Rd	1 Bun 3197		

BY: OLWR

STATE WELL REPORT Part 2 For Office Use Only: stenant of Envi Driller Fitgurald Wil Source P.O. Box 10631 4 G-19-07 mon. MS 39289-0631 (601)961-5210 (601)354-6958 (flux) Corr information from block on Part 1 This part of the rea s. A copy of Fast Lefthe hin 30 days of well completion. **Nearest Town** Telephone No. (_ Pessep Type Fower Type Circle one Air Lift **Gasoline Engine** Natural Gas Bucket Electric Motor **Tractor PTO** Centrifugal Flowing Well Other (specify): Other (specify). Home Power Rating of Mater: 6-19-07 1001 Setting Depth: Rated Pump Capacity: Number of Stame: Prop Test Real fathed of Monneting Water Level Circle one Date Well Tested: _ Air Line ed Tapo Plactric Measuring Line Static Water Level (A): ____Feet Below Land Surface Other (specify): Pumping Water Level (B): _____Foot Below Land Surface Duawdown [(B) - (A)]: _____ __Fost Below Land Surface For flowing well, measured shut in head: Gallons Per Missale Well yielded GPM with a drawdown of Duration of Pump Test (minimum 4 hours): feet after

Brack Fifzgree & 1004 Beel Style

Print Name of Part Inteller and License No. (1 applicable)

Form: OLWR-SWR-1B

RECEIVED

JUL 9 2 2007

BY: OLWR