	State W	ell Report		
County: Amoles	•	riller's Log	For Office Use Only:	
	Mississippi Department	of Environmental Quality	Aquifer:	
Permit #:	Office of Land and Water Resources		11-90	
Driller Fitzwald well Source	P.O. Box 10631		Well #: (1-87	
9-15 06	Jackson, MS 39289-0631		L. S. Elevation:	
Date drilling completed: 9-15-06	(601)9	961-5210	See See Valley and See See See See See See See See See Se	
	(601)354	l-6938 (fax)	E-log #:	
State Law requires that this repor Department at the above address	within 30 days of comp	nse holder responsible for the letion of drilling of the well	he work and filed with the or borehole.	
Information on Well (	)wner		rehole Location	
(Landowner if borehole is not fo	or a water well)			
Owner Name Resie Andrew			" Longitude: " "	
Mailing Address: Huy 584.		Method of Lat/Long (circle on	•	
		USGS quad. Hand-held GPS, Survey-grade GPS		
osyka ms.				
City State Zip Code Telephone No. ()		Distance Direction  Miles Let 0	Nearest Town of Osyka.	
Well / Borehole Data  Date drilling started: 9-15-06. Date drilling completed: 9-15-06. Hole depth: 128 Hole diameter: 2"				
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): To log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump				
Seismic SurveyOther (describe)				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 34 feet above or below (circle one) land surface Date measured: 9-15-06				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 28 Well grouted to a depth of 10 feet Type of grout (circle one) New Comp.				
Casing length: 1/8 feet Casing diameter: 4" inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 4" inches Type of screen: PVC				
Screen slot size: 1012 inches Setting depth: From //6' feet to 185' feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
	A.5. (1. 19.)			

Top of lap pipe or reduction in casing: \_\_\_\_\_\_feet. If telescoped or more than one screen, describe on next page

Pump set by the warehouse.

Form: OLWR-SWR-1A

RECEIVED

SEP 28 2006

BY: OLWR

BY: OLWF

The shetch below only required for water wells  Lwell telescopes, show depths on shetch.	Description of formations encountered wells and boreholes, unless specifically	must be provided exempted by reg	for all ulations
Ground Level	Description of Formations Encountered	From (depth)	To (depth)
		Ground Level	- (sopur)
	cluz-	0	20
	Sand tower	20	60
	chy	Lo	80
	Sandy	10	110
	CouseSand	110	128
		<del></del>	<del> </del>
			<del>                                     </del>
		ļ	
		<u> </u>	
			<del>                                     </del>
			<u> </u>
		<del> </del>	<b> </b>
		<del>                                     </del>	
į			
If more than one screen, show location of each on sket-			
Huy 584	I mobil Hone		
<i>/</i> - • · ·			
ndowner Name: Reside Andrews,			
tify that the well/borehole was drilled, constructed, as issippi Department of Environmental Quality and the	id completed in accordance with all applicable to Mississippi Department of Health regulations,	Form: OLWR- equirements of the supplicable, and	he
Prad Fflewald 029, 9	-15-06. Bul Stylf		
Name of Responsible Licensee and License No.	Date Signature of License		EIV
		CE	P 282

. . . .

The shetch below only required for water wells

## STATE WELL REPORT

Permit #:

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631

For Office Use Only:
Aquifer:
Well #:
Elevation:

Date completed: 9-15-06	Jackson, MS 39289-0631 Well #:
This report should be prepared by the pump installe installation of pump.	er in detail and filed with the Department within 30 days of the
Well Owner Information	Well Location
Owner Name: Regis Andrews	
Mailing Address: 42 584	
Mailing Address: 72 5 57	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
City State Zip Cod	
City State Zip Cod	Distance Direction Nearest Town
Telephone No. ()	
Telephone No.	i) Miles War of Oly 14
Pump Type	Power Type
Circle one	Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:
Date Pump Installed: 9-15-06	Setting Depth: 100 feet
Rated Pump Capacity: Gallons Per Min	
Pump Test Data	Mothed of Manual - Way 1
Date Well Tested: 9-19-06	Method of Measuring Water Level Circle one
· ,	Air Line Electric Measuring Line Steel Tape
Static Water Level (A): <u>74</u> Feet Below Land Sur	face Other (specify):
Pumping Water Level (B): 45 Feet Below Land Surf	face (specify).
Drawdown [(B) - (A)]: // Feet Below Land Sur	face For flowing well, measured shut in head:feet
Test Pumping Rate:Gallons Per Min	nute Well yieldedGPM with a drawdown of
Duration of Pump Test (minimum 4 hours):ho	oursfeet afterhours of pumping
HEREBY CERTIFY that the above statements are true to the	he best of my knowledge.  Amos Pale -
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
The Name of Pump installer and License No. (if applicable)	Signature of Pump Installer RECEIVED

SEP 2 9 2006

BY: OLWR