Permit #:	County: ## Hmite.	Part 1	For Office Use Only:		
Driller: Titzens   Well Severe   Date drilling completed: 746-14.  Date drilling completed: 746-14.  State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of artilling of the well or boreholds.  State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of artilling of the well or boreholds.  Well Owner Information (Landowner if boreholds is not for a water well) Owner Name: Landon Flands  Mailing Address: Law Landon Flands  Mailing Address: Law Landon Flands  Method of Lat/Long (check one): Conventional Survey.  Well / Borehole Data  Date drilling started: 7-25-14 Date drilling completed: 7-24-14 Hole depth: 124' Hole diameter: 8''  Method of dosing and volume of Chlorine used in drilling and development:  Logs run (circle all applicable): folia Filia Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  Purpose of borehole (circle one): Water Well)  Seismic Survey Other (describe)  If artilling is not related to water well construction, skip the remainder of this block  Purpose of Well (circle all applicable): (fone) Industrial Public Supply Irrigation Fish Culture  Other (describe):  If a flowing well, method of flow regulation: Valve Other (describe)  Well depth: 24' Well grouted to a depth ofethiol feet Type of grout (circle one): Meat Cemean Bentonite Mix Casing length: 10' feet Screen diameter: 4' inches Type of casing: Law Cornel Inches Type of Completion (circle all applicable): Cornel Inches Type of Cas	Permit #:	Driller's Log	j -		
Date drilling completed: 7-36-14.  Date drilling completed: 7-36-14.  State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.  Well Owner Information [Landowner   f borehole   snot for a water well]  Owner Name: 1-41-40	Driller: Fitzurald Well Learne	Mississippi Department of Environmental Quality			
(601)961-92-10 (601)360-0335 (fax)  State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.  Well Owner Information (Landowner if borehole is not for a water well) Owner Name: Landon Slange Maiting Address: Landon Slange Maiting Address: Landon State Zip Code Telephone No. (Landon State Zip Code Te	Date drilling completed: 7-24-14,	P.O. Box 2309			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.  Well Owner Information (Landowner if borehole is not for a water well) Owner Name: Lando Law Candowner if borehole is not for a water well) Owner Name: Landowner if borehole is not for a water well) Owner Name: Landowner if borehole is not for a water well) Owner Name: Landowner if borehole is state  Zip Code  Method of Lat/Long (check one): Conventional Survey.  USGS quad. Hand-held GPS. Survey-grade GPS.  Well / Borehole Data  Date drilling started: Day - 14 Date drilling completed: Day - 14 Hole depth: Day - 14 Hole diameter: S"  Well / Borehole Data  Date drilling started: Day - 14 Date drilling completed: Day - 14 Hole depth: Day - 14 Hole diameter: S"  Well / Borehole Data  Date drilling started: Day - 14 Date drilling completed: Day - 14 Hole depth: Day - 14 Hole de	The same state of the same sta				
Well Owner Information (Landowner if Porrhole is not for a water well)  Owner Name: Landon Fla Mass Malting Address: Brubhum Rl.  Method of Lat/Long (check one): Conventional Survey  Method o	(601)360-0535 (fax)				
Well or Borehole Location (Landowner if porehole is not for a water well)  Owner Name: Lander Stands Mailing Address: Brabar Rd.  Method of Lat/Long (check one): Conventional Survey  Method of Survey  Method of Lat/Long (check one): Conventional  Method of Lat/Long (check one): Conventional .	State Law requires that this report Department at the above address w	be prepared by the license holder responsible for the ithin 30 days of completion of drilling of the well a	ie work and filed with the		
Downer Name: Landen Stanger  Malting Address: Brubhum R.I.  Method of Lat/Long (check one): Conventional Survey,  USGS quad	Well Owner Information Well or Borehole Location				
Mailing Address:    Brubham Rd.   Method of Lat/Long (check one): Conventional Survey   USGS quad   Hand-held GPS   Survey-grade GPS	(Landowner if porenote is not for a water well)				
USGS quad	Marked assets				
State   Zip Code   Miles   City   Mil	Mailing Address: Brubham Kd,				
Telephone No. (		USGS quad, Hand-held GF	S, Survey-grade GPS		
Well / Borehole Data  Date drilling started:			S TIN ROE		
Well / Borehole Data  Date drilling started: 7-29-14 Date drilling completed: 7-24-14 Hole depth: 124' Hole diameter: 8"  Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:  Logs run (circle all applicable): 10 log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  Purpose of borehole (circle one): 124-144 Geotechnical/Geological Investigation Ground Source Heat Pump Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block  Purpose of Well (circle all applicable): 100me Industrial Public Supply Irrigation Fish Culture  Other (describe):  If a flowing well, method of flow regulation: Valve Other (describe)  Static Water Level: 89' feet [above or below] land surface Date measured: 7-29-144  Method of measurement (circle one): 124 Geotechnical Type of grout (circle one) 124 Geotechnical Mix Casing length: 144 Geotechnical Type of casing: 144 Geotechnical Type of completion (circle all applicable): 144 Geotechnical Geolo		Zip CodeMiles of			
Date drilling started: 9-9-4/ Date drilling completed: 7-9-4/ Hole depth: 124 Hole diameter: 8//  Location of the source of any surface water used for drilling:	Telephone No. ()	(Distance) (Direction)	(Nearest Town)		
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture  Other (describe):  If a flowing well, method of flow regulation: Valve Other (describe)  Static Water Level: feet [above or below] land surface Date measured: 7 4	Name of organization running log(s):  Purpose of borehole (circle one): Vater V	Electric Gamma Ray Density Sonic Neutron  Vell Geotechnical/Geological Investigation Grant Survey Other (describe)	Other: round Source Heat Pump		
Other (describe):  If a flowing well, method of flow regulation: ValveOther (describe)					
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):  Well depth: 24 Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix  Casing length: 114 feet Casing diameter: 4" inches Type of screen: Puc  Screen length: 10 feet Screen diameter: 4" inches Type of screen: Puc  Screen slot size: 10 inches Setting depth: From 114 feet to 124 feet  Type of completion (circle all applicable): Gravet packed Underreamed Open hole Natural Development  Other (describe): feet	Other (describe):		sh Culture		
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):  Well depth: 24 Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix  Casing length: 114 feet Casing diameter: 4" inches Type of screen: Puc  Screen length: 10 feet Screen diameter: 4" inches Type of screen: Puc  Screen slot size: 10 inches Setting depth: From 114 feet to 124 feet  Type of completion (circle all applicable): Gravet packed Underreamed Open hole Natural Development  Other (describe): feet	If a flowing well, method of flow regulat	ion: Valve Other (describe)			
Well depth: 24 Well grouted to a depth of 10 feet Type of grout (circle one). Neat Cement Bentonite Mix  Casing length: 14 feet Casing diameter: 4" inches Type of casing: 15 feet Screen diameter: 4" inches Type of screen: 15 feet Screen diameter: 15 feet Screen diameter: 16 feet Screen diameter: 17 feet to 124 feet feet feet feet feet feet feet fee	Static Water Level: 89 feet [above_or_below] land surface Date measured: 7-29-14				
Well depth: 24 Well grouted to a depth of 10 feet Type of grout (circle one). Neat Cement Bentonite Mix  Casing length: 14 feet Casing diameter: 4" inches Type of casing: 15 feet Screen diameter: 4" inches Type of screen: 15 feet Screen diameter: 15 feet Screen diameter: 16 feet Screen diameter: 17 feet to 124 feet feet feet feet feet feet feet fee	Method of measurement (circle one): Ste	el tape Electric tape Air line Other (describe)	į		
Casing length:	Well depth: $24^{\prime}$ Well grouted to a de	epth of	Pat Cement Rentonite Mix		
Screen length:	Casing length: 114 feet Casin	ng diameter: 4 ' inches Type of cas	ing: Per		
Sorreen slot size: 100 inches Setting depth: From 114 feet to 124	Screen length:feet Screen	***			
Type of completion (circle all applicable): Gravet packed Underreamed Open hole Natural Development Other (describe):			12.16		
Other (describe):	Type of completion (circle all applicable)				
op of lap pipe or reduction in casing:feet			Natural Development		
		——————————————————————————————————————			

STATE WELL REPORT

Form: Ol WR-SWR-1A (4/13)

	Description of formations encountered must wells and boreholes, unless specifically exem.  Description of Formations Encountered From Sund,  Sund,  (lunt, lunt, l	Pescription of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations escription of Formations Encountered From (depth) To (depth)  Cluy  Cl
--	--	--

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.  (A) — W   A   A   A   A   A   A   A   A   A	Seeb ham Rd.	Landowner Name: LANCON Stuges
Sketch the proper aid aid.		Landowner Nam

Misalssippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state I certify that the well/horehole was drilled, constructed, and completed in accordance with all applicable requirements of the

7-29-14.

Print Name of Responsible Licensee and License No.

BIAL FIRZERALL.

## STATE WELL REPORT

## Permit #: Driller: Fitzgral of Well Serp. Date completed: 7-29-14

Copy information from block on Part 1

## Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225-2309

(601)961-5210

For Office Use Only:			
Well #:			
Aquifer:			

(601) 360-0535 (fax)				
This part of the report must be completed by a licensed water	well contractor or a licensed pump installer. A copy of Part 1			
· · · · · · · · · · · · · · · · · · ·	Department at the above address within 30 days of well completion.			
Well Owner Information	Well Location			
Owner Name: Landon Humps	Latitude: 31°2′40,3″ Longitude: 90°34′54.)″			
Mailing Address: Brabhum Rd	Method of Lat/Long (check one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
OS/Kq MS City State Zip Code	SE 14 SE 14, Sec 15 T IN R 6E			
City Company	Miles of (Distance) (Direction) (Nearest Town)			
Telephone No. ()	(Distance) (Direction) (Nearest Town)			
Pump Ty	pe (circle one)			
Submersible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (describe):			
	Rated Pump Capacity: 12. Gallons Per Minute			
Is This Pump (circle one): (New) Repaired Replacement				
	pe (circle one)			
Electric Diesel Gasoline Natural Gas Tractor PTO Win	ndmill Other (describe):			
Horse Power Rating of Motor: Setting Dept				
Pump Test Data	for Non Flowing Well			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours			
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface				
Drawdown [(B) - (A)]:Feet Below Land Sur	face Test Pumping Rate:Gallons Per Minute			
Method of measurement (circle one): Steel tape Electric t	ape Air line Other (describe):			
Pump Test Data for Flowing Well				
Measured shut in head:feet.				
Well yieldedGPM with a drawdown of	feet afterhours of pumping			
Meter Installation				
Meter Manufacturer:	Meter Serial Number:			
Meter Model Number/Name: Type of Meter:				
Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):				
Installation Date: Meter installed by:				
Is This Meter (circle one): New Repaired Replacement				
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.  For agricultural wells, a list of approved meters is on the MDEQ website.				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
Brad Fotzwald. Oag	7-24-14 Bul Strawald			
Print Name of Pump Installer and License No. (if applicable	) Date Signature of Pump Installer			

Form: OLWR-SWR-1B (4/13)