

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES
Bureau of Land and Water Resources

P.O. Box 10631
Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED ATTALA
WELL NUMBER D 2008
DATE WELL COMPLETED 7-6-94

PERMIT NUMBER
NAME OF DRILLING FIRM THOMAS DRILLING
ADDRESS 206 GRAHAM ST. CARTHAGE, MISS. 39051

NAME & MAILING ADDRESS OF LANDOWNER James L. Spruill		
Rt. 3 Box 156		
McCool, MS 39108		
WELL LOCATION: SEC	TOWNSHIP	RANGE
21	16 N	9 E
DISTANCE	DIRECTION	NEAREST TOWN
_____ Miles	_____ of _____	_____
OTHER LANDMARK		
WELL PURPOSE: Home , Irrigation, Municipal, Industrial, Fish Pond, etc.		

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, <u>Jet</u> Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): <u>Electric</u> , Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P _____		
Pump Capacity (GPM)	No. of Stages	Setting Depth FT.
PUMP TEST		
Well yielded <u>7</u> GPM with a drawdown of <u>3</u> ft. after <u>1</u> hours of pumping		

WELL DATA		
Well Depth 40'	Casing Diameter (In.) 2"	Casing Length (Ft.) 35'
Type of Casing PVC	Hole Depth 40'	Depth to Static Water Level 20'
TYPE OF COMPLETION: (Circle One or More): Gravel Packed, Underreamed, Telescoped, Natural Development, Open Hole, Other (Describe) <u>SAND PACKED</u>		
Top of Lap Pipe or Reduction in Casing FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE		

LOG DATA	
TYPE OF LOG RUN (Circle One): Electric, Gamma Ray, Density, Sonic, <u>No Log Run</u> , Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 2"	Length - Feet 5'	Slot Size - Inches .010
Screen Type PVC Wrapped	Depth to Bottom - Feet 40	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Brown Dirt	0	4	RECEIVED AUG 08 1994 Dept. of Environmental Quality Office of Land & Water Resources		
Yellow Sand	4	23			
SAND & CLAY	23	29			
GRAY SAND	29	40			

IF MORE SPACE IS NEEDED, USE BACK