State Well Report					
For Office Use Only:					
County: Benton			A quifer:		
Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer: 444 Well #:		
Driller: Jones W-MOSON	Jacksor	Box 2309 n, MS 39225	L. S. Elevation:		
Date drilling completed: 9-35-08		961- 5210 1- 5228 (fax)			
	` ,	` ´	E-log #:		
State Law requires that this report					
Department at the above address Information on Well O		····	rehole Location		
(Landowner if borehole is not for					
Owner Name Horry Shill	inabura	Latitude: 79	" Longitude: 89 20,166,"		
	· · · · · · · · · · · · · · · · · · ·	Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: 673 -	- Oleegooe	USGS quad, Hand-held	GPS, Survey-grade GPS		
	7.5- 1.5	NE 1/2 NW 1/2 Sec 19	Twn 15 Rng lw		
Michigan City N City State	$\frac{36.5647}{2}$	Distançe Direction	Nearest Town		
•	•	Miles NW	Nearest Town of Michigan city.		
Telephone No. (901) 497 - 3594	<u></u>				
Well / Borehole Data					
Date drilling started: 9-35-08 Date drilling completed: 9-35-08 Hole depth: 140 Hole diameter: 6314					
Location of the source of any surface water used for drilling:					
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe) \(\shi^A \) If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: feet above a below circle one) land surface Date measured: Date measured: Part of					
Method of Measurement (circle one) stee	Method of Measurement (circle one) steel tape electric tape air line other: 5 tring lueight				
Well depth: 140 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix					
Casing length: 120 feet Casing diameter: 4 inches Type of casing: 900					
Screen length: 30 feet Screen diameter: 4 inches Type of screen: 90 C					
Screen slot size: , Olo inches Setting depth: From 120 feet to 140 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page					
Form: OLWR-SWR-1A (04/08)					

RECEIVED

OCT 2 4 2008

BY: OLWR

The sketch	below	only	required	for	water	wells

	If	well	telescopes,	show	denths	on	sketch.
--	----	------	-------------	------	--------	----	---------

<u>II well</u>	<u>telescopes,</u>	<u>snow</u>	aeptns	<u>on</u>	<u>sketch.</u>
Gro	ound Level.	<u> </u>	7		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dirt.	Ground Level	
clay dist.	32	140
		,
		

If more than one screen, show location of each on sketch

Sketch the pr	roperty layout and incl	ude the following: 1) the well location ell; 3) any roads, power lines, or other	items that may aid in locating the	n the property and the well:
	4) a north arrow.	LLL	items that may are in locating th	ie property and the wen,
2	© لاعلى	Hone	Jos of distributions of the second se	~
		3		
Landowner N	Name: Horry	Shilling burg		Towns OI WD CWD 14 (04/00)

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

RECEIVED

OCT 2 4 2008

BY: OLWR

	STATE WI	ELL REPORT		
Permit #: Mississippi Department		art 2 s Completion Report nt of Environmental Quality and Water Resources	For Office Use Only: Aquifer:	
Driller: Jones W. Moson		Box 2309	A UU	
Date completed: 9-25-08		1, MS 39225	Well #: 4- 44	
Copy information from block on Part 1	, ,	9961-5210 1-5228 (fax)	Elevation:	
This part of the report must be completed report must be attached and both parts file	by a licensed water well o ed with the Department a	contractor or a licensed pump in at the above address within 30 da	staller. A copy of Part 1 of the ys of well completion.	
Well Owner Informat	ion		Location	
Owner Name: Horry Shillin	gburg	Latitude: 34.59.153	Longitude: 89.20,166	
Mailing Address: 673 breed	love	Method of Lat/Long (check one	e): Conventional Survey,	
·		USGS quad, Hand-held (GPS, Survey-grade GPS	
Michigan City M City State	Zip Code	NE 1/4 NW 1/4 Sec 19	_t_ls_R_1ω	
	•	Distance Direction	Nearest Town	
Telephone No. (901) 497 - 3594		5 Miles Nw of	Michigan city	
D T				
Pump Type Circle one			er Type cle one	
Air Lift Jet	Submersible	Diesel Engine Gasoline	Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well		pecify):	
Other (specify):	 -	Horse Power Rating of Motor:	3/4	
Date Pump Installed: 9-25-08		Setting Depth: 90	feet	
Rated Pump Capacity:	Gallons Per Minute	Number of Stages: 8		
Pump Test Data		Made J.CM.	- Water Town	
Date Well Tested: $9-25-06$			suring Water Level cle one	
	Below Land Surface	Air Line Electric Measu	ring Line Steel Tape	
_	Below Land Surface	Other (specify):	(weight	
Drawdown [(B) - (A)]:Feet B	Below Land Surface	For flowing well, measured shut	t in head:feet	
Test Pumping Rate:	Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):	24 hours	feet after_	hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Jones W. Meson Tones w. Mese. O-620

Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer

Form: OLWR-SWR PECEIVED