

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED Benton		PERMIT NUMBER
WELL NUMBER E 2080	CODED	
DATE WELL COMPLETED 11/22/96		NAME OF DRILLING FIRM Wilson Well Co.

NAME & MAILING ADDRESS OF LANDOWNER
Doris Hampton
Rt #1 Box 296
Lamar, Ms 38642

WELL LOCATION: SEC **29** TOWNSHIP **2 N** RANGE **1 E**

DISTANCE **2** Miles **N** of **Ashland**

OTHER LANDMARK

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One): Submersible Turbine, Jet, Flowing Well, Other (Describe) _____

POWER TYPE (Circle One): Electric Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P _____

Pump Capacity (GPM) **10** No. of Stages _____ Setting Depth **70** FT.

PUMP TEST
Well yielded _____ GPM with a drawdown of _____ ft. after _____ hours of pumping

WELL DATA

Well Depth 87	Casing Diameter (In.) 4"	Casing Length (Ft.) 77
Type of Casing PVC	Hole Depth 87	Depth to Static Water Level 50

TYPE OF COMPLETION: (Circle One or More): Gravel Packed Underreamed, Telescoped, Natural Development, Open Hole, Other _____ (Describe) _____

LOG DATA

TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____

Name of Organization Running Log _____

WELL GROUTED TO A DEPTH OF _____ FEET
Type Grout (circle one): Cement, Bentonite, or Mix

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

RECEIVED

Top of Lap Pipe or Reduction in Casing _____ FEET IF TELESKOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

SCREEN DATA

Diameter - Inches 4"	Length - Feet 10'	Slot Size - Inches .010
Screen Type PVC	Depth to Bottom - Feet 87	

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FROM	TO
Red Clay	0	12		
Red sand	12	30		
White Clay	30	54		
White Sand	54	87		

Mississippi Department of Environmental Quality
Office of Land & Water Resources

IF MORE SPACE IS NEEDED, USE BACK