	State Well Report		For Office Use Only:	
County: Benlon		riller's Log	A	
Permit #: 0 - 16 2	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer:	
Driller: Larry Carpenter	P.O. Box 10631		Well #:	
		IS 39289-0631	L. S. Elevation:	
Date drilling completed: $5 - 29 - 10$	` '	961-5210 1-6938 (fax)	E-log #:	
State Law requires that this repor	t be prepared by the lice	ense holder responsible for t	the work and filed with the	
Department at the above address Information on Well C		letion of ariting of the well	or borenote.	
(Landowner if borehole is not for a water well)				
1		Latitude: 34 ° 49 '30	" Longitude: 89° 15 '07"	
Owner Name Mildried Dodridge		Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 1197 Hoover Rd		USGS quad, Hand-held GPS, Survey-grade GPS		
		5W 1/4 NE 1/4 Sec 13 Twn 35 Rng 1 W		
Holly Springs	ms 38635	74 500	I WII	
City	te Zip Code	Distance Direction	Nearest Town of Snow Loke Shores	
Telephone No. (662) 224 - 9	1210	-yu iviles was	01 <u>1180 Forac 21/80</u>	
	Well / Bore	hole Data	4	
Date drilling started: 5.27/0 Date dr	illing completed: 5 29	16 Hole depth: 176'	Hole diameter:	
Location of the source of any surface water	er used for drilling:	Well Water	- 40.0	
Method of dosing and volume of Chlorin	e used in drilling and devel	opment: 12 Pd. Chl	vie to 1000 Dal. Vale	
Logs run (circle all applicable): No log run Name of organization running log(s):	n) Electric Gamma Ray	Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water W	ell Geotechnical/Geol	ogical Investigation Ground	I Source Heat Pump	
Seismic	SurveyOther (describe) n, skip the remainder of this bl	ock	
Purpose of Well (check one): Home X	ndustrial Public Supply	Irrigation Fish Culture	Other:	
If a flowing well, method of flow regulation				
Static Water Level: / 4 6 feet al	pove or below (circle one) l	and surface Date measured:	5-29-10	
Method of Measurement (circle one)	electric tape	air line other:		
Well depth: 176 Well grouted to a de	epth of 10 feet Type	of grout (circle one):(Neat Cen	Bentonite Mix	
Casing length: / 4 feet Casin				
Screen length: feet	en diameter:	inches Type of screen:	PVC	
Screen slot size: 0/3 inches	Setting depth: From	/ 6 feet to _ (7 £ feet	
Type of completion (circle all applicable):	Gravel packed Under	reamed Telescoped Open	hole Natural Development	
Other (describe):				
Top of lap pipe or reduction in casing:	feet. If tel	escoped or more than one scre	en, describe on next page	

State Well Report

JUN 2 4 2010

STATE WELL REPORT

County: Permit #: Date completed: Copy information from block on Part 1

Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality

Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #:	642	
Elevation:		

This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department of	contractor or a licensed pump installer. A copy of Part 1 of the		
Well Owner Information	Well Location		
Owner Name: Mildred Dodridge	Latitude:Longitude:		
Mailing Address: 1197 Hoover Rd.	Method of Lat/Long (check one): Conventional Survey,		
Holly Springs, mg 38635 City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS SW 4 NE 4 Sec 3 T 3S R W Distance Direction Nearest Town		
Telephone No. (663) 224-9210	1/2 Miles West of Snow Jake Shores		
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify); We see Power Pating of Motor:		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 5-29-10	Setting Depth:		
Rated Pump Capacity: / O Gallons Per Minute	Number of Stages:		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested: 5 = 2 9 - 10	Circle one		
Static Water Level (A):/ 4 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B): / 4 - Feet Below Land Surface	Other (specify):		
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yielded/ S GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours			
	RECEIV		

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

any Signature of Pump Installer

Form: OLWR-SWR-1B

f well telescopes, show depths on sketch. Ground Level	wells and boreholes, unless specifically Description of Formations Encountered	From (depth)	Γο (depth)
Ground Dovel			ro (aopar)
		Ground Level	
	Inface Soct	U	22
	med Pet Soul	22	60
	White Clay	60	82
	Fra White Soul	82	120
	White Coase Soul	126	176
			
		<u> </u>	I
If more than one screen, show location of each on sketch			
Huy 4	Morning 19	porth	<i>-</i>
andowner Name: Mildriel Dollie	Iye_	Form: OLWF	20145
andowner Name:		PURII. ULVVI	
	d completed in accordance with all applicable		
ertify that the well/borehole was drilled, constructed, and	ser i tuut Duurutuurut sellaslih mamulatlana	requirements of	the
ertify that the well/borehole was drilled, constructed, and	ser i tuut Duurutuurut sellaslih mamulatlana	requirements of	the
	ser i tuut Duurutuurut sellaslih mamulatlana	requirements of	the