

# State Well Report

## Part 1

Mississippi Department of Environmental Quality  
Office of Land and Water Resources  
P.O. Box 10631  
Jackson, MS 39289-0631  
(601)961-5210  
(601)354-6938 (fax)

### For Office Use Only:

Aquifer: \_\_\_\_\_  
Well #: B-147  
L. S. Elevation: \_\_\_\_\_  
E-log #: \_\_\_\_\_

County: Bolivar  
Permit #: GW39857  
Irrigation Equipment  
Driller: \_\_\_\_\_  
Date drilling completed: 11-16-04

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

Well Owner Information	Well Location
Owner Name: <u>Labry Farms</u>	Latitude: <u>34 . 02, 04N</u> Longitude: <u>90 . 44 . 37W</u>
Mailing Address: <u>5763 Summer Trees Drive</u>	Method of Lat/Long (circle one): <u>Conventional Survey</u>
<u>Memphis, TN 38134</u>	USGS quad, <u>Hand-held GPS</u> , Survey-grade GPS
City State Zip Code	<u>SE 1/4 SW 1/4 Sec 17</u> ✓ <u>Twn 25N Rng 5W</u> ✓
Telephone No. ( ) _____	Distance <u>1</u> Miles Direction <u>South</u> of Nearest Town <u>Duncan</u>

### Well Data

Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: \_\_\_\_\_  
Date well drilling started: 11-16-04 Date well drilling completed: 11-16-04  
If flowing, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_  
Static Water Level: 18' feet above or below (circle one) land surface Date measured: 11-16-04  
Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_  
Hole depth: 115' Well depth: 115' Well grouted to a depth of 10 feet  
Type of grout (circle one): Cement Bentonite Mix  
Casing length: 75 feet Casing diameter: 12 inches Type of casing: 160 PVC  
Screen length: 40 feet Screen diameter: 12 inches Type of screen: 160 PVC  
Screen slot size: .050 inches Setting depth: From 76 feet to 115 feet  
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development  
Other (describe): \_\_\_\_\_  
Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. If telescoped or more than one screen, describe on back of page  
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_  
Name of organization running log(s): \_\_\_\_\_

I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  
Irrigation Equipment Inc.  
Patrick M. Chism 0695

*Patrick M Chism*

Print Name of Water Well Contractor and License No.

Signature of Water Well Contractor

RECEIVED

Customer contracted with Peacock Pump & Repair (662-846-0384).  
Mailed 11-17-04.

NOV 22 2004  
BY: OLWR



# STATE WELL REPORT

## Part 2

**Pump Installer's Completion Report**  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

County: Bolivar  
 Permit #: \_\_\_\_\_  
 Driller: Irr Eq.  
 Date completed: 11/6/04

For Office Use Only:

Aquifer: B147  
 Well #: \_\_\_\_\_  
 Elevation: \_\_\_\_\_

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.

Well Owner Information	Well Location
Owner Name: <u>Labry Farms</u>	Latitude: <u>34.02.04N</u> Longitude: <u>90.44.37W</u>
Mailing Address: <u>5763 Summer Trees Dr.</u>	Method of Lat/Long (circle one): Conventional Survey,
<u>Memphis TN 38134</u> City State Zip Code	USGS quad, (Hand-held GPS, Survey-grade GPS) <u>SE 1/4 SW 1/4 Sec 17 Twn 25N Rng 5W</u>
Telephone No. <u>(662) 902-3717</u>	Distance Direction Nearest Town <u>1 Miles South of Duncan</u>

Pump Type Circle one	Power Type Circle one
Air Lift Jet <input type="radio"/> <b>Submersible</b> <input checked="" type="radio"/>	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	<b>Electric Motor</b> <input checked="" type="radio"/> Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify): _____
Other (specify): _____	Horse Power Rating of Motor: <u>30</u>
Date Pump Installed: <u>11-19-04</u>	Setting Depth: <u>80</u> feet
Rated Pump Capacity: <u>1300</u> Gallons Per Minute	Number of Stages: <u>1</u>


Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: <u>NA</u>	Air Line Electric Measuring Line <b>Steel Tape</b> <input checked="" type="radio"/>
Static Water Level (A): _____ Feet Below Land Surface	Other (specify): _____
Pumping Water Level (B): _____ Feet Below Land Surface	For flowing well, measured shut in head: _____ feet
Drawdown [(B) - (A)]: _____ Feet Below Land Surface	Well yielded _____ GPM with a drawdown of _____ feet after _____ hours of pumping
Test Pumping Rate: _____ Gallons Per Minute	
Duration of Pump Test (minimum 4 hours): _____ hours	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Tommy Peacock Sr. 0-728P Tommy Peacock Sr.  
 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer

RECEIVED  
 NOV 29 2004  
 BY: OLWR

# topozone



VIEW MAPS GET DATA MY TOPOZONE WEB SERVICES ABOUT US

34° 02' 04"N, 90° 44' 37"W (WGS84)  
USGS Duncan Quad

[View TopoZone Pro aerial photos, shaded relief, street maps, interact](#)

- Map/Photo Info
- Topo Download
- Photo Download

### USGS Topo Maps

- 1:24K/25K Series
- 1:100K Series
- 1:250K Series

### Map Size

- Small
- Medium
- Large

### View Scale

1 : 50,000

Update Map

### Coordinate Format

D/M/S

### Coordinate Datum

WGS84/NAD83

Show target

[Email this map](#)

[Bookmark this map](#)

[Print this map](#)

myTopo.com

GET A  
CUSTOM  
MAP PRINT

