		STATE V	WELL REPORT	For Office Use Only:
County: Bolivar		р	Part 1	Well#: <u>B197</u>
Permit #: GW-47890 J	,		riller's Log ment of Environmental Quality	Aquifer:
Driller: Irrigation Equipme	nt	Office of Lan	d and Water Resources	E-Log #:
Date drilling completed: 03/26	/2014		.O. Box 2309 n, MS 39225-2309	
		(6	01) 961-5210	
		•) 360-0535 (fax)	
				or the work and filed with the
	er Informatio		<i>mpletion of drilling of the we</i> Well or B	orehole Location
(Landowner if boreh	ole is not for a	water well)		
Owner Name: Jack Jones			Latitude: 34 04' 06.2 N	Longitude: 90 43' 23.8 W
Mailing Address: P.O. Box	104		Method of Lat/Long (check o	ne): 🔲 Conventional Survey,
	,,, .		1	ld GPS, 🔲 Survey-grade GPS
Inverness	Ms	38753	<u>SĚ</u> ½ <u>NW</u> ½,	, Sec 4 T 25 N R 5 W
City	State -	Zip code	2 Miles No	rth _{of} Duncan
Telephone No. ()	_		<u>Z</u> Miles <u>No</u> (Distance) (Direc	
		Well / R	orehole Data	
001001			0010010044	101
Date drilling started: 03/26/	ZU14 Date	e drilling completed:	03/26/2014 Hole depth: 11	Hole diameter: 18
ocation of the source of any	surface water	used for drilling:	Surface Water	
-		 	evelopment: 50 PPM	
Method of dosing and volume	or Unionne us	ied in drilling and de		
ogs run (check all applicable): 🖾 No log ru	in 🗌 Electric 🔲 Ga	mma Ray 🗌 Density 🗍 Sonic [Neutron 🗌 Other:
Name of organization running				
Name of organization running	log(o).			
Purpose of borehole (check of	ne): 🛛 Wate	er Well 🗌 Geote	chnical/Geological Investigation	Ground Source Heat Pump
	🗌 Seis	mic Survey] Other (describe)	
If drilling	is not rolato		onstruction, skip the remain	der of this block
Purpose of Well (check all app	olicable): 🗌 He	ome 🗋 Industrial 🗋	Public Supply 🛛 Irrigation 🗌 Fi	ish Cutture
Other (describe):				
f a flowing well, method of flo	w regulation:	Valve	Other (describe)	
Static Water Level: 36	feet	[□ above or ⊠ be (check one)	low] land surface Date mea	asured: 06/17/2014
Method of Measurement (che	ck one) 🛛 Ste	el tape 🗌 Electric t	ape 🗌 Air line 📋 Other: <i>(descri</i> i	be)
-				□ Neat Cement ⊠ Bentonite □ M
Casing length: 78'	feet C	asing diameter: 1	0" inches Type of	of casing: PVC
Screen length: 40'	feet S	creen diameter: 1	0" inches Type o	of screen: PVC
Screen slot size: .050	inch	es Setting dept	h: From <u>77'</u> f	feet to 116' feet
Type of completion (check all	applicable): 🛛	Gravel packed 🗌	Underreamed 🗋 Open hole 🗌	Natural Development
Other (describe):				<u> </u>
Fop of lap pipe or reduction in	casing:	Feet		
	If tal man	mad on mona than	one screen, describe on next pa	

Form:	OLW	/R-S∖	NR-	1A ((4/13)

. .

		For Office Use	Only:
ounty: Bolivar	Well #:	<u>B197</u>	<u></u>
ermit #:	<u> </u>		
			,
e sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exem	<u>must be provided for a</u> pted by regulations	<u>ll wells</u>
<u>vell telescopes, show depths on sketch.</u>	Description of Formations Encounter		To (depth)
round level	Clay	Ground level	22
	Fine Sand	23	49
	Fine Sand & Gravel	50	57
	Medium Sand & Gravel	58	115
	Fine Sand	116	118
	(116 - 118) 3' Blanked		
			<u> </u>
 nore than one screen, show location of each on sketch	L	_	L
etch the property layout and include the following:			
1) the well location 2) any permanent structures on the property that r	may aid in locating the well		
any roads, power lines, or other items that may			
4) a north arrow			
			1. 1.
			(1)) 20個
		94 .	9 9 7 CH
ndowner Name: Jack Jones			

Landowner Name:	Jack Jones		
	·····		Form: OLWR-SWR-1A (04/08)
requirements of the M	that the well/borehole was drilled, c Aississippi Department of Environme	onstructed, and comp ental Quality and the M	level in accordance with all applicable An accordance of Health regulations,
if applicable, and stat		-	
Patrick Chism	0695	07/16/2014	ac
Print Name of Respo	onsible Licensee and License No.	Date	Signature of Licensee

Form: OLWR-SWR-1A (4/13)

· · · ·

	STATE W	ELL REPORT	For O	ffice Use Only:
County: Bolivar		Part 2	Well #:	B197
Permit #: GW-47890		's Completion Report		1
Driller: Irrigation Equipment		ent of Environmental Quality and Water Resources	Aquifer:	
Date drilling completed: 03/26/2014		and water Resources). Box 2309		
Copy information from block on Part 1		MS 39225-2309	L	
		1) 961-5210 360-0535 (fax)		
This part of the report must be complete	ed hv a licensed water we	ll contractor or a licensed pum	n installer. A c	onv of Part 1
of the report must be attached and both	parts filed with the Depa	rtment at the above address with	thin 30 days of	
Well Owner Informa	ition	We	Il Location	
Owner Name: Jack Jones		Latitude: 34 04' 06.2 N	Longitude:	90 43' 23.8 W
Mailing Address: P.O. Box 104		Method of Lat/Long (check o	one): 🗖 Con	ventional Survey
		USGS quad, 🛛 Hand-he	id GPS, 🗌 Su	rvey-grade GPS
Inverness Ms	38753	<u>SE</u> ¼ <u>NW</u> ¼	, Sec <u>4</u> ⊤ <u>25 N</u>	<u>I</u> R <u>5W</u>
City Stat	e Zip code	2 Miles No	rth -	Duncan
Telephone No. () -			rth of ction)	(Nearest Town)
	Bump Tup	e (check one)		
		, ,		
Submersible 🗌 Turbine 🗌 Air Lift 🗌 🤇	· · · · · · · · · · · · · · · · · · ·			
		Rated Pump Capacity: 550+/-		_ Gallons Per Minute
In This Dump (sheek and): M Now [] De				
is this Pullip (check one). A new L Re	epaired Replacement			
		æ (check one)		
	Power Typ	e (check one)):	
⊠ Electric □ Diesel □ Gasoline □ Natu	Power Typ	e (check one)	·	ges: <u>1</u>
⊠ Electric □ Diesel □ Gasoline □ Natu	Power Typ	e (check one)	·	ges: <u>1</u>
⊠ Electric □ Diesel □ Gasoline □ Natu	Power Typ Iral Gas Tractor PTO Setting Depth:	e (check one)	·	ges: <u>1</u>
⊠ Electric □ Diesel □ Gasoline □ Natu	Power Typ Iral Gas Tractor PTO Setting Depth:	e (check one) U Windmill D Other (describe 70' feet N	lumber of Stag	
Image: Second contract of the second contract on the second	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for	e (check one) U Windmill D Other (describe 70' feet Non Flowing Well	lumber of Stag mum 4 hours):	Hou
Electric Diesel Gasoline Nature Notor: 15 Date Well Tested: Static Water Level (A): Fe	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for eet Below Land Surface	e (check one) UVindmill DOther (describe 70' feet M Or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	lumber of Stag mum 4 hours): Fe	Hou
Z Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>15</u> Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for the Below Land Surface Feet Below Land Surface	e (check one) UVindmill DOther (describe) 70' feet N Or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate:	lumber of Stag mum 4 hours): Fe	Hou
Electric Diesel Gasoline Nature Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Fe	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Peet Below Land Surface Feet Below Land Surface Steel tape Electric tap	e (check one) Windmill D Other (describe 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe D Air line D Other (describ	lumber of Stag mum 4 hours): Fe	Hou
Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>15</u> Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : □	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Pet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data	e (check one) UVindmill DOther (describe) 70' feet N Or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate:	lumber of Stag mum 4 hours): Fe	Hou
 ☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 □ Date Well Tested: □ Static Water Level (A): Fe □ Drawdown [(B) - (A)]: 	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Pet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data	e (check one) Windmill D Other (describe 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe D Air line D Other (describ	lumber of Stag mum 4 hours): Fe	Hou
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Test Below Land Surface Feet Below Land Surface Steel tape Feet Feet Feet A drawdown of	e (check one) Windmill D Other (describe) 70' feet N Or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe D Air line D Other (describ a for Flowing Well	lumber of Stag mum 4 hours): Fe pe):	et Below Land Surfac
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for eet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data Feet a drawdown of	e (check one) Vindmill □ Other (describe) 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): cce Test Pumping Rate: pe □ Air line □ Other (describ a for Flowing Well feet after feet after	lumber of Stag mum 4 hours): Fe pe):	et Below Land Surfac
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Peet Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter In	e (check one) Vindmill C Other (describe 70'feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe Air line Other (describ a for Flowing Wellfeet after nstallation	lumber of Stag mum 4 hours): Fe Fe	Hou et Below Land Surfac Gallons Per Minu ours of pumping
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Peet Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter In	e (check one) Vindmill □ Other (describe) 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): cce Test Pumping Rate: pe □ Air line □ Other (describ a for Flowing Well feet after feet after	lumber of Stag mum 4 hours): Fe Fe	Hou et Below Land Surfac Gallons Per Minu ours of pumping
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Teet Below Land Surface Steel tape Feet Below Land Surface Feet a drawdown of Meter In	e (check one) Windmill D Other (describe) 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe Air line D Other (describ) a for Flowing Well feet after feet after mstallation Meter Serial Number:	lumber of Stag mum 4 hours): Fe ne): ho	Hours
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested:	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Teet Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter Ir	e (check one) Vindmill □ Other (describe 70'feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describ a for Flowing Wellfeet after nstallation Meter Serial Number: Type of Meter:	lumber of Stag mum 4 hours): Fe Fe	Hou et Below Land Surfac Gallons Per Minu purs of pumping
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested:	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Teet Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter In tor (AF x .001, gal x 1000)	e (check one) Vindmill □ Other (describe 70'feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describ a for Flowing Wellfeet after nstallation Meter Serial Number: Type of Meter:	lumber of Stag mum 4 hours): Fe ne): ho	Hours
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested:	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Eet Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by:	e (check one) Vindmill □ Other (describe 70'feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describ a for Flowing Wellfeet after feet after nstallationType of Meter: 0, etc):	lumber of Stag mum 4 hours): Fe ne): ho	Hours
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date:	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Set Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement	e (check one) Vindmill □ Other (describe) 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describ a for Flowing Well feet after nstallation Type of Meter: 0, etc):	lumber of Stag mum 4 hours): Fe ne): ho	Hour et Below Land Surfac Gallons Per Minu ours of pumping
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with □ Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date: Is This Meter (check one): □ New □ Re Important: By submitting the above	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Set Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement information you are cert	e (check one) Vindmill □ Other (describe) 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describ a for Flowing Well feet after nstallation Type of Meter: 0, etc):	lumber of Stag	Hour et Below Land Surfac Gallons Per Minu ours of pumping
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested:	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Steel Below Land Surface Feet Below Land Surface Steel tape Electric tap Pump Test Data Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement information you are cert dural wells, a list of appres	e (check one) Windmill □ Other (describe 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describe a for Flowing Well feet after feet after nstallation Type of Meter: 0, etc): tifying that this meter was instal roved meters is on the MDEQ was	lumber of Stag	Hour et Below Land Surfac Gallons Per Minu ours of pumping
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with □ Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date: Is This Meter (check one): □ New □ Re Important: By submitting the above	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Steel Below Land Surface Feet Below Land Surface Steel tape Electric tap Pump Test Data Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement information you are cert dural wells, a list of appres	e (check one) Windmill □ Other (describe 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describe a for Flowing Well feet after feet after nstallation Type of Meter: 0, etc): tifying that this meter was instal roved meters is on the MDEQ was	lumber of Stag	Hour et Below Land Surfac Gallons Per Minu ours of pumping
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 15 □ Date Well Tested:	Power Typ Iral Gas Tractor PTO Setting Depth: Pump Test Data for Steel Below Land Surface Feet Below Land Surface Steel tape Electric tap Pump Test Data Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement information you are cert dural wells, a list of appres	e (check one) Windmill □ Other (describe 70' feet N or Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ce Test Pumping Rate: pe □ Air line □ Other (describe a for Flowing Well feet after feet after nstallation Type of Meter: 0, etc): tifying that this meter was instal roved meters is on the MDEQ was	lumber of Stag	Hour et Below Land Surfac Gallons Per Minu ours of pumping

