R I	State Well Report	
County: Bolivar	Part 1 — Driller's I og	For Office Use Only:
Permit #: 6W-44260	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer: E/2/
Irrigation Equipment	P.O. Box 2309	Well #:
Date drilling completed: 57//10	Jackson, MS 39225	
2000 arming completed: 3 1/4/0	(601)961- 5210 (601)961- 5228 (fax)	L. S. Elevation:
State Law requires that this serve		E-log #:
Department at the above address	t be prepared by the license holder responsible for within 30 days of completion of drilling of the w	r the work and filed with the
information on Wall O	The warming of the w	eu or borehole.
(Landowner if borehole is not fo		Borehole Location
Owner Name Duke Mor	1991 Sr. Latitude: 53 · 88 · 38	Some Longitude: 90°40° 33.8° Conventional Survey, 34
Mailing Address: 26/2 Huy		
	USGS quad, [Hand-he	eld GPS Survey-grade GPS
Shaw M City State	s. 38773 NW4SE 4 Sec 3	2 Twn 21N Rng 6W
Sum	Zip Code Distance Direction Miles Nu	Nearest Town
Telephone No. 662 719 - 33	89	of Shaw
	Well / Borehole Data	
Date drilling started: 5-/1-10 Date dril	ling completed: 5-//-/D Hole depth:	Holo #: 744 !!
LAVABLUII ()[THE SANITOR AT SAST STATE		
Same volume of Cinorine	used in drilling and development: 50 PPM	1
Logs run (circle all applicable): No log run Name of organization running log(s):	Electric Gamma Ray Density Sonic Neutron	Other:
Purpose of borehole (check one): Water We	Il Geotechnical/Geological Investigation Groun	nd Source Heat Prope
Seismic S	BIVEY Other (descrits)	
- If drilling is not related t	o water well construction, skip the remainder of this	Vack
Purpose of Well (check one): HomeInc	dustrialPublic SupplyIrrigationFish Cultur	Other
If a flowing well, method of flow regulation	: Valye Other (describe)	s Omer:
Static Water Level: 34 feet abo	ve or below (circle one) land surface Date measured	5-12-10
	el tape electric tape air line other:	<u> </u>
Well depth: 17 Well grouted to a dept	-	ment Bentonite Mix
Casing length: 77 feet Casing	diameter: 16 inches Type of casing:	PVC
Screen length: 4D feet Screen	diameter: 16 inches Type of screen:	PVC.
Screen slot size: 050 inches	Setting depth: From 78 feet to	//7 feet
Type of completion (circle all applicable):	,	
	Other (describe):	
Top of lap pipe or reduction in casing:	feet. If telescoped or more than one scre	en, describe on next page

Form: OLWR-SWR-1A (04/08)

MAY 157

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

		Clay		From (depth) Ground Level	To (dept
·		Fine.	Sand	2.3	+ 31
· i		Fines	Sand + Comme	35	 2,7
·		Mediun	Sand+ Grave		T.
1			COMPLETE OF A VIC	78_	
1	•				
1.	•				
3				- 	<u> </u>
					
		· · · · · · · · · · · · · · · · · · ·		 -	
i			· - · · · · · · · · · · · · · · · · · ·		
		·			
					└
·					├ -
					├──
1					 -
1					
İ	.•				 -
					
İ					
				 	
					
Ì					
If more than one screen, show le					<u> </u>
	·		permanent structures on the at may aid in locating the p		•
		*			•
			and the second s		
			. separati		
andowner Name: Duke	Morgan				
andowner Name: Dulyc	Morgan				
ertify that the well/borehole was d	rilled, constructed, and	completed in acco	For	m: OLWR-SWR-1A	(04/08)
ertify that the well/borehole was d ssissippi Department of Environn	rilled, constructed, and cental Quality and the I	completed in acco	For	m: OLWR-SWR-1A	(04/08)
ertify that the well/borehole was d sissippi Department of Environn	rilled, constructed, and cental Quality and the I	completed in acco	For	m: OLWR-SWR-1A	(04/08)
endowner Name: Dulyc ertify that the well/borehole was d ssissippi Department of Environn s. Patrick M. Chisn	rilled, constructed, and nental Quality and the I	completed in acco	For	m: OLWR-SWR-1A	(04/08)
ertify that the well/borehole was d sissippi Department of Environn	rilled, constructed, and cental Quality and the M	completed in acco	For ordance with all applicable ment of Health regulation	m: OLWR-SWR-1A e requirements of t s, if applicable, and	(04/08)
rtify that the well/borehole was d sissippi Department of Environn Patrick M. Chism	rilled, constructed, and cental Quality and the M	completed in acco	For	m: OLWR-SWR-1A e requirements of t s, if applicable, and	(04/08)


The sketch below only required for water wells

If well telescopes, show depths on sketch,
Ground Level.

County: Bolivar	STATE WI	ELL REPORT	
Clin VIII	P	art 2	For Office Use Only:
Permit#: GW-44260 Irrigation Equipment Driller:	Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer: 9 181
Date completed: 5-//-/D	P.O. 1	Box 2309	Well #:
		, MS 39225 961-5210	Elevation:
Carr information from block on Part 1	(601)96	1-5228 (fax)	
This part of the report must be completed report must be attached and both parts file	by a licensed water well	contractor or a licensed pump	installer. A come of Part 1 of
Well Owner Informat	ion		well completion.
Owner Name: Duke Mor	50 S	W	ell Location
Mailing Address: 26/2 Hwy	944 <u>5 F</u> .	Latitude:	Longitude:
	<u> 170</u>	Method of Lat/Long (check of	one): Conventional Survey
51		USGS quad, Hand-held	d GPS Survey-grade GPS
Shaw Ms.	<u> 38773</u>		32 T 21NR 61
City State	Zip Code	Distance me	
Telephone No. (662 719 - 33)	89	Distance Direction Miles Nu	Nearest Town
Pump Type Circle one		Po	ower Type
Air Lift Jet	Submersible		Circle one
Bucket Piston	Turbine		ne Engine Natural C
Centrifugal Rotary		Electric Motor Hand	1,440,602 1 1
Other (specify):	Flowing Well	Windmill Other	(specify):
	 .	Horse Power Rating of Motor	r40
Date Pump Installed: 5-13-10		Setting Depth:	60 feet
Rated Pump Capacity: 2500 ±	Gallons Per Minute	Number of Stages:	
Pump Test Data Date Well Tested:		Method of Me	casuring Water Level
	· · · · · ·	C	ircle one
Static Water Level (A):Feet I	Below Land Surface		suring Line Steel Tape
Pumping Water Level (B):Feet B	Selow Land Surface	Other (specify):	
Drawdown [(B) - (A)]:Feet H		For forming and 11	
Test Pumping Rate:	l l	For flowing well, measured sl	
		Well yielded	_GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	hours	feet after_	hours of pumpi
This is for (circle one): New Well	Replacement of Exist	ing Pump Renair of E.	cisting Pump
			rasmR v mith
I UUDEDV CUDEREN	1	$-\Lambda_{\circ}$	
I HEREBY CERTIFY that the above stateme	tifs are true to the best of	my knowierige.	
Date of M. Of and the second	95	1	
Print Name of Print Name 14			_ /
PATTICK M. Chism 069 Print Name of Pump Installer and License No		Signature of Pump In	staller Form: OLWR-SWR-1C (

.:

• • • • •



lat/long puts well in S14 TISN ROSW. of Humphreys Co.

RECEIVED
MAY 2 6 2010
BY: OLWR