

COUNTY WELL LOCATED
Bolivar

WELL NUMBER
F 2009

DATE WELL COMPLETED
4-21-91

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

PERMIT NUMBER
22-4867

NAME OF DRILLING FIRM
Layne Central

Cleveland, MS

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

NAME & MAILING ADDRESS OF LANDOWNER
James Roy Hawkins
P.O. Box 406
Merigold, MS 38759

WELL LOCATION: SEC **25** TOWNSHIP **23** RANGE **7**
N **E**
W

DISTANCE **1 1/2** Miles **S** DIRECTION of **Symonds** NEAREST TOWN

OTHER LANDMARK

WELL PURPOSE: Home Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One):
Submersible, Turbine, Jet, Flowing Well,
Other (Describe)

POWER TYPE (Circle One):
Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) H/P **40**

Pump Capacity (GPM) **2000** No. of Stages **1** Setting Depth **50** FT.

PUMP TEST
Well yielded **Not Tested** GPM with
a drawdown of _____ ft.
after _____ hours of pumping

WELL DATA

Well Depth 108'	Casing Diameter (In.) 16	Casing Length (Ft.) 68
Type of Casing Steel	Hole Depth 108'	Depth to Static Water Level 32'

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped,
 Natural Development, Open Hole, Other

Top of Lap Pipe or Reduction in Casing
_____ FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One): No Log Run,
Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe)

Name of Organization Running Log

SCREEN DATA

Diameter - Inches 16	Length - Feet 40	Slot Size - Inches .050
Screen Type Steel	Depth to Bottom - Feet _____	

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Clay	0	22	RECEIVED MAY 16 1991 Dept. of Environmental Quality Bureau of Land & Water Resources		
Fine Sand	22	32			
Coarse Sand	32	62			
Coarse Sand & Pea Gravel	62	82			
" " " "	82	108			

IF MORE SPACE IS NEEDED, USE BACK