State Well Report

#/

	DIALE W	ch report		
County Bolivag	Part 1 - F	)riller's Log	For Office Use Only:	
	Mississippi Department of Environmental Quality		Aquifer	
Permit #. 600 42979	Office of Land and Water Rosources		Well # G-234	
Driller Clarence McMurry	P.O. Box 2307		Well# B Z	
•	Jackson, MS 39225 (601)961- 5210		L.S. Elevation:	
Date drilling completed: 1-14-09		1- 5228 (fax)	<del></del>	
		, ,	B-log#	
State Law requires that this report Department at the above address	t be prepared by the lic within 30 days of comp	ense holder responsible for i pletion of drilling of the well	he work and filed with the or borehule	
Information on Well C			rebole Location	
(Landowner if borchole is not fo	r a water well)			
OWNER NAME LIORANElli FARMS			" Longitude 1990 ° 48 ' 934"	
Mailing Address: P.O. Box /	396	Method of Lat/Long (cure or	•	
		USGS quad, Hand-held		
Churland M	3 8732	NE "NE " Sec_ 9	Twn 23 N/ Rag 6 W	
Cleve and M.	c Zip Codo	Distance Direction	Nearest Town	
Telephone No. (662) 515 - 834	0	West Miles	of Merigold	
-	Well / Bore	hole Data		
Dec 4000 - 1 144 - 6 - De 10			_	
Date drilling started: 1-14-09 Date dri	iling completed: 1-14-0	29 Hote depth: 122	Hole diameter: 26"	
Location of the source of any surface water used for drilling:				
Logs run (circle all applicable); No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of burehole (check one): Water W	ell / Geotechnical/Gook	ogical Investigation Ground	Source Heat Pump	
Soismic Survey (Pincr (describe)  If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Inigation & Pish Culture Other: Other (describe)				
The province work interings of the resulting		ther (describe)		
Static Water Level: 28 feet above or below (virule one) land surface Date measured: 1-15-69				
	cel tape electric tape			
Well depth: 120 Well grouted to a depth of 10 feet Type of grout (circle one): Next Cement Bentonite Mix				
Casing longth: 60 feet Casing diameter: // inches Type of casing: PVC				
Screen length: 60 feet Scree	in disunctor: 16	_inches Type of screen: P	/c	
Screen slot size: , OSO inches Setting depth: From 60 feet to 120 feet				
Type of completion (circle all applicable): Gravel packed Underneumed Telescoped Open hole Natural Development				
	Other (describe):			
Top of lap pipe or reduction in casing: A feet. If telescoped or more than one screen, describe on next page				
			Form: OLWR-SWR-1A (04/08)	

RECEIVED

JAN 2 0 2009

BY: OLWE

6-234

6W42979

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

Description of formations encountared must be provided for all wells and borcholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground Level	13
Fine Sand	15	25-
Fine Sand	25-	35
Fine Sand Medium Sand F Gravel	357	45
Medium & Coarce Sand Cravel	43"	22
Charse Sand ! Gravel	55-	65
Coarse Sand Gravel	- La	75
Coarse Sand Grave 1	75-	85-
Coarse Sand : Grave!	85	95-
Coarse Sand 1 Gravel	75	105
Coarse Sund 1 Gravel	105-	115-
Course Sand 3 6/Avel	115	120
		<b>_</b>
		L

If more than one screen, show location of each on sketch

3 1) a north arrow.	, - y - was y power mies, ur	other items that may aid in locating	Ž
У	marberry b	L	4 jeg
X 6-3 m	iles ->		
المجية		ब र्	
)2		460	
( A & C & C & C & C & C & C & C & C & C &		∑{ <b>↓</b>	<b>D</b> (
\	<del></del>	Pemale 41.5 n	
_		W	5
downer Name: Fioragelli	FARMS		ales de

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Clayfon Miller 0-203 1-19-09 Clayfor Muller
Print Name of Responsible Licensee and License No. Date Signature of Licensee

RECEIVED

JAN 2 0 2009

BY: OLWE

County. Boliva-

Permit #: 6W42979

Driller John Rybol + IV

Date completed 1-15-09

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309

Juckson, MS 39225 (601)961-5210 (601)961-5228 (fax)

For Office Use Only:		
Aquifer	•	
Well #	G-234	
Elevatio	on	

Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a ticensed pump installer. A copy of Part I of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Tiorgrelli Frams I atitude: 1/33 51 018 " Langitude: 1496 47 924" 50 58
Method of Lat/Long (check one): Conventional Survey Mailing Address: P.O. Box 1596 USGS quad\_\_\_\_ Hand-held GPS\_\_\_ Survey-grade GPS\_\_\_ Circ State Zip Code Telephono No. (662) 515 - 8340 West Miles 4 or Mericald Римір Турс Power Type Circle one Air Lift )et Submersible Diesel Engine Guantine Engine Natural Gus Rucket Piston (Turbine) Electric Motor Trnctor PTO Centrifugal Kotory Flowing Well Windmill Other (specify): \_\_ Other (specify): Horse Power Rating of Motor: \_\_\_\_ 60 1-15-09 Date Primp Installed: Setting Depth: Rated Pump Capacity: Gallons Per Minine Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: NOT TESTED Air Line Bloctric Mensuring Line Steel Tupe Static Water Level (A): 28 Feet Bolow Land Surface Other (specify): Pumping Water Level (B): \_\_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_foot Test Pumping Rate: \_\_\_\_\_\_\_\_Gullons Per Minute Well yielded \_\_\_\_\_ GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_\_hours feet after \_\_\_\_\_ hours of pumping I HEREBY CERTIPY that the above statements are true to the best of my knowledge. Clayfor Miller 0-703

Crint Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

JAN 2 0 2009

BY OLWR