State Well Report

County: <u>Boliver</u>		
Permit#: <u>GW40534</u>		
Driller:SIDNEY COOK		
Date drilling completed: <u>6/25/05</u>		

. .

Part 1 Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
-226	
6265	

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

Well Owner Information	Well Location 06
Owner Name AGUZZI FARMS	Latitude: <u>N 33° 49.943</u> ' 54 Longitude: <u>W 90° 51.104</u> '
Mailing Address: <u>1241 SOUTH BISHOP RD</u>	Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
	SE Z3N W ½ <u>NE</u> ½ Sec <u>19</u> Twn <u></u> 2M Rng <u>6W</u>
CLEVELAND MS 38732 City State Zip Code	Distance Direction Nearest Town 4 Miles N of PACE
Telephone No. ()	
W	'ell Data
Purpose of Well (circle one) Home Industrial Public Supply	y Irrigation Fish Culture Other
Date well drilling started: <u>6/25/05</u> Date v	well drilling completed: <u>6/25/05</u>
If flowing, method of flow regulation: Valve Other	(describe)
Static Water Level: 30 feet above of below (circle one) la	and surface Date measured: <u>6/25/05</u>
Method of Measurement (circle one) steel tape electric tape	e air line other:
Hole depth: <u>120</u> Well depth: <u>120</u>	Well grouted to a depth of <u>10</u> feet
Type of grout (circle one): Cement Bentonite M	lix
Casing Length: <u>80</u> feet Casing diameter: <u>16</u>	inches Type of casing:PVC
Screen Length: <u>40</u> feet Screen diameter: <u>16</u>	inches Type of screen:
Screen slot size: <u>.032</u> inches Setting depth: From _	<u>0</u> feet to <u>120</u> feet
	rreamed Telescoped Open hole Natural Development
Top of lap pipe or reduction in casing: feet If tele	scoped or more than one screen, describe on back of page
Logs run (circle all applicable): bio log run Electric Gamma Ray	Density Sonic Neutron Other:
Name of organization running log(s):	
I certify that the well drilled, constructed, and completed in accor	dance with all annito ble requirements of the Mississinni
Department of Environmental Quality and/or the Mississippi Dep	
Department of Environmental Quality and of the Mississippi Dep	
Sidney Cook #0-289	Signature of Water Well Contractor
	RECEIVE

JUL 27 2005 BY: OLWR


6265 <u>7-226</u>

If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	То
Clay	0	42
Sand	42	80
Heavy Sand and Gravel	80	120
	+	
	+	
· · · · · · · · · · · · · · · · · · ·		
	+	

If more than one screen, show location of each on sketch



JUL 27 2005 BY: OLWR

STATE WELL REPORT

County: <u>BOLIVAR</u>
Permit #:
Driller:SIDNEY COOK
Date completed:

ø

Part 2 Pump Installer's Completion Report Mississispi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For C	Office Use Only:
Aquiter:	6265
Well #:	226
Elevation:	

This report should be prepared by the pump installer in detail and filed with Department within 30 days of the installation of pump.

Well Owner Information	Well Location			
Owner Name AGUZZI FARMS	Latitude: <u>N 33° 49.913'</u> Longitude: <u>W 90° 51.104'</u>			
Mailing Address: <u>1241 SOUTH BISHOP RD</u>	Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS			
	<u>NW</u> ¹ /4 <u>NE</u> ¹ /4 Sec <u>19</u> Twn <u>23N</u> Rng <u>6W</u>			
CLEVELANDMS38732CityStateZip Code	Distance Direction Nearest Town			
Telephone No. ()	4			
Pump Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:40 HP			
Date Pump Installed:6/27/05	Setting Depth:70feet			
Rated Pump Capacity: <u>2200</u> Gallons Per Minute	Number of Stages:1			
Pump Test Data	Method of Measuring Water Level Circle one			
Date Well Tested:	Air Line Electric Measuring Line Steel Tape			
Static Water Level (A): <u>30</u> Feet Below Land Surface	Other (specify):			
Pumping Water Level (B):Feet Below Land Surface				
Drawdown [(B)-(A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
Matt Stephens#0-743PPrint Name of Pump Installer and License No. (if applicable)	Matt Sterland Signature of Pump Installer			

JUL 27 2005 BY: OLWR