•	Bolivac	. State W	ell Report	
	County: Swellower		art 1	For Office Use Onl
	Permit #: 6W 41988/		t of Environmental Quality and Water Resources	Aquifer: H-17
	Deiller Ames Hasses	Jackson, M	fox 10631 IS 39289-0631	L. S. Elevation:
	Date drilling completed: 4-16-07	(601)961-5210 (601)354-6938 (fax)		E-log #:
	State Law requires that this rep 30 days of completion of drilling		driller in detail and filed w	rith the Department wi
	Well Owner Inform		Wel	l Location
Owner Name Donald Gants Son		Latitude: <u>33 ° 49 ° 57</u> " Longitude: <u>90 ° 40</u>		
Mailing Address: 2538 Crossy Ro.		Method of Lat/Long (circle one): Conventional Survey,		
	M-air na	1 2012		GPS, Survey-grade GPS

Purpose of Well (circle one) Home Industrial Public Supply (Irrigation)

Static Water Level: \_\_\_\_\_feet above or below (circle one) land surface

(Bentonite)

Casing diameter: \_\_\_\_/6

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole

Other (describe):

Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:

Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

Setting depth: From \_\_\_\_

If flowing, method of flow regulation: Valve

Method of Measurement (circle one) steel tape

Type of grout (circle one): Cement

Name of organization running log(s):

Print Name of Water Well Contractor and License No.

Casing length: 60 feet

Hole depth: 126 Well depth: 126

Screen length: 40 feet Screen diameter: 10

Well Data

Other (describe)

Mix

Top of lap pipe or reduction in casing: \_\_\_\_\_feet. If telescoped or more than one screen, describe on back of page

I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi

electric tape

Date well drilling started: 4-16-07 Date well drilling completed: 4-16-07

e Use Only: nent within

Nearest Town
MERIGOLO

Direction Miles EAST

Fish Culture

Date measured:

other:

Well grouted to a depth of / O feet

Type of casing: \_\_\_\_PVC

\_\_feet to 126

air line

inches

inches

86

RECEIVED

Natural Development

JUL 16 2007

BY OLW P

If well telescopes p	nlease sketch	helow and	chow denth	
THE WOLL TOTOSCOPES [	JICASC SKCICII	Delow and	SHOW UCDU	IS.

H-

Ground Level	
•••	
, asing	
36 casing	
•	
40'sucen	
126	

Description of Formations Encountered	From	To
Clay	0	12
fine	12	50
mediern (ourse	50	05
		12.5
R Clay	125	176
	-	<u> </u>
***		
	1	
	-	
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may	
aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well.	
4) indicate direction.  To work and the went,	
TO CYCHAN)	
ابر	
A   3   3   .	
AEIL MEIL	
MERIGOLD - DREW RD \$	
MERIGOLD - DOEW RD & MOBILE	
(A) Carlo	
<b>)</b>	
Cind	
70 LOZAND	
70 00000	
Landowner Name: DONALD GANT	

Signature of Water Well Contragtor

## STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 Well #: (601)961-5210 Elevation (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Owner Information Well Location Longitude: 10 Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS NW 14 NE 14 Sec 23 Twn 23 N Rng SW Distance Direction Nearest Town Miles EAST of Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: 10 Date Pump Installed: Setting Depth: \_ Rated Pump Capacity: Gallons Per Minute Number of Stages: **Pump Test Data** Method of Measuring Water Level Circle one Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B) Feet Below Land Surface Drawdown [(B) Feet Below Land Surface For flowing well, measured shut in head: \_\_ Test Pumping Rate: Gallons Per Minute Well yielded \_\_\_\_ \_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_ \_\_\_\_hours of pumping feet after above statements are true to the best of my knowledge

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer