County: <u>BOINAR</u> Permit #: <u>GW-47126</u> Driller: <u>Willie Bryant</u> Date drilling completed: <u>4-20-13</u>	STATE WELL REPORT Part 1 Driller's Log Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210	For Office Use Only: Well #:
	(601)360-0535 (fax)	

2.-*

.

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Well Owner Information	Well or Borehole Location
(Landowner if borehole is not for a water well)	Latitude: 3351. 1 Longitude: 090 44.49 W
Owner Name: <u>San Thomp Son Estate</u>	4 46
Mailing Address: P.O. Box 32	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
1 10 20761	NE 1/4 NE 1/4, Sec 7 T 23N R SW
Mound Bayoy ms 38762. City State Zip Code	
Telephone No. (662) 588-5168	Miles or // / / / / / / / / / /
Telephone No. (002) .500 5748	(Distance) Thereform Rd. (Nearest Town)
	orehole Data
Date drilling started: $4-20-13$ Date drilling completed:	4-20 -1.3 Hole depth: 120 Hole diameter: 12-4
Location of the source of any surface water used for drilli	
Method of dosing and volume of Chlorine used in drilling a	
Logs run (circle all applicable): No log run Electric Gam	na Ray Density Sonic Neutron Other:
Name of organization running log(s):	
Purpose of borehole (circle one): Water Well Geotechn	ical/Geological Investigation Ground Source Heat Pump
Seismic Survey Other	(describe)
If drilling is not related to water well o	construction, skip the remainder of this block
Purpose of Well (circle all applicable): Home Industrial	
Other (describe):	
If a flowing well, method of flow regulation: Valve	
Static Water Level: <u>33</u> feet [above or below (circle one)	v) and surface Date measured: <u>4-13-13</u>
Method of measurement (circle one): Steel tape Electric	tape Air line Other (describe): Son't Water) evel Kender
	feet Type of grout (circle one): Neat Cement Bentonite Mix
Casing length: <u>50</u> feet Casing diameter:	la incres type of casing,
Screen length: <u><u>40</u> feet Screen diameter: _</u>	<u>6</u> inches Type of screen: <u>PVC SNH-ed</u>
Screen slot size: <u>.032</u> inches Setting depth	: From <u>80</u> feet to <u>12</u> RECEIVED
Type of completion (circle all applicable): Gravel packed	
Other (describe):	MAY 2 0 2013
Top of lap pipe or reduction in casing: -0 - feet	BY: OLW
If telescoped or more than	one screen, describe on next page


Form: OLWR-SWR-1A (4/13)

County: BOING Permit #: 6W-47126

	For (Office Use Only:
Well	#:	1209

The sketch below only required for water wells

If well telescopes, show depths on sketch.



Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	20
clay	20	35
Coarse sand	35	80
grave/	80	120
	0	
·		
·		
· · · · · · · · · · · · · · · · · · ·		


If more than one screen, show location of each on sketch

Sketch the property layout and include the following:
1) the well location
2) any permanent structures on the property that may aid in locating the well
3) any roads, power lines, or other items that may aid in locating the property and the well
4) north arrow
West man de al for a mand haven by
West mound Bayon Rd. (FAI East mound Bayon Rd.
$\dot{\rho}$ []
<i> δ</i> <i> </i>
(kd)
(we!!)
We F
$\mathcal{T}(\mathcal{A}_{\mathcal{A}})$
- The the second s
Bridge
Landowner Name: Jam Thompson Estate
I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable
requirements of the Mississippi Debd (thent of Finvironmental Quality and the Mississippi Department of Dealth result them 1
if applicable, and state laws.
Willie L. Kryph + 0-639 m/ 100 p king t
Print Name of Responsible Licensee and License No. Date Signature of Licensee

Signature of Acensee Form: OLWR-SWR-1A (4/13)

	STATE W	ELL REPORT	
County: Ballyar		Part 2	Ear Office Has Ord
Permit #: 6W-4712		er's Completion Report	For Office Use On
Driller: W. Bright	Mississippi Departr	ment of Environmental Quality nd and Water Resources	Well #: 17204
Date completed: $\Psi - 20 -$	13 P	P.O. Box 2309	A
Copy information from block		on, MS 39225-2309 601)961-5210	Aquifer:
	(601) 360-0535 (fax)	
This part of the report must be of the report must be attached	e completed by a licensed water and both parts filed with the I	r well contractor or a licensed pur Department at the above address w	np installer. A copy of Part
Well Owner		· Well L	ocation
Owner Name: Sam The	ompson Estate	Latitude: 33 51.76 Lon	gitude: 090° 44.69
Mailing Address: P. O. Bu	x 32	Method of Lat/Long (check one	
	·	USGS quad, Hand-held GI	
novind Bayou	<u>m5</u> <u>38762</u> State Zip Code		
		Atiles JW/ of	Mound Barray B
Telephone No. (662) 588	8 - 5/68	(Distance) Tha (Direction)	(Nearest/Town)
	Pump Ty	pe (circle one)	
		Jet Piston Rotary Other (de	scribe):
Date Pump Installed: 4-2	0-13	Rated Pump Capacity:	OGallons Per M
Is This Pump (circle one):	Repaired Replacement	nt	
	Power Ty	pe (circle one)	
		pe (en ele one)	
Electric Diesel Gasoline N			
Electric Diesel Gasoline N Horse Power Rating of Motor:	atural Gas Tractor PTO Win	idmill Other (describe):	of Stages:2
\bigcirc	atural Gas Tractor PTO Win	idmill Other (describe):	of Stages:2
Horse Power Rating of Motor:	atural Gas Tractor PTO Win	ndmill Other (<i>describe</i>): th:feet Number	
Horse Power Rating of Motor: Date Well Tested:	atural Gas Tractor PTO Win Setting Dept Pump Test Data	idmill Other (<i>describe</i>): th:feet Number for Non Flowing Well	um 4 hours): t
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A):	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface	hdmill Other (<i>describe</i>): th:feet Number for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B):	um 4 hours): h
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	atural Gas Tractor PTO Win Setting Depi Pump Test Data Feet Below Land Surface Feet Below Land Surface	Admill Other (<i>describe</i>): th:feet Number for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B): face Test Pumping Rate:	um 4 hours): h Feet Below Land Su Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Below Land Surface Feet Below Land Surface Feet Below Land Surface	hdmill Other (<i>describe</i>): th:feet Number for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B):	um 4 hours): h Feet Below Land Su Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Below Land Surfac	Admill Other (<i>describe</i>): th:feet Number for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B): face Test Pumping Rate: ape Air line Other (<i>describe</i>):	um 4 hours): h Feet Below Land Su Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (<i>circ</i> Measured shut in head:	atural Gas Tractor PTO Win Setting Depi Pump Test Data Feet Below Land Surface Feet Below Land Surfac	Admill Other (<i>describe</i>): th:feet Number for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B): face Test Pumping Rate: ape Air line Other (<i>describe</i>):	um 4 hours):h Feet Below Land Sun Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (<i>circ</i> Measured shut in head:	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Below Land Surfac	admill Other (<i>describe</i>): th:feet Number for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B): face Test Pumping Rate: ape Air line Other (<i>describe</i>): ta for Flowing Well	um 4 hours):h Feet Below Land Sun Gallons Per Mi
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (<i>circ</i> Measured shut in head: Well yieldedGP	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Below Land Surface	idmill Other (<i>describe</i>): th:feet Number for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B): face Test Pumping Rate: ape Air line Other (<i>describe</i>): ta for Flowing Well feet after	um 4 hours):h
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (<i>circ</i> Measured shut in head: Well yieldedGP Meter Manufacturer:	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Bund Surface	admill Other (describe):	um 4 hours): hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (<i>circ</i> Measured shut in head: Well yieldedGP Meter Manufacturer: Meter Model Number/Name: _	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Below Land	admill Other (describe):	um 4 hours): hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circ Measured shut in head: Well yieldedGP Meter Manufacturer: Meter Model Number/Name: _ Totalizer Register Unit and Mage	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Below Land Surfac	admill Other (describe): th: g 0 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B): face Test Pumping Rate: ape Air line Other (describe): ta for Flowing Well Installation Type of Meter: Type of Meter:	um 4 hours):h Feet Below Land Sur Gallons Per Mi hours of pumping RECEI
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (<i>circ</i> Measured shut in head: Well yieldedGP Meter Manufacturer: Meter Model Number/Name: _ Totalizer Register Unit and Mu Installation Date:	atural Gas Tractor PTO Win Setting Depi Pump Test Data Feet Below Land Surface Feet Below Land Surface Muth a drawdown of Meter Installed by:	admill Other (describe):	um 4 hours):h Feet Below Land Su Gallons Per M hours of pumping RECEI MAY 20
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circ Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Mu Installation Date: Is This Meter (circle one):	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Content Surface Feet Below Land Surface F	admill Other (describe): th:feet Number for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B): face Test Pumping Rate: feet ape Air line Other (describe): ta for Flowing Well Installation Type of Meter: L x 1000, etc):	um 4 hours):h Feet Below Land Su Gallons Per M Gallons Per M hours of pumping RECEI MAY 2 0 BY: Ot
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circ Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Mu Installation Date: Is This Meter (circle one):	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Content Surface Feet Below Land Surface F	admill Other (describe):	um 4 hours):h Feet Below Land Sur Gallons Per Mi Gallons Per Mi hours of pumping RECEI MAY 2 0 BY: Ot
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Drawdown [(B) - (A)]: Method of measurement (circ Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Mu Installation Date: Is This Meter (circle one): Important: By submitting the	atural Gas Tractor PTO Win Setting Dept Pump Test Data Feet Below Land Surface Feet Content Surface Feet Below Land Surface F	admill Other (describe):	um 4 hours):h Feet Below Land Sur Gallons Per Mi Gallons Per Mi hours of pumping RECEI MAY 2 0 BY: Ot
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circ Measured shut in head: Well yieldedGP Meter Manufacturer: Meter Model Number/Name: _ Totalizer Register Unit and Mu Installation Date: Is This Meter (circle one): I Important: By submitting the Four Power Power Rating of Motors I HEREBY CERTIFY that the abu	atural Gas Tractor PTO WinOSetting Dept Pump Test DataFeet Below Land SurfaceFeet Below Land SurfaceFeet Below Land SurfaceFeet Below Land SurfaceFeet ape Electric to Pump Test Dafeet. M with a drawdown of feet. M with a drawdown of Meter ultiplier Factor (AF x .001, gai Meter installed by: New Repaired Replacement a above information you are co r agricultural wells, a list of ap	admill Other (describe): th: glofeet Number for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B): face Test Pumping Rate: ape Air line Other (describe): ta for Flowing Well feet after Installation Type of Meter: Type of Meter: I x 1000, etc):	um 4 hours): Feet Below Land Su Gallons Per M hours of pumping RECE MAY 2 0 BY: Ot

H204





Multiple Sclerosis Videos Leam Now by Viewing Videos Here Containing Into About Relapang MS. www.youtube.com/RelapangMSinto

