County:	Bolivar	
Permit #:	GW-47473	1
	Irrigation Eq	
Date drill	ing completed:	06/28/2013

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well#:	<u>Haos</u>
Aquifer:	
E-Log #:	

Well Owner Information	upletion of drilling of the well or borehole. Well or Borehole Location
(Landowner if borehole is not for a water well)	Latitude: 33 48' 23.9 N Longitude: 90 43' 31.8 W
Owner Name: Vernell Smith	Latitude: 33 40 23.5 N Longitude: 50 43 31.0 W
Mailing Address: 117 Isola Street	Method of Lat/Long (check one):
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Cleveland Ms 38732 City State Zip code	ME 14 NE 14, Sec 33 T 23 N R 5 W
Telephone No. () -	2 Miles North of Renova
	(Distance) (Direction) (Nearest Town)
Well / Bo	orehole Data
Date drilling started: 06/28/2013 Date drilling completed:	06/28/2013 Hole depth: 124 Hole diameter: 18"
Location of the source of any surface water used for drilling:	Surface Water
· ·	
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Garr	nma Ray ∐ Density ∐ Sonic ∐ Neutron ☐ Other:
Name of organization running log(s):	
Purpose of borehole (check one): 🛛 Water Well 🔲 Geotecl	hnical/Geological Investigation
☐ Seismic Survey	Other (describe)
, –	nstruction, skip the remainder of this block
Purpose of Well <i>(check all applicable</i>): ☐ Home ☐ Industrial ☐ F	Public Supply ☑ Irrigation ☐ Fish Culture
FT 60	
Other (describe):	
☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [☐ above or ☒ belo (check one)	Other (describe)
If a flowing well, method of flow regulation: ValveStatic Water Level: feet [□ above or ☑ belo	Other (describe)
Static Water Level: 46' feet [above or below check one] Method of Measurement (check one) Steel tape Electric tape 104	Other (describe)
Static Water Level: 46' feet [above or below check one] Method of Measurement (check one) Steel tape Electric tape 104	Other (describe) Date measured: 07/03/2013 Pe Air line Other: (describe)
If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tape Feet [above or below (check one)] Method of Measurement (check one) Steel tape Feet [above or below (check one)]	Other (describe) ow] land surface Date measured: 07/03/2013 pe Air line Other: (describe) et Type of grout (check one): Neat Cement Bentonite Mix
If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tape Electric tape Electric tape Electric tape Feet Electric tape Feet Electric tape Feet Feet Electric tape Feet Electric tape Feet Electric tape Feet Electric tape Feet Feet Electric tape Feet Electric tape Feet Feet Electric tape Feet Electric tape Feet Feet Feet Feet Feet Electric tape Feet F	Other (describe) ow] land surface Date measured:
If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [□ above or ⋈ below (check one)] Method of Measurement (check one) ⋈ Steel tape □ Electric tape Well depth: 124 Well grouted to a depth of: 10 feet Casing length: 84 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10 Screen slot size:050 inches Setting depth:	Other (describe) ow] land surface Date measured: 07/03/2013 pe Air line Other: (describe) et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC From 85 feet to 124 PECTENV
If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tape Well depth: 124 Well grouted to a depth of: 10 feet Casing length: 84 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10	Other (describe) ow] land surface Date measured: 07/03/2013 pe Air line Other: (describe) et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC From 85 feet to 124
If a flowing well, method of flow regulation: Valve Static Water Level: 46' feet [□ above or ⋈ belowed (check one)] Method of Measurement (check one) ⋈ Steel tape □ Electric tag Well depth: 124 Well grouted to a depth of: 10 feet Casing length: 84 feet Casing diameter: 10 Screen length: 40 feet Screen diameter: 10 Screen slot size: .050 inches Setting depth: Type of completion (check all applicable): ⋈ Gravel packed □ U	Other (describe) ow] land surface Date measured: 07/03/2013 pe Air line Other: (describe) et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC From 85 feet to 124 PECTENV

Form: OLWR-SWR-1A (4/13)

County: Bolivar				Office Use (H 205	J ·
Permit #: GW-47473	-				
The sketch below only required for water well	 <u>Descri</u>	ption of formations enco	untered must b	e provided for al	l wells
If well telescopes, show depths on sketch.	and bo	oreholes, unless specifical	lly exempted by	regulations	
	Descri	ption of Formations End	countered	From (depth)	To (depth
Ground level	Clay			Ground level	33
	Fine	Sand		34	38
·		Sand & Gravel		39	52
	Medi	um Sand & Grave		53	124
		· · · · · · · · · · · · · · · · · · ·			
			+		
	-				
ŀ					
If more than one screen, show location of	anah an akatah				<u> </u>
if more than one screen, show location of	cach on sketch				
Sketch the property layout and include 1) the well location 2) any permanent structures on t 3) any roads, power lines, or othe 4) a north arrow	ne property that may aid in loo	cating the well ng the property and the	well		
				RE(CEIVE
				AUG	0 5 201
			1	BY:	OLW.
Landowner Name: Vernell Sn	ith				
I HEREBY CERTIFY that the well/bore requirements of the Mississippi Depar if applicable, and state laws.	hole was drilled, constructed, ment of Environmental Qualit	y and the Mississippi D	rdance with a	Form: OLWR-SI II applicable lealth regulatio	`
Patrick Chism 0	95 06/28	/2013			
Print Name of Responsible Licensee				of Licensee	

Farm manifeld by Farma On & Diate 044 040 0400. FarmaOn & Diate and

, · · ·

Form: OLWR-SWR-1A (4/13)

County:	Bolivar	
Permit #:	GW-47473	
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	06/28/2013

Copy information from block on Part 1

STATE WELL REPORT

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309


P.O. Box 2309 ackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For Office Use Only:	
Well#:	H205
Aquifer:	

Form: OLWR (4)(4)(3)

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location **Well Owner Information** Latitude: 33 48' 23.9 N Longitude: 90 43' 31.8 W Owner Name: Vernell Smith Mailing Address: 117 Isola Street ☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS Ms 38732 NE 1/4 NE 1/4, Sec 33 T 23 N R 5 W Cleveland State Zip code City North Renova Telephone No. (Distance) (Direction) (Nearest Town) Pump Type (check one) ☑ Submersible ☐ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe): Rated Pump Capacity: 400+/- Gallons Per Minute Date Pump Installed 07/03/2013 Is This Pump (check one): ☑ New ☐ Repaired ☐ Replacement Power Type (check one) ☑ Electric ☐ Diesel ☐ Gasoline ☐ Natural Gas ☐ Tractor PTO ☐ Windmill ☐ Other (describe): Horse Power Rating of Motor: 10 Setting Depth: 70 feet Number of Stages: 1 Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): Date Well Tested: Static Water Level (A): _____ Feet Below Land Surface Pumping Water Level (B): _____ Feet Below Land Surface Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Drawdown [(B) - (A)]: Method of measurement (check one): ☐ Steel tape ☐ Electric tape ☐ Air line ☐ Other (describe): **Pump Test Data for Flowing Well** Measured shut in head: GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: None Installed Meter Serial Number: Meter Model Number/Name: __ Type of Meter: _____ Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Meter installed by: Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. 2013 **20**13 0695 **Patrick Chism** 07/25/2013 ignature of Pump Installer Print Name of Pump Installer and License No. (if applicable) Date

H265



feet km

RECEIVED

AUC 0 5 2013

BY: OLWA