County:	Bolivar	
Permit #:	GW-48991	
Driller:	Irrigation Eq	uipment Inc.
Date drilli	ng completed:	06/27/2015

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210

(601) 360-0535 (fax)

For	Office Use Only:
Well#:	P224
Aquifer:	
E-Log #:	

State I aw requires that this report he prepared by the license holder responsible for the work and filed with the

		impletion of drilling of the well or bor	
	er Information ole is not for a water well)	Well or Borehole L	ocation
Owner Name: Gamma Delt	a Land LLC	Latitude: 33 39' 10.1 N Longitude	ıde: 90 45' 48.8 W
Mailing Address: 402 North	Sharpe Street	Method of Lat/Long (check one):	Conventional Survey,
		☐ USGS quad, ☑ Hand-held GPS, ☐] Survey-grade GPS
Cleveland	Ms 38732	<u>SE</u> ¼ <u>NE</u> ¼, Sec <u>24</u> T	21 N R <u>6 W</u>
Citv Telephone No. <u>(662) 719</u>	State Zip code	3 Miles North o	Shaw (Nearest Town)
	Well /	Borehole Data	
Date drilling started:	2015 Date drilling completed	: 06/27/2015 Hole depth: 127'	Hole diameter: 24"
∟ocation of the source of any s	surface water used for drilling:	Surface Water	
Wethod of dosing and volume	of Chlorine used in drilling and	evelopment: 50 PPM	
_ogs run (check all applicable)): ☑ No log run ☐ Electric ☐ G	amma Ray 🗌 Density 🔲 Sonic 🔲 Neutron	Other:
Name of organization running	log(s):		
-			
Purnose of horehole (check or	ne): M Mater Mell	echnical/Geological Investigation	und Source Heat Pump
Purpose of borehole (check or	ne): 🛛 Water Well 🔲 Geor	echnical/Geological Investigation	und Source Heat Pump
	☐ Seismic Survey	Other (describe)	·
	☐ Seismic Survey	_	·
If drilling	☐ Seismic Survey is not related to water well	Other (describe)	is block
<i>If drilling</i> Purpose of Well (check all app	☐ Seismic Survey is not related to water well	Other (describe) construction, skip the remainder of th	is block
If drilling Purpose of Well (check all app ☐ Other (describe):	☐ Seismic Survey is not related to water well	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture	is block
If drilling Purpose of Well (check all app ☐ Other (describe): If a flowing well, method of flow	☐ Seismic Survey is not related to water well of the self-of the	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe)	is block
If drilling Purpose of Well (check all app ☐ Other (describe): If a flowing well, method of flow Static Water Level: 51'	☐ Seismic Survey is not related to water well of the policable): ☐ Home ☐ Industrial ☐ we regulation: Valve feet [☐ above or ☒ to (check one)	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe)	is block
If drilling Purpose of Well (check all app Other (describe): f a flowing well, method of flow Static Water Level: 51' Method of Measurement (check	□ Seismic Survey is not related to water well and industrial □ w regulation: Valve feet [□ above or ☑ to (check one) ck one) ☑ Steel tape □ Electric	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) elow] land surface	is block 06/29/2015
If drilling Purpose of Well (check all app □ Other (describe): If a flowing well, method of flow Static Water Level: 51' Method of Measurement (check Well depth: 127' Well gr	Seismic Survey is not related to water well a clicable): □ Home □ Industrial I w regulation: Valve feet [□ above or ☒ t	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) elow] land surface	is block 06/29/2015 ment ⊠ Bentonite □ Min
If drilling Purpose of Well (check all app □ Other (describe): If a flowing well, method of flow Static Water Level: 51' Method of Measurement (check Well depth: 127' Well gr Casing length: 87'	Seismic Survey is not related to water well and striat of the selection	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) elow] land surface	is block 06/29/2015 ment ⊠ Bentonite □ Mix
If drilling Purpose of Well (check all app □ Other (describe): If a flowing well, method of flow Static Water Level: 51' Method of Measurement (check Well depth: 127' Well gr Casing length: 87' Screen length: 40'	Seismic Survey is not related to water well a clicable): □ Home □ Industrial □ w regulation: Valve feet [□ above or ☒ to (check one) ck one) ☒ Steel tape □ Electrice routed to a depth of: 10' feet Casing diameter: _	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) elow] land surface ☐ Date measured: ☐ tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ Neat Ce inches Type of casing: inches Type of screen:	is block 06/29/2015 ment \(\times \) Bentonite \(\times \) Mix PVC PVC
Purpose of Well (check all appropriate of the check all appropriate of the	Seismic Survey is not related to water well and solicable): Home Industrial	☐ Other (describe) construction, skip the remainder of the ☐ Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) elow] land surface ☐ Date measured: ☐ tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ Neat Ce inches Type of casing: inches Type of screen:	is block D6/29/2015 ment \(\to \) Bentonite \(\to \) Mix PVC PVC 27' feet
If drilling Purpose of Well (check all app □ Other (describe): If a flowing well, method of flow Static Water Level: 51' Method of Measurement (check Well depth: 127' Well gr Casing length: 87' Screen length: 40' Screen slot size: .050	Seismic Survey is not related to water well and solicable): Home Industrial	Other (describe) construction, skip the remainder of the Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) elow] land surface ☐ Date measured: tape ☐ Air line ☐ Other: (describe) feet Type of grout (check one): ☐ Neat Celle inches Type of casing: inches Type of screen: th: From	is block D6/29/2015 ment \(\to \) Bentonite \(\to \) Mix PVC PVC 27' feet
If drilling Purpose of Well (check all app □ Other (describe): If a flowing well, method of flow Static Water Level: 51' Method of Measurement (check Well depth: 127' Well gr Casing length: 87' Screen length: 40' Screen slot size: .050 Type of completion (check all app	Seismic Survey is not related to water well a clicable): □ Home □ Industrial I w regulation: Valve feet [□ above or ☒ t	☐ Other (describe) construction, skip the remainder of the construction. Other (describe) elow] land surface	is block D6/29/2015 ment \(\to \) Bentonite \(\to \) Mix PVC PVC 27' feet

Form: OLWR-SWR-1A (4/13)

County: Bolivar Permit #: GW-48991			For Office Use Only Well #: P224		
The sketch below only requ		Description of formations enc	countered must	be provided for a	ll wells
If well telescopes, show dep	oths on sketch	and boreholes, unless specific			
		Description of Formations E	ncountered	From (depth)	To (depth)
Ground level —	7	Clay		Ground level	16
		Fine Sand		17	37
		Fine Sand & Gravel		38	57
		Medium Sand & Grav	vel	58	127
				-	
If more than one screen,	show location of each on sketch				- -
the well location any permanen	yout and include the following: on it structures on the property that m wer lines, or other items that may a	ay aid in locating the well aid in locating the property and th	ne well		
					EWE
				AUG	17 2015
Landowner Name:	Gamma Delta Land LLC	;		EAST.	1 1 (40)
I HEREBY CERTIFY t requirements of the M if applicable, and state Patrick Chism	that the well/borehole was drilled, lississippi Department of Environm e laws. 0695	constructed, and completed in acceptant Quality and the Mississippi	ccordance with Department of	all applicable	6WR-1A (04/08) ons,

Date

Print Name of Responsible Licensee and License No.

Paula mandidad bij Paula On. 4 Diale. 044 040 0400. Paula On. 4Diale aam

Signature of Licensee Form: OLWR-SWR-1A (4/13)

County:	Bolivar	
Permit #:	GW-48991	
Driller:	Irrigation Eq	uipment Inc.
Date drilli	ng completed:	06/27/2015

Copy information from block on Part 1

STATE WELL REPORT


Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For Office Use Only:				
Well#:	P 224			
Aquifer:				

Well Owner Information			artment at the above address within 30 days of well completion. Well Location				
Owner Name: Gamma Delta Land LLC Mailing Address: 402 North Sharpe Street		Latitude: _	33 39' 10	.1 N Lo	ngitude:	90 45' 48.8 W	
		Method of Lat/Long (check one): Conventional Survey,					
			□ USGS q	uad, 🛭 H	land-held GP:	S, 🗌 Sui	vey-grade GPS
Cleveland City				SE 1/4 NE 1/4, Sec 24 T 21 N R 6 W			
Telephone No. (Zip code	3 (Distance	_ Miles	North (Direction)	_ of _	Shaw (Nearest Town)
		Pump Ty	pe (check one)				
☐ Submersible ☑ Turbine I	☐ Air Lift ☐ Centri	ifugal 🔲 Flowing \	Well ☐ Jet ☐ F	Piston 🔲 I	Rotary Oth	er (descr	ibe):
Date Pump Installed 06/2	29/2015		Rated Pump C	apacity:	2300+/-		Gallons Per Minute
Is This Pump (check one):	New □ Repaire	ed Replacemen	nt .				
			pe (check one)				
☐ Electric ☑ Diesel ☐ Gas		_		•	· -		
Horse Power Rating of Moto	or: <u>60</u>	_ Setting Depth:	80'		feet Numbe	r of Stag	es: <u>2</u>
				- 144 - 11			
		Pump Test Data		•			
							Hour
Static Water Level (A):							
Drawdown [(B) - (A)]:							
Method of measurement (cf	heck one): 🗌 Steel	I tape 🗆 Electric to	ape 🗌 Air line	☐ Other ((describe): _		
		Pump Test Da	ta for Flowing	Well		-	
Measured shut in head:	Fe	et					
Well yielded	GPM with a draw	wdown of		feet after		ho	urs of pumping
Well yielded	GPM with a dra		Installation	feet after		ho	urs of pumping
Well yielded		Meter	Installation				urs of pumping
			Installation Meter So	erial Num	ber:		
) :	Meter	Installation Meter So	erial Num	ber:		
Meter Manufacturer: Meter Model Number/Name	e: Multiplier Factor (A	Meter	Installation Meter So Type o	erial Num	ber:		
Meter Manufacturer: Meter Model Number/Name Totalizer Register Unit and I	e: Multiplier Factor (A Mete	Meter AF x .001, gal x 10 er installed by:	Installation Meter So Type o	erial Num	ber:		
Meter Manufacturer: Meter Model Number/Name Totalizer Register Unit and I	e: Multiplier Factor (A Mete New □ Repaire ting the above infor	Meter AF x .001, gal x 10 er installed by: ed ☐ Replacemen	installation Meter So Type of 00, etc): It	erial Num of Meter:	ber:	manufa	
Meter Manufacturer: Meter Model Number/Name Totalizer Register Unit and Installation Date: Is This Meter (check one):	e: Multiplier Factor (A Mete New Repaire Ting the above infor For agricultura	Meter AF x .001, gal x 10 er installed by: ed □ Replacement rmation you are cell wells, a list of apple	Installation Meter So Type of 00, etc): At Pertifying that the proved meters in	erial Num of Meter: is meter w s on the M	ber:	manufa	
Meter Manufacturer: Meter Model Number/Name Totalizer Register Unit and I Installation Date: Is This Meter (check one): [Important: By submitted]	e: Multiplier Factor (A Mete New Repaire Ting the above infor For agricultura	Meter AF x .001, gal x 10 er installed by: ed □ Replacement rmation you are cell wells, a list of apple	Installation Meter So Type of 00, etc): Metrifying that the proved meters in	erial Num of Meter: is meter w s on the M	ber:	manufa	

AUG 197 2015



AUG 17 2015



Dean A. Pennington, PhD Executive Director

P. O. Box 129 Stoneville, MS 38776

Tel.: (662) 686-7712 Fax: (662) 686-9078 www.ymd.org

Yazoo Mississippi Delta Joint Water Management District

June 25, 2015

Gamma Delta Land LLC 402 North Sharpe Street Cleveland MS 38732

7224

RE: Receipt for Notification of Construction of Replacement Well MS-GW-48991

which will be replacing MS-GW-07513 located at

Location: SE 1/4 of the NE 1/4 Section 24 Township 21N Range 06W

Bolivar

Latitude: 90 45 53

Longitude 33 39 16

Dear Gamma Delta Land LLC,

This letter acknowledges your notification to the state that you intend to replace a previously permitted well in the Mississippi River Valley Alluvial aquifer and that this replacement construction will meet the requirements for a groundwater replacement well specified in 11 Miss. Admin. Code Part 7, Chapter 1, Rule 1.4.F.1 (see attached). Construction may begin immediately on your replacement well.

A copy of this letter, or a water use permit for the replacement well, must be attached to the State Well Report submitted by your driller to MDEQ and they must also submit a copy to YMD, as specified in the Water Well Contractor regulations found in 11 Miss. Admin. Code Part 7, Chapter 2, Rule 2.9.

Remember that you are <u>required</u> to properly decommission (plug and abandon) the replaced well within 180 days of the replacement well's construction and submit a Decommissioning Form to MDEQ and as above a copy must also be submitted to YMD, as specified in the Water Well Contractor regulations found in 11 Miss. Admin. Code Part 7, Chapter 2, Rule 2.14.E.

If you have any questions, please call YMD at 662-686-7712.

Sincerely.

Dillard Melton, Jr Permitting Director

Millon

AUG 1 7 2015