County: Bolivar		'ELL REPOR' Part 1	1		Office Use Only	:
County: Boilvar Permit #: GW-47651 Driller: Irrigation Equipment Date drilling completed: 08/28/2013	Dri Mississippi Departm Office of Land P.C Jackson,	Iler's Log ent of Environmental and Water Resource b. Box 2309 MS 39225-2309	Quality	Vell #: Aquifer: 5-Log #:	Q_231_	
State Law requires that this report l	(601) (1) 961-5210 360-0535 (fax) s ense holder respon	sible for t	he work	and filed with th	е
Department at the above address w Well Owner Informat (Landowner if borehole is not fo	<i>ithin 30 days of com</i> tion	pletion of drilling o		or boreh	hole.	
Owner Name: Lawrence Reginelli		Latitude: 33 37' 3	8.0 N	Longitude	e: 90 44' 29.7 W	
Mailing Address: 336 Sandpit Road		Method of Lat/Long	(check one): 🗌 Co	onventional Survey,	
		USGS quad, 🛛 I	Hand-heid (4 <u>MW</u> 14, Se			
Shaw Ms City State	38773 Zip code	<u>SE</u> %	4 <u>NW</u> ¼, Se	c <u>32</u> T <u>21</u>	<u>IN</u> R <u>3W</u>	
Telephone No. () -		<u>2</u> Miles (Distance)	Northea (Directio		Shaw (Nearest Town)	
	Well / Bo	rehole Data				
C C	-	•] Other:	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa	run 🗌 Electric 🗌 Gam ater Well 🛛 Geoteci	nma Ray Density nnical/Geological Inves] Sonic 🔲 I] Other:	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 🗌 S	run 🗌 Electric 🗌 Gam ater Well 🛛 Geoteci	ıma Ray] Sonic 🗌 I	Groun	d Source Heat Pum	
Purpose of borehole (check one): 🛛 W	run 🗌 Electric 🗌 Gam ater Well 🔲 Geotech eismic Survey 🔲 ated to water well con	Ima Ray Density Innical/Geological Invest Other (<i>describe</i>) Instruction, skip the	Sonic [] stigation	□ Groun r <i>of this</i> Culture	d Source Heat Pum	
Logs run (check all applicable):	run Electric Gam ater Well Geotech eismic Survey ated to water well con Home Industrial F	Ima Ray Density Innical/Geological Invest Other (<i>describe</i>) Intruction, skip the Public Supply Irrigat] Sonic □ stigation <u>remainde</u> tion □ Fish	☐ Groun r of this Culture	nd Source Heat Pum block	
Logs run (check all applicable):	run Electric Gam ater Well Geotech eismic Survey ated to water well con Home Industrial F	Ima Ray Density Ima Ray Density Densi	Sonic [] stigation remainde	☐ Groun <i>r of this</i> Culture	nd Source Heat Pum block	
Logs run (check all applicable):	run Electric Gam ater Well Geotect eismic Survey Image: Survey ated to water well con Home Industrial Home Industrial F Valve	nnical/Geological Inves Other (<i>describe</i>) <i>astruction, skip the</i> Public Supply ⊠ Irrigat Other (describe) w] land surface] Sonic [] stigation <u>remainde</u> tion [] Fish	Groun	nd Source Heat Pum	
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ Wi □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): f a flowing well, method of flow regulation Static Water Level:for Method of Measurement (check one) ⊠ Static	run Electric Gam ater Well Geotect eismic Survey Image: Construction of the second seco	ama Ray ☐ Density ☐ nnical/Geological Inves Other (<i>describe</i>) <i>astruction, skip the</i> Public Supply ⊠ Irrigat Other (describe) w] land surface pe [] Air line [] Other	Sonic [] stigation <u>remainde</u> tion [] Fish Date measu	Groun	nd Source Heat Pum block	p
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): f a flowing well, method of flow regulation Static Water Level: _50' Method of Measurement (check one) ⊠ S Nell depth: _127 Well grouted to a describe	run Electric Gam ater Well Geotect eismic Survey Image: Construction of the second seco	ama Ray ☐ Density ☐ nnical/Geological Inves Other (<i>describe</i>) <i>astruction, skip the</i> Public Supply ⊠ Irrigat Other (describe) w] land surface pe [] Air line [] Other at Type of grout (<i>chec</i>	Sonic [] stigation <u>remainde</u> tion [] Fish Date measu	Groun r of this Culture ured: 08	nd Source Heat Pum block block block block block block block block block block block block block block block	p
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ Window □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): f a flowing well, method of flow regulation Static Water Level: _50' Method of Measurement (check one) ⊠ S Well depth: _127 Well grouted to a window Casing length: _87 feet	run Electric Gam ater Well Geotect eismic Survey Image: Construction of the second seco	ama Ray ☐ Density ☐ nnical/Geological Inves Other (<i>describe</i>) <i>astruction, skip the</i> Public Supply ⊠ Irrigat Other (describe) w] land surface I pe ☐ Air line ☐ Other t Type of grout (<i>chec</i> inches	Sonic stigation <u>remainde</u> tion Fish Date measu r: (describe, ck one):	Groun r of this Culture ured: 08 Neat Cem casing: _	nd Source Heat Pum block blo	p
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): If <i>drilling is not rela If drilling is not rela</i> Urpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>50'</u> Method of Measurement (check one) Static Water Level: <u>50'</u> Method of Measurement (check one) Static Uter <u>127</u> Well grouted to a casing length: <u>87</u> feet Screen length: <u>40</u>	run Electric Gam ater Well Geotect eismic Survey Image: Construction of the second seco	ama Ray ☐ Density ☐ nnical/Geological Invest Other (<i>describe</i>) <i>astruction, skip the</i> Public Supply ⊠ Irrigat Other (describe) w] land surface pe ☐ Air line ☐ Other the Type of grout (<i>chec</i> inches inches	Sonic □ I stigation <u>remainde</u> tion □ Fish Date measu r: (describe, ck one): □ I Type of c Type of s	Groun r of this Culture ured: 08 Neat Cem casing: _	nd Source Heat Pum block bl	p
Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): W I S <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>50'</u> Method of Measurement (check one) Static Water Level: <u>50'</u> Method of Measurement (check one) Static Water Level: <u>50'</u> Method of Measurement (check one) Static Water Level: <u>50'</u> Method of Measurement (check one) Static Well depth: <u>127</u> Well grouted to a Casing length: <u>87</u>	run Electric Gam ater Well Geotech eismic Survey Image: Construction of the second of the sec	ama Ray ☐ Density ☐ nnical/Geological Inves Other (describe) astruction, skip the Public Supply ⊠ Irrigat Other (describe) w] land surface pe ☐ Air line ☐ Other at Type of grout (chec inches inches From88	Sonic □ I stigation <u>remainde</u> tion □ Fish Date measu r: (describe) ck one): □ I Type of o Type of s fee	Groun r of this Culture Ired: 08 Neat Cem casing: screen: t to	nd Source Heat Pum block bl	P
Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): S If drilling is not rela Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: _50' fe Method of Measurement (check one) S Well depth: _127 Well grouted to a clasing length: _87 feet Screen length: _40 feet Screen slot size:050 in Type of completion (check all applicable):	run Electric Gam ater Well Geotech eismic Survey Image: Construction of the second of the sec	Ima Ray □ Density □ Innical/Geological Inves Other (<i>describe</i>) Dublic Supply ⊠ Irrigat Dublic Supply ⊡ Irrigat Dublic Supply ⊡ Irrigat Dublic Supply ⊡ Irrigat Dublic Supply ⊠ Irrigat Dublic Supply ⊡ Irrigat Dubli	Sonic □ I stigation <u>remainde</u> tion □ Fish Date measu T: (describe, sk one): □ I Type of c Type of s fee hole □ Na	Groun r of this Culture Ired:	nd Source Heat Pum block bl	P

Form: OLWR-SWR-1A (4/13)

.

٠

r

	F	or Office Use	Only:
County: Bolivar	Well #:	67	88
Permit #: GW-47651	-	G 23	31
			<u> </u>
The sketch below only required for water wells	Description of formations encountered mu		all wells
If well telescopes, show depths on sketch.	and boreholes, unless specifically exempte	<u>d by regulations</u>	
Crewed level	Description of Formations Encountered		
Ground level	Clay	Ground level	1.0
	Fine Sand	20	62
	Fine Sand & Gravel	63	73
	Medium Sand & Gravel	74	127

If more than one screen, show location of each on sketch

1 r

•


1) the well locati 2) any permane	nt structures on the property that may aid in locating the wer lines, or other items that may aid in locating the pr	
		SEP 2 5 2013
Landowner Name:	Lawrence Reginelli	BY: COMP
requirements of the M if applicable, and stat Patrick Chism	0695 09/20/2013	e Mississippi Department of Health regulations,
Print Name of Respo	onsible Licensee and License No. Date	Signature of Licensee Form: OLWR-SWR-1A (4/13)

	STATE WEL	L REPOR	Γ Γ	or Office Use Only:
County: Bolivar	Part		Well #	6788
Permit #:	Pump Installer's Co			Q231
Driller: Irrigation Equipment	Mississippi Department of Office of Land and V			•
Date drilling completed: 08/28/2013	P.O. Box Jackson, MS 3			
Copy information from block on Part 1				
	(601) 360-05	535 (fax)		
This part of the report must be complete				
of the report must be attached and both Well Owner informa		t at the above add	ress within 30 a Well Locat	
Owner Name: Lawrence Reginelli	Latit	tude: <u>33 37' 38</u>	Long	gitude: 90 44' 29.7 W
Mailing Address: 336 Sandpit Road	Meti	hod of Lat/Long (check one): [Conventional Survey,
		-		
	U\	JSGS quad, 🖾 I	iand-heid GPS,	Survey-grade GPS
Shaw Ms	38773	<u>SE</u> ¼	<u>NW</u> ¼, Sec <u>32</u>	T <u>21 N</u> R <u>5 W</u>
City State		1	North 4	c Chau
Telephone No. () -		2 Miles Distance)	(Direction)	of Shaw (Nearest Town)
	Pump Type (che	,		<i></i>
🖸 Submersible 🛛 Turbine 🗌 Air Lift 🔲 🤇				
	Rated I	Pump Capacity:	2300+/-	Gallons Per Minute
ls This Pump (check one): 🛛 New 🗌 Re	Power Type (che	ck one)		
		•		of Stages: 2
				of Stages: 2
Horse Power Rating of Motor: 60	Setting Depth: 80 Pump Test Data for Nor	n Flowing Well	feet Number	of Stages: _2
Horse Power Rating of Motor: 60	Setting Depth: <u>80</u> Pump Test Data for Nor Dura	n Flowing Well ation of Pump Te	feet Number of st (minimum 4 h	nours): Hours
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe	Setting Depth: 80 Pump Test Data for Nor Dura tet Below Land Surface Pum	n Flowing Well ation of Pump Te nping Water Leve	feet Number of the st (minimum 4 h	nours): Hours Feet Below Land Surface
Horse Power Rating of Motor: Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: 80 Pump Test Data for Nor Dura eet Below Land Surface Pum Feet Below Land Surface 1	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra	feet Number (st (<i>minimum 4 h</i> el (B):	nours): Hours Feet Below Land Surface
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: 80 Pump Test Data for Nor Dura eet Below Land Surface Pum Feet Below Land Surface 1	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line 🗆 Other	feet Number (st (<i>minimum 4 h</i> el (B):	nours): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60	Setting Depth: 80 Pump Test Data for Nor Dura tet Below Land Surface Pum Feet Below Land Surface 3 Steel tape 🗋 Electric tape 🗋 2	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line 🗆 Other	feet Number (st (<i>minimum 4 h</i> el (B):	nours): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60	Setting Depth: <u>80</u> Pump Test Data for Nor Dura et Below Land Surface Pum Feet Below Land Surface T Steel tape Electric tape I Pump Test Data for F Feet Feet	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line Other lowing Well	feet Number (ours): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60	Setting Depth: 80 Pump Test Data for Nor Dura et Below Land Surface Pum Feet Below Land Surface 1 Steel tape Electric tape 1 Pump Test Data for F	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line Other lowing Well	feet Number (ours): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60	Setting Depth: <u>80</u> Pump Test Data for Nor Dura et Below Land Surface Pum Feet Below Land Surface T Steel tape Electric tape I Pump Test Data for F Feet	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line Other Iowing Well feet after	feet Number (ours): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura eet Below Land Surface Pum Feet Below Land Surface T Steel tape [] Electric tape [] / Pump Test Data for F Feet a drawdown of Meter Installa	h Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line Other Iowing Well feet after	feet Number (nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura Dur	a Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line Other lowing Well feet after tion Meter Serial Num	feet Number (st (minimum 4 h l (B): te: (describe): ber:	nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura tet Below Land Surface Pum Feet Below Land Surface T Steel tape [] Electric tape [] / Pump Test Data for F Feet a drawdown of Meter Installa	A Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line Other Iowing Well feet after tion Meter Serial Num Type of Meter:	feet Number (nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura Dura Dura Dura Dura Etel Below Land Surface Pum Feet Below Land Surface T Steel tape Electric tape A Pump Test Data for F Feet a drawdown of Meter Installa Lor (AF x .001, gal x 1000, etc)	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line □ Other Towing Well feet after tion Meter Serial Num Type of Meter:	feet Number (st (minimum 4 h (B): te: (describe): ber:	nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura tet Below Land Surface Pum Feet Below Land Surface T Steel tape [] Electric tape [] / Pump Test Data for F Feet a drawdown of Meter Installa tor (AF x .001, gal x 1000, etc) Meter installed by:	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line □ Other Towing Well feet after tion Meter Serial Num Type of Meter:	feet Number (st (minimum 4 h (B): te: (describe): ber:	nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura Dura Dura Dura Dura Dura Dura Eet Below Land Surface Pum Feet Below Land Surface T Steel tape Electric tape A Pump Test Data for F Pump Test Data for F Meter Installa Meter Installa Lor (AF x .001, gal x 1000, etc) Meter installed by: paired Replacement	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line □ Other Towing Well feet after tion Meter Serial Num Type of Meter:	feet Number (nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura Dura Dura Dura Dura Dura Dura Eet Below Land Surface Pum Feet Below Land Surface T Steel tape Electric tape A Pump Test Data for F Pump Test Data for F Meter Installa Meter Installa Lor (AF x .001, gal x 1000, etc) Meter installed by: paired Replacement	n Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line □ Other Towing Well feet after tion Meter Serial Num Type of Meter:	feet Number (st (minimum 4 h l (B): te: (describe): ber: ber:	nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date: Is This Meter (check one): New Re Important: By submitting the above For agricu	Setting Depth:80 Pump Test Data for Nor Dura tet Below Land Surface Pum Feet Below Land Surface T Steel tape I Electric tape I Pump Test Data for F Feet a drawdown of Meter Installa M tor (AF x .001, gal x 1000, etc) Meter installed by: paired I Replacement information you are certifying lural wells, a list of approved in	a Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line □ Other Towing Well feet after tion Meter Serial Num Type of Meter:	feet Number (st (minimum 4 h l (B): te: (describe): ber: ber:	nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Meter Manufacturer: GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): □ New □ Register (check	Setting Depth:80 Pump Test Data for Nor Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Steel Below Land Surface Pum Feet Below Land Surface Pum Feet Below Land Surface Pum Feet Below Land Surface Pum Dura	a Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line □ Other Towing Well feet after feet after tion Meter Serial Num Type of Meter:	feet Number of the st (minimum 4 freed (B):	nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60	Setting Depth:80 Pump Test Data for Nor Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Dura Steel Below Land Surface Pum Feet Below Land Surface Pum Feet Below Land Surface Pum Feet Below Land Surface Pum Dura	a Flowing Well ation of Pump Te nping Water Leve Test Pumping Ra Air line □ Other Towing Well feet after tion Meter Serial Num Type of Meter:	feet Number of st (minimum 4 freed (B):	nours): Hours Feet Below Land Surface Gallons Per Minute hours of pumping

. ,

•

6288 G231



r

RECHANNE SEP 2 5 795 BY: OLMAR

(FAX)16626869078

P.002/002



Dean A. Pennington, PhD Executive Director P. O. Box 129 Stoneville, MS 38776 Tel.: (662) 686-7712 Fax: (662) 688-9078 www.ymd.org

G231

August 27, 2013

Lawrence Reginelli 336 Sandpit Road Shaw MS 38773

RE: Well Construction / Authorization to drill

Permit No: GW-47651 Replacement Well for GW-36010 (Proposed Flowmeter)

Dear Lawrence Reginelli,

This authorization letter is for the construction of a new well that is to be drilled in the Mississippi River Valley Alluvial Aquifer. Your application has been received and is currently being processed.

Location: SE 1/4 of the NW1/4 Section 32 Township 21N Range 05W County Bolivar Latitude: 33 37 36 Longitude: 90 44 29

A copy of this notice or a water use permit must be attached to the State Well Report submitted by your driller. This report is a requirement of the State Well Drillers Regulations. A copy of this report must be mail or faxed to YMD Joint Water Management District.

All Applications must meet the Mississippi Department of Environmental Quality rules and regulations. If no adverse comments are received the application will be presented to the Mississippi Department of Environmental Quality State Permit Board for approval.

If you have any questions please call me at (662) 686-7712.

Sincerely,

1. iten

Dillard D. Melton Jr. Permitting Director

Reconstants Ser X 6 2019 Bisci na santa