CHARLIE NELSON

Permit #: GW-47172 Driller: T. NENOME 0.773 Date drilling completed: 1.30.14

Owner Name: N+N Facms

Well Owner Information

(Landowner if borehole is not for a water well)

STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210 (601)360-0535 (fax)

| For C | | Use (| | |
|----------|---|-------|----------|--|
| Well #: | K | 244 | <u> </u> | |
| Aquifer: | · | | | |
| E-Log #: | | | | |

Well or Borehole Location

Latitude: 33 33 01 ^ Longitude: 090 59 27"

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

| Mailing Address: 627 Stringtown RD | Method of Lat/Long (check one): Conventional Survey, | | |
|--|--|--|--|
| | USGS quad, Hand-held GPS, Survey-grade GPS | | |
| Benat MS 38725 | NE 1/4 SE 1/4, Sec 26 T 20 R 08L | | |
| Sera + M5 38725 City State Zip Code | 5.5 Miles S.E. of Scott, MS | | |
| Telephone No. () | (Distance) (Direction) (Nearest Town) | | |
| , Well / Bu | orehole Data | | |
| Date drilling started: 1.30.14 Date drilling completed: 1.50.14 Hole depth: 12 Hole diameter: 24" | | | |
| Location of the source of any surface water used for drillin | g: DITCH | | |
| Method of dosing and volume of Chlorine used in drilling and development: CHLORINE TABLES | | | |
| Logs run (circle all applicable): Ho log run Electric Gamm | na Ray Density Sonic Neutron Other: | | |
| Name of organization running log(s): | | | |
| Purpose of borehole (circle one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump | | | |
| Seismic Survey Other (a | | | |
| If drilling is not related to water well construction, skip the remainder of this block | | | |
| Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture | | | |
| Other (describe): | | | |
| If a flowing well, method of flow regulation: Valve Other (describe) | | | |
| Static Water Level:feet [above or below] land surface Date measured: | | | |
| Method of measurement (circle one): Steel tape Electric ta | pe Air line Other (<i>describe</i>): | | |
| Well depth: Well grouted to a depth of: feet Type of grout (circle one): Neat Cement | | | |
| Casing length:feet | | | |
| Screen length: Screen diameter: I inches Type of screen: P.V.C. | | | |
| Screen slot size:OSOinches | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development | | | |
| Other (describe): | | | |
| Top of lap pipe or reduction in casing:feet | | | |
| If telescoped or more than one screen, describe on next page | | | |

Form: OLWR-SWR-1A (4/13)

| County: | | For Office Use | Only: |
|---|--|--|---------------------------------------|
| Permit #: | w | ell #: | |
| Permit #: | <u></u> | | |
| he sketch below only required for water wells | Description of formations encou and boreholes, unless specificall | ntered must be provide y exempted by regulation | <u>d for all wells</u> o <u>ns</u> |
| f well telescopes, show depths on sketch. | Description of Formations Encounte | | To (depth) |
| round Level | TOP SOIL | Ground level | 10 |
| | CLAY | 10 | 60 |
| 1 | COMESE SUND/GRO | urz (ad | 70 |
| | COROSE SAND | 70 | 90 |
| · O) = | COARSE SLAD CRAN | in ab | 100 |
| 16 CASSINA | CCAY | | 110 |
| 10 c ASS(A) | Bottom | 110 | 112 |
| 10 CA3)1/42 | | | |
| | | | |
| \] | | | |
| | | | |
| A | | | |
| 1150 u- | | | |
| 16" 5 caro | | | |
| 1/0 5 10 200 | | | |
| 10 382000 | | | <u> </u> |
| V | | | |
| | | | |
| | | | |
| | | | |
| f more than one screen, show location of each on sketch | | | <u> </u> |
| Timore than one serven, show recently | | | |
| ketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid in 4) north arrow | id in locating the well n locating the property and the well | | |
| | | | |
| Ser | 5 MAP | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | · |
| andowner Name: | , constructed, and completed in a | ccordance with all app | plicable |
| HEREBY CERTIFY that the well/borehole was drilled requirements of the Mississippi Department of Enviro if applicable, and state laws. | nmental Quality and the Mississip 1 1 | or peparament of neath | ui regulations, |
| 2002 | 1.30.14 Sol | Newc | e |
| JOHN NEW COME DIVIS | Date | Signature of Licensee | |
| Print Name of Responsible Licensee and License No. | Date | Form: OLV | VR-SWR-1A (4/ |

STATE WELL REPORT

Date completed:

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

(601)961-5210 (601) 360-0535 (fax)


| For Office Use Only: | | | | |
|----------------------|----|----|--|--|
| Well #: | 22 | 44 | | |
| Aquifer: | | | | |

Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 33-33-02 Longitude: 90-59. Owner Name: N4 Method of Lat/Long (check one): Conventional Survey . Hand-held GPS X, Survey-grade GPS (Nearest Town) (Direction) (Distance) Telephone No. (Pump Type (circle one) Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe): _ Rated Pump Capacity: _ えのつ Gallons Per Minute Date Pump Installed: __ Is This Pump (circle one): (New Repaired Replacement Power Type (circle one) Natural Gas Tractor PTO Windmill Other (describe): Electric Diesel Gasoline feet Number of Stages: Setting Depth: Horse Power Rating of Motor: Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): Date Well Tested: Pumping Water Level (B): _____ Feet Below Land Surface Static Water Level (A): Feet Below Land Surface Test Pumping Rate: _ Gallons Per Minute Feet Below Land Surface Drawdown [(B) - (A)]: __ Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: hours of pumping GPM with a drawdown of feet after Well yielded Meter Installation Meter Manufacturer: MCrome Meter Serial Number: Meter Model Number/Name: ___ Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: 3-7-14 Meter installed by: Is This Meter (circle one): (New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.

For agricultural wells, a list of approved meters is on the MDEQ website.

| ! HEREBY CERTIFY that the above statements are true to the | e best of my kn | nowledge. |
|--|-----------------|-----------------------------|
| 116 10 of 6400hor 0741-0 | 4/2/14 | AU XI |
| Print Name of Pump Installer and License No. (if applicable) | Date | Signature of Pump Installer |

Form: OLWR-SWR-1B (4/13)



Gogle earth

feet _______2000 meters 600

A