County:	Bolivar
Permit #:	GW-46597
Driller:	Irrigation Equipment
Date drilli	ing completed: 11/02/2012

## **State Well Report**

Part 1 - Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210

(601) 961-5228 (fax)

	For Office Use Only:	
Aquifer:		
Well #.	S161	
L.S. Elevation	on	
E-log #		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

	Information on Well Owner	Well or Borehole Location
(Lando)	vner if borehole is not for a water well)	
Owner Name	T & R Richard Farms	Latitude: 33 ° 34 ' 14 " Longitude: 90 ° 55 ' 06 "
Mailing Address:	1925 Hwy 450	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad,   ☑ Hand-held GPS,   ☐ Survey-grade GPS
	Greenville Ms 38703	NE ¼ NE ¼ Sec 21 √ Twn 20N √Rng 7W ✓
	City State Zip code	Distance Direction Nearest Town
Telephone No.	( ) -	6 Miles West of Choctaw
	Well / B	orehole Data
Date drilling starte	d: 11/02/2012 Date drilling completed: 11/	02/2012 Hole depth: 101 Hole diameter: 24"
	urce of any surface water used for drilling: Surface	
Method of dosing	and volume of Chlorine used in drilling and developm	nent: 50 PPM
	l applicable): 🛛 No log run 🔲 Electric 🔲 Gamma ion running log(s):	a Ray
Purpose of borehol	le (check one): 🛛 Water Well 🔲 Geotechnica	l/Geological Investigation
	Seismic Survey Other (	describe)
	If drilling is not related to water well co	onstruction, skip the remainder of this block
Purpose of Well (c	heck one) 🔲 Home 🔲 Industrial 🔲 Public Su	pply 🛮 Irrigation 🔲 Fish Culture 🔲 Other:
If flowing, method	of flow regulation: Valve Other (de	escribe)
Static Water Level	feet above or below (check one) 🔲 la	nd ⊠ surface Date measured: 11/26/2012
Method of Measur	ement (check one) 🛛 steel tape 📋 electric tape	☐ air line ☐ other:
Well depth: 101	Well grouted to a depth of feet	Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Casing length: _6	feet Casing diameter: 16	inches Type of casing: PVC
Screen length: _4	feet Screen diameter: 16	inches Type of screen: PVC
Screen slot size:	.050 inches Setting depth: From	58 feet to 97 feet
Type of completion	n (check all applicable): 🛛 Gravel packed 🔲 🛚	Underreamed    Telescoped    Open hole    Natural Development
	Other (describe):	
Top of lap pipe or	reduction in casing: feet. I	f telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)

f well telescenes	chow	denths on	deetch

If well telescopes,	show	depths	on	sk etch
Ground leve	el			

Description of forme	utions encountered	must be provided for all
		exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	17
Fine Sand	18	31
Fine Sand & Gravel	32	44
Medium Sand & Gravel	45	97
Fine Sand	98	101
Blanked 3' on Bottom		
		<u> </u>
		ļ

If more than one screen, show location of each on sketch

aid in			2) any permanent structures on items that may aid in locating the	
Landowner Name:	T & R Richard Farms			
Mississippi Department laws.	of Environmental Quality and	and completed in according the Mississippi Department 11/30/2012  Date	dance with all applicable require ent of Health regulations, if appli Signature of Licensee	Form: OLWR-SWR-1A (04/08) ments of the icable, and state

## STATE WELL REPORT

## Part 2 County: Bolivar **Pump Installer's Completion Report** Permit #: **GW-46597**

Driller: Irrigation Equipment

Date drilling completed: 11/02/2012 Copy information from block on Part 1 Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifer:		
Well #:	S161	
Elevation:	-	

Well Owner Information Owner Name: T & R Richard Farms		ation	Well Location  Latitude: 33 34' 14.9 N Longitude: 90 55' 06.9 W		
Mailing Address: 1925 H	wy 450		Method of Lat/Long (check one):   Conventional Survey,		
			☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS		
Greeny	ille	Ms 38703	NE 1/4 NE 1/4 Sec 21 T 20N R 7W		
City		State Zip code	Distance Direction Nearest Town		
Telephone No. ( )	_		6 Miles West of Choctaw		
	Pump Type Check one		Power Type Check one		
☐ Air Lift ☐	Jet	Submersible	☐ Diesel Engine ☐ Gasoline Engine ☐ Natural Gas		
☐ Bucket ☐	Piston	☐ Turbine	☐ Electric Motor ☐ Hand ☐ Tractor PTO		
☐ Centrifugal ☐	Rotary	☐ Flowing Well	☐ Windmill ☐ Other (specify):		
Other (specify):			Horse Power Rating of Motor: 60		
Date Pump Installed: 11/2	26/2012		Setting Depth: 70 feet		
Rated Pump Capacity 230	0+/-	Gallons Per Minute	Number of Stages: 2		
P	ump Test Data	a	Method of Measuring Water Level Check one		
Date Well Tested:			☐ Air Line ☐ Electric Measuring Line ☐ Steel Tape		
Static Water Level (A):			Other (specify):		
Pumping Water Level (B):		Feet Below Land Surface			
Drawdown [(B) -(A)]:		Feet Below Land Surface	For flowing well, measured shut in head: feet		
Test Pumping Rate:		Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (min	imum 4 hours):	hours	feet after hours of pumping		
This is for (check one):	New	Well Replace	ment of Existing Pump Repair of Existing Pump		
I HEREBY CERTIFY that	the above statem	ents are true to the best of n	ny knowledge		
Patrick Chism		0695	4.0-2		



Google earth

feet \_\_\_\_\_\_3000 km \_\_\_\_\_1 A