| | STATE W | ELL REPORT | For Office Use Only: |
|---|---------------------------------------|---|---|
| County: Bolivar | _ | Part 1 | Well #: <u>568</u> |
| Permit #: GW-47664 | | iller's Log ent of Environmental Qualit | Aquifer: |
| Driller: Irrigation Equipment | Office of Land | and Water Resources | E-Log #: |
| Date drilling completed: 08/28/2013 | Jackson (60 | D. Box 2309 , MS 39225-2309 1) 961-5210 | |
| | , , , , , , , , , , , , , , , , , , , | 360-0535 (fax) | |
| State Law requires that this repo Department at the above addres | | | |
| Well Owner Info | | | Borehole Location |
| (Landowner if borehole is no | ot for a water well) | | |
| Owner Name: T & R Richard | | Latitude: 33 32' 25.1 N | Longitude: 90 55' 59.8 W |
| Mailing Address: 1925 Hwy 450 | | Method of Lat/Long (check | one): 🔲 Conventional Survey, |
| | · · · · · · · · · · · · · · · · · · · | | eld GPS, 🔲 Survey-grade GPS |
| Greenville Ma | s 38701 | NW 1/2 NW 1 /2 | 4, Sec <u>33</u> T <u>20 N</u> R <u>7 W</u> |
| () | State Zip code | .SW | |
| Telephone No. () - | | | lest of Choctaw ection) (Nearest Town) |
| | | rehole Data | |
| Date drilling started: 08/28/2013 | Date drilling completed: | 08/28/2013 Hole depth: 9 | Hole diameter: 24" |
| | | | |
| Location of the source of any surface | water used for drilling: | Surface water | |
| Method of dosing and volume of Chlo | rine used in drilling and dev | elopment: 50 PPM | |
| | | | |
| Logs run (check all applicable): 🛛 No | | ima kay 🗋 Density 🗋 Sonic | |
| Name of organization running log(s): | | · · · · · · · · · · · · · · · · · · · | |
| Purpose of borehole (check one): 🛛 🔀 | Water Well Geotec | hnical/Geological Investigation | Ground Source Heat Pump |
| [| Seismic Survey | Other (describe) | |
| If drilling is not | related to water well con | nstruction, skip the remain | nder of this block |
| Purnasa of Mall (check all applicable) | | | |
| Purpose of Well (check all applicable) | | | |
| Other (describe): | | | |
| if a flowing well, method of flow regula | ation: Valve | Other (describe) | |
| Static Water Level: 37 | | | |
| Method of Measurement (check one) | Steel tape 🗌 Electric ta | pe 🗌 Air line 🗌 Other: (desc | ribe) |
| Well depth: 93 Well grouted to | o a depth of: <u>10</u> fee | t Type of grout (check one): | 🗆 Neat Cement 🖾 Bentonite 🗋 Mi |
| Casing length: 73 fee | et Casing diameter: 16 | inches Type | of casing: PVC |
| Screen length: 20 fee | et Screen diameter: 16 | inches Type | of screen: SS |
| Screen slot size: .050 | _ inches Setting depth: | From 74 | feet to 93 feet |
| Type of completion (check all applicat | ble): 🛛 Gravel packed 🗌 L | Inderreamed 🗌 Open hole 🗌 | Natural Development |
| Other (describe): | | | |
| Top of lap pipe or reduction in casing: | Feet | | م ۱۹۰۵ و میشتر کورو م |
| Ifi | telescoped or more than or | ie screen, describe on next p | age |

Form: OLWR-SWR-1A (4/13)

. . .

| Delium | | Office Use | Only: |
|---|---|-------------------|-----------|
| County: Bolivar | Well #: | <u> </u> | |
| Permit #: GW-47664 | | | |
| | | 2 | 168 |
| he sketch below only required for water wells | Description of formations encountered must | be provided for a | ll wells |
| f well telescopes, show depths on sketch. | and boreholes, unless specifically exempted | ov regulations | |
| | Description of Formations Encountered | From (depth) | To (depth |
| Ground level | Clay | Ground level | 22 |
| | Fine Sand | 23 | 32 |
| | Fine Sand & Gravel | 33 | 60 |
| | Fine Sand | 61 | 67 |
| | Medium Sand & Gravel | 68 | 91 |
| | Clay | 92 | 93 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | 1 | |
| | | | |
| | | | |
| | | | <u> </u> |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| f more than one screen, show location of each on sketch | | | |
| ketch the property layout and include the following: | | | |

- 2) any permanent structures on the property that may aid in locating the well
 3) any roads, power lines, or other items that may aid in locating the property and the well
 4) a north arrow

4 (

| Landowner Name: | T & R Richard | | | |
|--|---|--|---------------|-------------------------------------|
| | | | \mathcal{H} | Form: OLWR-SWR-1A (04/08) |
| I HEREBY CERTIFY requirements of the N | that the well/borehole was drilled, ca lississippi Department of Environme | onstructed, and con ental Quality and the | nple e Mis | d in accordance with all applicable |
| if applicable, and state | e laws. | | 1 | of routine equilations, |
| Patrick Chism | 0695 | 09/20/2013 | 0 | 0 |
| Print Name of Respo | nsible Licensee and License No. | Date | | Signature of License |

Form: OLWR-54/R-1A (4/13)

| | STATE WELL REPORT | For Office Use Only: |
|---|--|---|
| County: Bolivar | Part 2 | Well#: <u>568</u> |
| Permit #: GW-47664 | Pump Installer's Completion Report | |
| Driller: Irrigation Equipment | Mississippi Department of Environmental Quality Office of Land and Water Resources | Aquifer: |
| Date drilling completed: 08/28/2013 | P.O. Box 2309 | |
| Copy information from block on Part 1 | Jackson, MS 39225-2309 (601) 961-5210 | |
| | (601) 360-0535 (fax) | |
| This part of the report must be completed | d by a licensed water well contractor or a licensed pum | p installer. A copy of Part 1 |
| of the report must be attached and both | parts filed with the Department at the above address wi | thin 30 days of well completion. |
| Well Owner Informa | | |
| Owner Name: T & R Richard | Latitude: 33 32' 25.1 N | Longitude: 90 55' 59.8 W |
| Mailing Address: 1925 Hwy 450 | Method of Lat/Long (check of | one): 🔲 Conventional Survey, |
| | USGS guad 🛛 Hand-he | eld GPS, 🔲 Survey-grade GPS |
| | | |
| Greenville Ms City State | | , Sec <u>33</u> T <u>20 N</u> R <u>7 W</u> |
| | | est of Choctaw |
| Telephone No. () - | | ction) (Nearest Town) |
| | Pump Type (check one) | |
| | | |
| | Centrifugal D Flowing Well D Jet D Piston D Rotary | |
| | Rated Pump Capacity: 1600+ | Gallons Per Minute |
| ls This Pump (check one): 🛛 New 🗌 Re | Power Type (check one) | |
| | | |
| | •• • | |
| | ral Gas 🗍 Tractor PTO 🗍 Windmill 🗍 Other (describe | · |
| | •• • | · |
| | ral Gas 🗍 Tractor PTO 🗍 Windmill 🗋 Other <i>(describe</i> Setting Depth: 70 feet N | · |
| Horse Power Rating of Motor: 40 | ral Gas 🗍 Tractor PTO 🗍 Windmill 🗍 Other (describe Setting Depth: <u>70</u> feet N Pump Test Data for Non Flowing Well | Number of Stages: 2 |
| Horse Power Rating of Motor: 40 | ral Gas 🗋 Tractor PTO 🗋 Windmill 🗋 Other (describe Setting Depth: <u>70</u> feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini | Number of Stages: 2 |
| Horse Power Rating of Motor: 40 | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface |
| Horse Power Rating of Motor: 40 | ral Gas 🗋 Tractor PTO 🗋 Windmill 🗋 Other (describe Setting Depth: <u>70</u> feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface |
| Horse Power Rating of Motor: 40 | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface Gallons Per Minute |
| Horse Power Rating of Motor: 40 | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface Gallons Per Minute |
| Horse Power Rating of Motor: 40 | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface Gallons Per Minute |
| Horse Power Rating of Motor: 40 | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🗌 Air line 🗋 Other (describ Pump Test Data for Flowing Well Feet | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface Gallons Per Minute xe): |
| Horse Power Rating of Motor: 40 | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🗌 Air line 🗋 Other (describ Pump Test Data for Flowing Well Feet | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface Gallons Per Minute |
| Horse Power Rating of Motor: 40 | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet N Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🗌 Air line 🗋 Other (describ Pump Test Data for Flowing Well Feet | Number of Stages: 2 mum 4 hours): Hours Feet Below Land Surface Gallons Per Minute xe): |
| Horse Power Rating of Motor: 40 | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe Pump Test Data for Flowing Well Feet Adrawdown of feet after Meter Installation | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗋 Electric tape 🗍 Air line 📄 Other (describ Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: 1 | Number of Stages: 2 mum 4 hours): Feet Below Land Surface Gallons Per Minute be): hours of pumping 306879-08 |
| Horse Power Rating of Motor: 40 | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🗌 Air line 🗌 Other (describ Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: 1 Type of Meter: Impell | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🗌 Air line 🗌 Other (describ Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: 1 Type of Meter: Impell or (AF x .001, gal x 1000, etc): | Number of Stages: 2 mum 4 hours): Feet Below Land Surface Gallons Per Minute be): hours of pumping 306879-08 |
| Horse Power Rating of Motor: 40 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Mell yielded GPM with a Meter Manufacturer: McCrometer Meter Model Number/Name: 8" Totalizer Register Unit and Multiplier Fact Installation Date: 08/29/2013 | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (minit et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet drawdown of feet after Meter Installation Meter Serial Number: 1 Type of Meter: Impell or (AF x .001, gal x 1000, etc): Meter Installed by: Irrigation Equipment | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (minit et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet drawdown of feet after Meter Installation Meter Serial Number: 1 Type of Meter: Impell or (AF x .001, gal x 1000, etc): Meter Installed by: Irrigation Equipment | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: McCrometer Meter Model Number/Name: 8" Totalizer Register Unit and Multiplier Fact Installation Date: 08/29/2013 s This Meter (check one): New Reg Important: By submitting the above of | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (minit et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Feet Comp Test Data for Flowing Well Feet Comp Test Data for Flowing Well Feet Comp Test Data for Flowing Well Comp Test Data for F | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: McCrometer Meter Model Number/Name: 8" Totalizer Register Unit and Multiplier Fact Installation Date: 08/29/2013 Is This Meter (check one): New Reg Important: By submitting the above of | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🔲 Air line 🗌 Other (describ Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: 1 Type of Meter: Impell or (AF x .001, gal x 1000, etc): Meter installed by: Irrigation Equipment paired 🗌 Replacement | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 Date Well Tested: | ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (minit et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Feet Comp Test Data for Flowing Well Feet Comp Test Data for Flowing Well Feet Comp Test Data for Flowing Well Comp Test Data for F | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 Date Well Tested: | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🗌 Air line 📄 Other (describ Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: 1 Type of Meter: Impell or (AF x .001, gal x 1000, etc): Meter installed by: Irrigation Equipment paired 🗌 Replacement information you are certifying that this meter was insta- tural wells, a list of approved meters is on the MDEQ re- ments are true to the best of my knowledge. | Number of Stages: 2 mum 4 hours): |
| Horse Power Rating of Motor: 40 Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ : Measured shut in head: Meter Manufacturer: McCrometer Well yielded GPM with a Meter Model Number/Name: 8" Totalizer Register Unit and Multiplier Fact Installation Date: 08/29/2013 s This Meter (check one): ⊠ New □ Reg Important: By submitting the above of For agricul | ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet M Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗌 Electric tape 🔲 Air line 📄 Other (describ Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation Meter Serial Number: 1 Type of Meter: Impell or (AF x .001, gal x 1000, etc): Meter installed by: Irrigation Equipment paired 🗌 Replacement information you are certifying that this meter was instal fural wells, a list of approved meters is on the MDEO y ements are true to the best of my knowledge. | Number of Stages: 2 mum 4 hours): |

•





•

× -

> HELLOVEL. SEPSEZIS BX: CONSTR