State Well Report	
County: <u>JO/IVar</u> Part 1	For Office Use Only:
Permit #: (31) 43316 Mississippi Department of Environmental Quality	Aquifer:
Irrigation Equipment Office of Land and Water Resources Driller: P.O. Box 10631	Well #: T203
Date drilling completed: <u>6-26-09</u> Jackson, MS 39289-0631 (601)961-5210	L. S. Elevation:
(601)354-6938 (fax)	E-log #:
State Law requires that this report be prepared by the driller in detail and filed 30 days of completion of drilling of the well.	with the Department within
Well Owner Information W	ell Location
Owner Name Morgan Planting Latitude: 33.035.40	" Longitude: <u>90° 49</u> , 40 "
Mailing Address: 2612 Hwy 448 Method of Lat/Long (circle of	one): Conventional Survey,
USGS quad, Hand-he	ld GPS, Survey-grade GPS
Shann Ms. 38773 NE 1/ NW 1/4 Sec 9	Twn 20N Rng 6W
$\frac{S_{haw}}{City} \frac{Ms}{State} \frac{38773}{Zip Code} \xrightarrow{WE \frac{1}{4} \frac{NW}{4} Sec_{9}}{SE}$ Telephone No ()	
Telephone No. () Miles W	of Shaw
Well Data D. +	
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture	Parlament
Date well drilling started: 6-26-09 Date well drilling completed:	6-26-09
If flowing, method of flow regulation: Valve Other (describe)	
Static Water Level: <u>34</u> feet above of below circle one) land surface Date measured:	6-27:09
Method of Messurement (circle one)	
Hole depth: Well depth: Well grouted to a depth of	10 feet
Type of grout (circle one): Cement Bentonite Mix	
Casing length: <u>94</u> feet Casing diameter: <u>16</u> inches Type of casing:	PVC
Screen length: <u>40</u> feet Screen diameter: <u>16</u> inches Type of screen:	PVC
Screen slot size:	
Type of completion (simila all any limit)	a hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:feet. If telescoped or more than one sci	reen describe on bask of some
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron	
Name of organization running log(s):	
I certify that the well was drilled, constructed, and completed in accordance with all applicable	e requirements of the Mississippi
Department of Environmental Quality and/or the Mississippi Department of Health regulation Irrigation Equipment Inc.	is and state laws.
John P. Chism 0439	
Print Name of Water Well Contractor and License No.	Water Well Contractor
Replaces GW10718	RECEIVED
	JUL 0 7 2009
. · · · · · · · · · · · · · · · · · · ·	BY: OLWR

• • • • •

RECEIVED

JUL 0 7 2009

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	То
Clau	0	17
Brown Sand Medium Sand Course Sand + Pea Gravel	18	27
Medium Sand	128	67
Course Sand + Pca (irgue)	68	134
	 	
	+	
	1	
	<u> </u>	
	_	
	 	
· · · · · · · · · · · · · · · · · · ·	ł	┝──┤
	╉────	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

Norgan Planting Landowner Name:

Signature of Water Well Contractor

X X .

and a second sec

STATE W	ELL REPORT
County: NOTIVer Pump Installer Permit #: Mississippi Department Irrigation Equipment Office of Land Drike: 60 Date completed: 6-26-09	Part 2 For Office Use Only: r's Completion Report Aquifer: and Water Resources Aquifer: . Box 10631 Well #: MS 39289-0631 Well #: 1)961-5210 Elevation:
This report should be prepared by the pump installer in de- installation of pump.	tail and filed with the Department within 30 days of the
Well Owner Information Owner Name: <u>Morgan Planting</u> Mailing Address: <u>2612</u> <u>Hwy 448</u> <u>Shaw Ms. 38773</u> City State Zip Code	Well Location Latitude: 33° 35′ 56″ Longitude: 90° 49′ 38″ Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS NE ½ NW¼ Sec 9 Twn 20N Rng 640 Distance Direction Nearest Town 3 Miles W of Shaw
Pump Type Circle one Air Lift Jet	Power Type Circle one
Bucket Piston Turbine	Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well Other (specify):	Windmill Other (specify): Horse Power Rating of Motor: 150 Setting Depth: 70 feet Number of Stages: 3
Pump Test Data	
Date Well Tested: Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify):
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate:Gallons Per Minute Duration of Pump Test (minimum 4 hours):hours	Well yielded GPM with a drawdown of feet after hours of pumping
I HEREBY CERTIFY that the above statements are true to the best of John P. Chism 0439 Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	RECE

JUL 0 7 2009 BY: OLWR

