County:	Bolivar	
Permit #:	GW-48436	i /
1	Irrigation Eq	- v
·	ing completed:	07/12/2014

#### STATE WELL REPORT

# Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

	Office Use Only:
Well#:	T234
Aquifer:	·
E-Log #:	

(Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Lawrence Reginelli	Latitude: 33 35' 40.0 N Longitude: 90 45' 48.6 W
Mailing Address: 336 Sandpit Road	Method of Lat/Long (check one):   Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Shaw         Ms         38773           City         State         Zip code	SE 1/4 NE 1/4, Sec 12 T 20 N R 6 W
Telephone No. ( ) -	Miles of Shaw (Distance) (Direction) (Nearest Town)
Well / B	Borehole Data
Date drilling started: _07/12/2014 _ Date drilling completed:	07/12/2014 Hole depth: 126' Hole diameter: 18"
Location of the source of any surface water used for drilling:	Surface Water
Method of dosing and volume of Chlorine used in drilling and de	
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Ga	
	-
Name of organization running log(s):	
Purpose of borehole (check one):   Water Well Geote	echnical/Geological Investigation
☐ Seismic Survey	Other (describe)
	Other (describe)  onstruction, skip the remainder of this block
	onstruction, skip the remainder of this block
If drilling is not related to water well confirmed and the confirmed purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐	onstruction, skip the remainder of this block
If drilling is not related to water well confidence of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe):	onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture
If drilling is not related to water well co	Onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)
If drilling is not related to water well concentrated to water well concen	Onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  Plow] land surface Date measured: 07/14/2014
If drilling is not related to water well compared to the property of the property o	Onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  Plow] land surface Date measured: 07/14/2014
If drilling is not related to water well compared to the compared to water well compared t	onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 07/14/2014  tape ☐ Air line ☐ Other: (describe)  eet Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ M
If drilling is not related to water well compared to water well compared to water well compared to water well compared to the	onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 07/14/2014  tape ☐ Air line ☐ Other: (describe)  eet Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ M  o" inches Type of casing: PVC
If drilling is not related to water well compared to the property of the compared to the property of the compared to the compared	onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  Plow] land surface Date measured: 07/14/2014  Date ☐ Air line ☐ Other: (describe)  Determinent ☐ Pother: (describe)  Determinent ☐ Mathematical ☐ ☐ Mathematical ☐ ☐ Mathematical ☐ ☐ Mathematical ☐
If drilling is not related to water well compared to water well compared to water well compared to water well compared to the	Onstruction, skip the remainder of this block  I Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 07/14/2014  tape ☐ Air line ☐ Other: (describe)  eet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M  O" inches Type of casing: PVC  O" inches Type of screen: PVC  th: From 87' feet to 126' feet
If drilling is not related to water well compared to the compared	Onstruction, skip the remainder of this block  I Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  elow] land surface Date measured: 07/14/2014  tape ☐ Air line ☐ Other: (describe)  eet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M  O" inches Type of casing: PVC  O" inches Type of screen: PVC  th: From 87' feet to 126' feet
If drilling is not related to water well or         Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐         ☐ Other (describe):	Onstruction, skip the remainder of this block  Public Supply ☑ Irrigation ☐ Fish Culture  Other (describe)  Plow] land surface Date measured: 07/14/2014  Date ☐ Air line ☐ Other: (describe)  Deter Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ M  On

Family manifest but Family On & Dialy 044 040 0400 Family On & Dialy 1044 040 0400

County: Bolivar Permit #: GW-48436		For Office Use well #:	- 1
The sketch below only required for water wells	Description of formations enco	untered must be provided for a	ıll wells
If well telescopes, show depths on sketch.	and boreholes, unless specifical		
Ground level —	Description of Formations End Clay	countered From (depth) Ground level	To (depth)
<u> </u>	Fine Sand	23	39
	Fine Sand & Gravel	40	54
	Medium Sand & Grave		126
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following:  1) the well location  2) any permanent structures on the property tha  3) any roads, power lines, or other items that ma  4) a north arrow		well	
Landowner Name: WLawrence Reginelli			
I HEREBY CERTIFY that the well/borehole was drilled requirements of the Mississippi Department of Environ if applicable, and state laws.	d, constructed, and completed in acconnental Quality and the Mississippi D	ordance with all applicable	ons,
Patrick Chism 0695	07/29/2014		
Print Name of Responsible Licensee and License No	Date	Signature of Licensee Form: OLWR-S	RECEIVE

AUG 01 2014



County:	Bolivar	
Permit #:	GW-48436	1
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	07/12/2014
Copy	information fro	m block on Part 1

Parma manifeld by Parma Am & Diale 044 040 0400 ParmaOn & Diale aam

## STATE WELL REPORT


### Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well#:	T234
Aquifer:	

Well Owner Information	partment at the above address within 30 days of well completion.  Well Location
Owner Name: Lawrence Reginelli	Latitude: 33 35' 40.0 N Longitude: 90 45' 48.6 W
Mailing Address: 336 Sandpit Road	Method of Lat/Long (check one):   Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Shaw Ms 38773 City State Zip code	SE 1/4 NE 1/4, Sec 12 T 20 N R 6 W
Felephone No. ( ) -	Miles of Shaw
deplied to	(Distance) (Direction) (Nearest Town)
Pump Ty	ype (check one)
☑ Submersible ☐ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe):
	Rated Pump Capacity: 550+/- Gallons Per Minute
s This Pump <i>(check one)</i> : 🛛 New 🗌 Repaired 🗎 Replaceme	nt
Power Ty	ype (check one)
☑ Electric 🛘 Diesel 🔲 Gasoline 🔲 Natural Gas 🗎 Tractor PTo	O 🗆 Windmill 🗎 Other (describe):
Horse Power Rating of Motor: 15 Setting Depth	n: <b>70'</b> feet Number of Stages: 1
Pump Test Data	for Non Flowing Well
Pate Well Tested:	Duration of Pump Test (minimum 4 hours): Hours
static Water Level (A): Feet Below Land Surface	e Pumping Water Level (B): Feet Below Land Surface
Prawdown [(B) - (A)]: Feet Below Land Sur	rface Test Pumping Rate: Gallons Per Minute
Prawdown [(B) - (A)]: Feet Below Land Surflethod of measurement (check one): Steel tape Electric	rface Test Pumping Rate: Gallons Per Minute tape  Air line  Other (describe):
Prawdown [(B) - (A)]: Feet Below Land Sur Method of measurement (check one): _ Steel tape _ Electric Pump Test Da	rface Test Pumping Rate: Gallons Per Minute
Prawdown [(B) - (A)]: Feet Below Land Surfection Feet Below Land Surf	rface Test Pumping Rate: Gallons Per Minute tape  Air line  Other (describe): ata for Flowing Well
Prawdown [(B) - (A)]: Feet Below Land Sur Method of measurement (check one): Steel tape Electric Pump Test Da Measured shut in head: Feet	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da Measured shut in head: Feet  Vell yielded GPM with a drawdown of	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da  Measured shut in head: Feet  Vell yielded GPM with a drawdown of  Meter	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): Steel tape Electric  Pump Test Da  Measured shut in head: Feet  Vell yielded GPM with a drawdown of  Meter  Meter Manufacturer:	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur Method of measurement (check one): _ Steel tape Electric  Pump Test Da Measured shut in head: Feet  Well yielded GPM with a drawdown of  Meter Manufacturer:  Meter Model Number/Name:	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): Steel tape Electric  Pump Test Da  Measured shut in head: Feet  Vell yielded GPM with a drawdown of  Meter Manufacturer:  Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 10)	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da  Measured shut in head: Feet  Meter Meter Manufacturer:  Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 nstallation Date: Meter installed by:	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da  Measured shut in head: Feet  Meter Meter Manufacturer:  Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 installation Date: Meter installed by:  S This Meter (check one): ☐ New ☐ Repaired ☐ Replacement	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da  Measured shut in head: Feet  Meter Meter Manufacturer:  Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 installation Date: Meter installed by:  S This Meter (check one): ☐ New ☐ Repaired ☐ Replacement Important: By submitting the above information you are constituted.	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da  Measured shut in head: Feet  Meter Meter Manufacturer:  Meter Model Number/Name:  Fotalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 installation Date: Meter installed by:  S This Meter (check one): ☐ New ☐ Repaired ☐ Replacement Important: By submitting the above information you are constituted.	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da  Measured shut in head: Feet  Meter Meter Manufacturer:  Meter Model Number/Name:  Fotalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 installation Date: Meter installed by:  S This Meter (check one): ☐ New ☐ Repaired ☐ Replacement Important: By submitting the above information you are constituted.	rface Test Pumping Rate: Gallons Per Minute tape
Prawdown [(B) - (A)]: Feet Below Land Sur  Method of measurement (check one): ☐ Steel tape ☐ Electric  Pump Test Da  Measured shut in head: Feet  Meter Meter Manufacturer:  Meter Model Number/Name:  Fotalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 installation Date: Meter installed by:  S This Meter (check one): ☐ New ☐ Repaired ☐ Replacement Important: By submitting the above information you are conformation for the property of the	rface Test Pumping Rate: Gallons Per Minute tape

AUG 01 2014



Google earth

RECEIVED

AUG 01 2014

