	STATE W	ELL REPORT	For Of	fice Use Only:
County: Bolivar	1	Part 1	Well #: 1	340
Permit #: GW-49035		<b>ler's Log</b> nt of Environmental Qu	Aquifer:	
Driller: Irrigation Equipment Inc.	Office of Land a	and Water Resources Box 2309	E-Log #:	
Date drilling completed: 6-12-2015 State Law requires that this report	Jackson, N (601) (601) 36 be prepared by the lice	MS 39225-2309 ) 961-5210 60-0535 (fax) ense holder responsib		
Department at the above address w Well Owner Information	ation		<i>ie well or borehol</i> or Borehole Locat	
(Landowner if borehole is not f		00 001 40		00 401 00 48
Owner Name: John C. Hendon		Latitude: 33 33' 19.4	Longitude:	90 48' 06.1"
Mailing Address: 459 Porter Bayou I	Road	Method of Lat/Long (che		
	<u>_</u>	🔲 USGS quad, 🛛 Han		
Shaw MS City Star	38773 te Zip code	<u>NE</u> ¼ <u>N</u>	<u>E</u> ¼, Sec <u>27</u> ⊺ <u>20N</u>	R <u>6W</u>
Telephone No. () -		Miles	of	Choctaw
· · · · · · · · · · · · · · · · · · ·			(Direction)	(Nearest Town)
	Well / Bore	ehole Data		
Method of dosing and volume of Chlorin Logs run (check all applicable): 🖾 No lo	-	·	nic 🗌 Neutron 🗍 C	Other:
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 V	g run [] Electric [] Gamm Vater Well [] Geotechr Seismic Survey [] O	na Ray [] Density [] So nical/Geological Investiga hther ( <b>describe</b> )	ition 🔲 Ground S	Source Heat Pump
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 V	g run 🗋 Electric 🗌 Gamm Vater Well 🛛 Geotechr	na Ray [] Density [] So nical/Geological Investiga hther ( <b>describe</b> )	ition 🔲 Ground S	Source Heat Pump
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 V	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 🔤 O Vated to water well cons	na Ray [] Density [] So nical/Geological Investiga other ( <b>describe</b> ) <b>struction, skip the ren</b>	tion	Source Heat Pump
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W  <i>If drilling is not rel</i> Purpose of Well <i>(check all applicable)</i> : [	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 🔤 O Vated to water well cons	ha Ray [] Density [] So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> Iblic Supply 🛛 Irrigation	ntion	Source Heat Pump
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W  <i>If drilling is not rel</i> Purpose of Well <i>(check all applicable)</i> : [	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O I <u>ated to water well cons</u>	ha Ray [] Density [] So hical/Geological Investiga other ( <b>describe</b> ) <b>struction, skip the ren</b> Iblic Supply [2] Irrigation	tion	Source Heat Pump
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 : <i>If drilling is not rel</i> Purpose of Well (check all applicable): [ ] Other (describe):	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O I ated to water well cons Home 🗆 Industrial 🗋 Pu	ha Ray   Density   So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> ublic Supply   Irrigation	tion	Source Heat Pump
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rel</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Iated to water well cons Home 🗋 Industrial 🗋 Pu In: Valve feet [] above or 🛛 below (check one)	ha Ray  Density  So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> Iblic Supply  Irrigation Other (describe) Other (describe)	tion	Source Heat Pump ock 2015
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rel</i> Purpose of Well (check all applicable): [ Other (describe): If a flowing well, method of flow regulation Static Water Level: _44	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Lated to water well cons Home 🗋 Industrial 🗋 Pu un: Valve feet [ ] above or 🛛 below (check one) Steel tape 🗋 Electric tape	ha Ray 🗌 Density 🗌 So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> ablic Supply 🖾 Irrigation Other (describe) Other (describe) ) land surface Date ablic Date =	tion	Source Heat Pump ock
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rel</i> Purpose of Well (check all applicable): [ Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>44</u> Method of Measurement (check one) 🖾	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Lated to water well cons Home 🗋 Industrial 🗎 Pu In: Valve feet [ ] above or 🛛 below (check one) Steel tape 🗋 Electric tape depth of: <b>10</b> feet	ha Ray 🗌 Density 🗌 So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> ablic Supply 🖾 Irrigation Other (describe) Other (describe) J land surface Date Air line 🗌 Other: (de Type of grout (check or	tion	Source Heat Pump ock 2015 I Bentonite II M
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rel</i> Purpose of Well (check all applicable): [ Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>44</u> Method of Measurement (check one) [ Well depth: <u>127</u> Well grouted to a	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Lated to water well cons Home 🗋 Industrial 🗋 Pu In: Valve feet [ ] above or 🛛 below (check one) Steel tape 🗋 Electric tape depth of: 10 feet Casing diameter: 16	ha Ray Density So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> blic Supply Irrigation Other (describe) Other (describe) J land surface Date Air line Other: ( <i>de</i> Type of grout ( <i>check or</i> inches T	tion	Source Heat Pump ock 2015 © Bentonite 🗆 M
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rel</i> Purpose of Well (check all applicable): [ Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>44</u> Method of Measurement (check one) 🖾 Well depth: <u>127</u> Well grouted to a Casing length: <u>87</u> feet	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Lated to water well cons Home 🗋 Industrial 🗋 Pu In: Valve feet [ ] above or 🛛 below (check one) Steel tape 🗋 Electric tape depth of: 10 feet Casing diameter: 16 Screen diameter: 16	ha Ray 🗌 Density 🗌 So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> <i>struction, skip the structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structu</i>	tion	Source Heat Pump ock 2015 Bentonite D M C C
Logs run (check all applicable): I No log         Name of organization running log(s):         Purpose of borehole (check one): I No         I f drilling is not religned         Purpose of Well (check all applicable): I         Purpose of Well (check all applicable): I         Other (describe):         If a flowing well, method of flow regulation         Static Water Level:         44         Method of Measurement (check one) I         Well depth:       127 Well grouted to a         Casing length:       87 feet         Screen length:       40 feet	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Vater Well cons Mated to water well cons Mated to wa	ha Ray 🗌 Density 🗌 So hical/Geological Investiga other ( <i>describe</i> ) <i>struction, skip the ren</i> <i>struction, skip the structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>structure</i> <i>stru</i>	tion Ground S aninder of this bla Fish Culture e measured: 6-13- escribe) e): Neat Cement ype of casing: PV ype of screen: PV feet to 127	Source Heat Pump ock 2015 Description Des
Logs run (check all applicable): ⊠ No loo         Name of organization running log(s):         Purpose of borehole (check one): ⊠ W         □         If drilling is not rel         Purpose of Well (check all applicable): □         □         Other (describe):         □         If a flowing well, method of flow regulation         Static Water Level:         44         Method of Measurement (check one) ⊠         Well depth:       127         Well grouted to a         Casing length:       87         Screen length:       40         Type of completion (check all applicable)	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Vater Well cons Mated to water well cons Mated to wa	ha Ray 🗌 Density 🗌 So hical/Geological Investigation ther ( <i>describe</i> ) ther ( <i>describe</i> ) thic Supply 🖾 Irrigation Other ( <i>describe</i> ) Other ( <i>describe</i> ) Other ( <i>describe</i> ) Other ( <i>describe</i> ) I and surface Date Air line 🗌 Other: ( <i>describe</i> ) Type of grout ( <i>check or</i> inches T From <b>88</b> derreamed 🗌 Open hole	tion Ground S aninder of this bla Fish Culture e measured: 6-13- escribe) re): Neat Cement ype of casing: PV ype of screen: PV feet to 127 E Natural Develop	Source Heat Pump  ock  2015  Description  C  C  fee  pment
Logs run (check all applicable): ⊠ No loo         Name of organization running log(s):         Purpose of borehole (check one): ⊠ W         □         If drilling is not rel         Purpose of Well (check all applicable): □         □         Other (describe):         □         If a flowing well, method of flow regulation         Static Water Level:         44         Method of Measurement (check one) ⊠         Well depth:       127         Well grouted to a         Casing length:       87         Screen length:       40         Type of completion (check all applicable)	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechr Seismic Survey 📄 O Lated to water well cons I Home 🗋 Industrial 📄 Pu In: Valve feet [] above or 🛛 below (check one) Steel tape 📄 Electric tape depth of: 10 feet Casing diameter: 16 Screen diameter: 16 inches Setting depth: 10	ha Ray 🗌 Density 🗌 So hical/Geological Investigation ther ( <i>describe</i> ) ther ( <i>describe</i> ) thic Supply 🖾 Irrigation Other ( <i>describe</i> ) Other ( <i>describe</i> ) Other ( <i>describe</i> ) Other ( <i>describe</i> ) I and surface Date Air line 🗌 Other: ( <i>describe</i> ) Type of grout ( <i>check or</i> inches T From <b>88</b> derreamed 🗌 Open hole	tion Ground S aninder of this bla Fish Culture e measured: 6-13- escribe) re): Neat Cement ype of casing: PV ype of screen: PV feet to 127 E Natural Develop	Source Heat Pump  ock  2015  Bentonite  K C C fee pment

			Office Use	Only:
County: Bolivar		Well #:	T240	
Permit #: <b>GW-49035</b>				
The sketch below only required	l for water wells	Description of formations encountered must	t be provided for a	l wells
f well telescopes, show depths	on skatch	and boreholes, unless specifically exempted		
	UN SKLLIL	Description of Formations Encountered	From (depth)	To (depth
Ground level	7		Ground level	18
		Fine Sand	19	35
		Fine Sand & Gravel	36	63
		Med. Sand & Gravel	64	127
		· · · · · · · · · · · · · · · · · · ·		
				·
				· · · ·
f more than one screen, she	w location of each on sketch		L	
Sketch the property layou 1) the well location 2) any permanent st	It and include the following: ructures on the property that r	nay aid in locating the well aid in locating the property and the well		

I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations,

12-3-2015

Date

MA MAR

Form: OLWR-SWR-1A (04/08)

Signature of Licensee

e of Licensee

Print Name of Responsible Licensee and License No.

Landowner Name:

0695

if applicable, and state laws.

, ,

	<b>STATE V</b>	VELL REPORT		fice Use Only:
County: Bolivar		Part 2	Well #: 1	240
Permit #: GW-49035	Pump Installer	r's Completion Report nent of Environmental Quality		
Driller: Irrigation Equipment Inc.	Office of Land	d and Water Resources	Aquifer:	
Date drilling completed: 6-12-2015		O. Box 2309 1, MS 39225-2309		· · · ·
<u>Copy information from block on Part 1</u>	(60	01) 961-5210 360-0535 (fax)		
This part of the report must be complete of the report must be attached and both				
Well Owner Informa			Location	neu companion.
Owner Name: John C. Hendon		Latitude: <u>33 33' 19.4"</u>	_ Longitude:	90 48' 06.1"
Mailing Address: 459 Porter Bayou R	load	Method of Lat/Long (check or	ne): 🗌 Con	ventional Survey,
<u></u>		🔲 USGS quad, 🖾 Hand-hel	d GPS, 🔲 Su	rvey-grade GPS
Shaw MS City Stat	38773	<u>NE</u> ¼ <u>NE</u> ¼,	Sec <u>27</u> T <u>20N</u>	R <u>6W</u>
Telephone No. ( ) -		Miles	of	Choctaw
		(Distance) (Direc		(Nearest Town)
	Pump Typ	pe (check one)		
🗋 Submersible 🛛 Turbine 🗋 Air Lift 🗋 🤇	Centrifugal 🔲 Flowing V	Well 🗋 Jet 🗋 Piston 🖨 Rotary 🕻	] Other (descr	ribe):
Date Pump Installed 6-13-2015		Rated Pump Capacity: 2000+/	•	Gallons Per Minute
Is This Pump (check one): 🛛 New 🗌 Re		t pe (check one)		
	Setting Depth:	O U Windmill Other (describe)  70 feet No for Non Flowing Well		es: <u>2</u>
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe	Setting Depth: Pump Test Data f	70 feet Normal for Non Flowing Well Duration of Pump Test (mining	umber of Stag	Hou
Horse Power Rating of Motor: Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]:	Setting Depth: Pump Test Data f eet Below Land Surface Feet Below Land Surface	70 feet Normal feet feet Normal feet Norma	umber of Stag num 4 hours): Fee	Hou et Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> _	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surfa Steel tape Electric ta Pump Test Dat	70 feet Normal feet feet Normal feet Norma	umber of Stag num 4 hours): Fee	Hou et Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Setting Depth: Pump Test Data f Pump Test Data f Pump Test Data f Steel Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet	70feet Number of the second sec	umber of Stag	Hou et Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Setting Depth: Pump Test Data f Pump Test Data f Pump Test Data f Steel Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet	70feet Number of the second sec	umber of Stag	Hou et Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Setting Depth: Pump Test Data f Pump Test Data f Set Below Land Surface Feet Below Land Surfa Steel tape Electric ta Pump Test Dat Feet a drawdown of	70feet Number of the second sec	umber of Stag	Hou et Below Land Surfac Gallons Per Minu
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Dat Feet a drawdown of Meter I	70 feet Number of Pump Test (mining Pumping Water Level (B):	umber of Stag num 4 hours): 	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet a drawdown of Meter I	70       feet       Nu         for Non Flowing Well       Duration of Pump Test (mining         Duration of Pump Test (mining       Pumping Water Level (B):         ace       Test Pumping Water Level (B):         ace       Test Pumping Rate:         ape       Air line       Other (described         ta for Flowing Well	umber of Stag num 4 hours): Fee	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Dat Feet a drawdown of Meter I	70       feet       Nu         for Non Flowing Well       Duration of Pump Test (mining         Duration of Pump Test (mining       Pumping Water Level (B):         ace       Test Pumping Rate:         ape       Air line       Other (described)         ta for Flowing Well	umber of Stag	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Dat Feet a drawdown of Meter I tor (AF x .001, gal x 100	70       feet       Nu         for Non Flowing Well       Duration of Pump Test (mining         Duration of Pump Test (mining       Pumping Water Level (B):         ace       Test Pumping Water Level (B):         ace       Test Pumping Rate:         ape       Air line       Other (described         ta for Flowing Well	umber of Stag num 4 hours): Fee ho	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet a drawdown of Meter I tor (AF x .001, gal x 100 Meter installed by:	70       feet       Nu         for Non Flowing Well	umber of Stag num 4 hours): Fee ho	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Pump Test Data f Peet Below Land Surface Feet Below Land Surfa Steel tape   Electric ta Pump Test Dat Feet a drawdown of feet tor (AF x .001, gal x 100 Meter installed by: paired   Replacement information you are cent	70       feet Nump         for Non Flowing Well       Duration of Pump Test (mining         Duration of Pump Test (mining       Pumping Water Level (B):         ace       Test Pumping Rate:         ace       Test Pumping Rate:         ape □       Air line □       Other (described to the described to t	umber of Stag hum 4 hours): Fee b): hours hours hours hours led to manufau	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Pump Test Data f Peet Below Land Surface Feet Below Land Surfa Steel tape   Electric ta Pump Test Dat Feet a drawdown of feet tor (AF x .001, gal x 100 Meter installed by: paired   Replacement information you are cent	70       feet       Nu         for Non Flowing Well       Duration of Pump Test (mining         Duration of Pump Test (mining       Pumping Water Level (B):         ace       Test Pumping Rate:         ace       Test Pumping Rate:         ape       Air line       Other (describe         ta for Flowing Well	umber of Stag hum 4 hours): Fee b): hours hours hours hours led to manufau	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Dat Feet a drawdown of Meter I tor (AF x .001, gal x 100 Meter installed by: paired  Replacement information you are cer fural wells, a list of app	70       feet Nump         for Non Flowing Well       Duration of Pump Test (mining         Duration of Pump Test (mining       Pumping Water Level (B):         ace       Test Pumping Rate:         ace       Test Pumping Rate:         ape       Air line       Other (describe         ta for Flowing Well	umber of Stag hum 4 hours): Fee b): hours hours hours hours led to manufau	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor:       60         Date Well Tested:	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Dat Feet a drawdown of Meter I tor (AF x .001, gal x 100 Meter installed by: paired  Replacement information you are cer fural wells, a list of app	70       feet Nump         for Non Flowing Well       Duration of Pump Test (mining         Duration of Pump Test (mining       Pumping Water Level (B):         ace       Test Pumping Rate:         ape [] Air line [] Other (described       Air line [] Other (described         ta for Flowing Well	umber of Stag hum 4 hours): Fee b): hours hours hours hours led to manufau	Hou et Below Land Surfac Gallons Per Minu urs of pumping
Horse Power Rating of Motor:       60         Date Well Tested:	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Data Pump Test Data Feet a drawdown of Meter I tor (AF x .001, gal x 100 Meter installed by: paired  Replacement information you are cert ltural wells, a list of app ements are true to the b	70       feet Number         for Non Flowing Well       Duration of Pump Test (minimage)         Duration of Pump Test (minimage)       Duration of Pump Test (minimage)         ace       Test Pumping Water Level (B):         ace       Test Pumping Rate:         ape [] Air line [] Other (described)       Air line [] Other (described)         ta for Flowing Well	umber of Stag hum 4 hours): Fee ): ho led to manufac ebsite	Hou et Below Land Surfac Gallons Per Minu urs of pumping cturer standards.
Horse Power Rating of Motor:       60         Date Well Tested:	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Data Pump Test Data Feet a drawdown of Meter I tor (AF x .001, gal x 100 Meter installed by: paired  Replacement information you are cert ltural wells, a list of app ements are true to the b	70       feet Number         for Non Flowing Well       Duration of Pump Test (minimage)         Duration of Pump Test (minimage)       Duration of Pump Test (minimage)         ace       Test Pumping Water Level (B):         ace       Test Pumping Rate:         ape [] Air line [] Other (described)       Air line [] Other (described)         ta for Flowing Well	umber of Stag hum 4 hours): Fee b): ho ho led to manufac bisite. bisignature of	Hou et Below Land Surfac Gallons Per Minu urs of pumping 
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Feet Below Land Surface Steel tape  Electric ta Pump Test Data Pump Test Data Feet a drawdown of Meter I tor (AF x .001, gal x 100 Meter installed by: paired  Replacement information you are cert ltural wells, a list of app ements are true to the b	70       feet Number         for Non Flowing Well       Duration of Pump Test (minimage)         Duration of Pump Test (minimage)       Duration of Pump Test (minimage)         ace       Test Pumping Water Level (B):         ace       Test Pumping Rate:         ape [] Air line [] Other (described)       Air line [] Other (described)         ta for Flowing Well	umber of Stag hum 4 hours): Fee b): ho ho led to manufac bisite. bisignature of	Hou et Below Land Surfac Gallons Per Minu urs of pumping 
Horse Power Rating of Motor:       60         Date Well Tested:	Setting Depth: Pump Test Data f eet Below Land Surface Feet Below Land Surface Feet Below Land Surface Teet Below Land Surface Feet a drawdown of Feet a drawdown of Meter I for (AF x .001, gal x 100 Meter installed by: paired □ Replacement information you are cer Itural wells, a list of app ements are true to the b rse No. (if applicable)	70       feet Nump         for Non Flowing Well       Duration of Pump Test (minim         Duration of Pump Test (minim       Pumping Water Level (B):	umber of Stag hum 4 hours): Fee b): ho ho led to manufac bisite. bisignature of	Hou et Below Land Surfac Gallons Per Minu urs of pumping 