State W	ell Report		
County: 9 rro / Part 1 -]	Driller's Log	For Office Use Only:	
Mississippi Departmen	nt of Environmental Quality	Aquifer: 68	
Transit tri	nd Water Resources Box 2309	Well #:	
Jackson	n, MS 39225		
Date drilling completed: 5-12-11 (601)	961- 5210 1- 5228 (fex)	L. S. Elevation:	
	(601)961- 5228 (fax)		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.			
THIS THE PARTY OF THE COMPET	Netion of drilling of the well	or borehole.	
(Landowner if borehole is not for a water, well)	II .	orehole Location	
Owner Name Mickey Black	Latitude: 33 • 24 · 55.	2 Longitude: 90 · 10 · 20.6 "	
Mailing Address: 704 Olivia Street Method of Lat/Long (circle one		ne): Conventional Survey,	
		GPS, Survey-grade GPS	
Greenwood Ms. 38930	NW 1/4 WW 1/4 Sec 23	Twn_/8/V_Rng_/E	
City State Zip Code	Distance Direction	Nearest Town	
Telephone No. ()	Miles	of Holly Grove	
Well / Borehole Data			
Date drilling started: 5-12-1/ Date drilling completed: 5-12-1/ Hole depth: 122 Hole diameter: 24"			
Location of the source of any surface water used for drilling: Surface Water Method of dosing and volume of Chlorine used in drilling and development: 50 PPM			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic SurveyOther (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level:feet above of below circle one) land surface Date measured:			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 122 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 82 feet Casing diameter: 16 inches Type of casing: PVC			
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC			
Screen slot size: • 050 inches Setting depth: From 83 feet to 122 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page			

Form: OLWR-SWR-1A (04/08)



Description of formations encountered must be provided for all

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

0695

The sketch below only required for water wells

Patrick M. Chism

Print Name of Responsible Licensee and License No.

MAY 2 3 2011 BY: OLIMB

Signature of Licensee

County: <u>Carroll</u> Permit#: <u>GW-4517</u> K2 Irrigation Equipment	STATE WELL REPORT Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality	For Office Use Only: Aquifer:
Date completed: 5-12-11 Corr information from block on Part 1	Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)	Well #:
This part of the report must be completed to report must be attached and both parts file Well Owner Information Owner Name: Mickey Block Mailing Address: 704 Olivie Greenwood Ms City State Telephone No. ()	Latitude: Method of Lat/Long (check USGS quad, Hand-lateral Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude: Latitude: Latitude: When the control of Lat/Long (check USGS quad, Hand-lateral Latitude:	mp installer. A copy of Part 1 of the 30 days of well completion. Well Location Longitude: ck one): Conventional Survey held GPS Survey-grade GPS ec 23 T/8/V R / E on Nearest Town Y of Of Holly Crove
Air Lift Jet Circle one Jet Bucket Piston Centrifugal Rotary Other (specify): Date Pump Installed: 5-/8-/ Rated Pump Capacity:	Turbine Electric Motor Ha Flowing Well Windmill Ot Horse Power Rating of M Setting Depth:	Power Type Circle one soline Engine Natural Gas and Tractor PTO ther (specify): Solor: 50 feet
Pump Test Data Date Well Tested: Static Water Level (A):Feet I Pumping Water Level (B):Feet I Drawdown [(B) - (A)]:Feet I Test Pumping Rate: Duration of Pump Test (minimum 4 hours):	Below Land Surface Below Land Surface Below Land Surface Callons Per Minute Air Line Cother (specify): Cother (specify):	Measuring Water Level Circle one Measuring Line Steel Tape ed shut in head:feet
This is for (circle one): New Well	Replacement of Existing Pump Repair of	of Existing Pump

Patrick M. Chism

Print Name of Pump Installer and License No. (if applicable)

0695

WAY 2 3 2011

Signature of Pump Installer
Form: OLWR-SWR-1C (07-08)



RECEIVED

MAY 2 3 2011

BY: OLMR