State W	ell Report –		
County: Carro //	art 1	For Office Use Only:	
Mississippi Departmen		Aquifer:	
I FRIENCE.	and Water Resources	Well #: 1-40	
	6C 20200 0/21		
1 17/ 10/6	IS 39289-0631 961-5210	L. S. Elevation:	
1		E-log #:	
	<u> </u>		
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed with	n the Department within	
Well Owner Information	Well La	ocation	
Owner Name Second Mt. Pleasant Church		A	
The second secon	Latitude: 33 • 21 · 101	Longitude: 070 · 07 · 90 W	
Mailing Address: 1211 Thomas Street	Method of Lat/Long (circle one):	: Conventional Survey,	
asst. Pastor	USGS quad, (Hand-held Gl	PS, Survey-grade GPS	
Greenwood ms 38930 City State Zip Code	SE WNE 14 Sec 17	Twn 171 Rng 2E	
\ 1	Distance	IE	
Telephone No. (662) 897-0270	Distance Direction 75 Miles 50474 of	Nearest Iown	
Well 1	L Data	·	
		011,001	
Purpose of Well (circle one) Home Industrial Public Supply			
Date well drilling started: 2-12-06 Date	well drilling completed: 2-1	2-06	
If flowing, method of flow regulation: Valve Other (d	escribe)		
Static Water Level:feet above or below (circle one) l	and surface Date measured: 2	-12-06	
Method of Measurement (circle one) steel tape electric tape air line other: rope + weight			
Hole depth: 102' Well depth: 100'	Well grouted to a depth of	/2	
Type of grout (circle one): Cement Bentonite Mix			
Casing length: 90 feet Casing diameter: 4"	_inches Type of casing:	VC 160	
Screen length: 10 feet Screen diameter: 4"	inches	VC SCH YO	
Screen slot size: <u>60/3</u> inches Setting depth: From <u>90</u> feet to <u>100</u> feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Name of organization running log(s):			
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi			
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.			
Willie L. Bryant 0-639	Willi z	P. Byzant	
Print Name of Water Well Contractor and License No.	Signature of Wa	ater Well Contractor	

RECEIVED

MAR 1 0 2006

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level		
1		

Description of Formations Encountered	From	To
Clayd white sand	10	20
. White sand	20	40
white + fine sand	140	60
tine + Med. Sand,	160	80
med sand + grave	180	100
, J		
		$\vdash \!$
	 	
		
	-}	
	+	
	+	
	+	
	 	\vdash
	+	
	+	
	 	

If more than one screen, show location of each on sketch

4) indicate direction.	roads, power lines, or other items that may aid in locating the property and the well; Thula 49E Bridge 5,30n 49E Soreenu
	Chula Was a series of the seri
	294
	248
	Well Conemy
	Church
	Caccoll course
ndowner Name: Second mt. Pl	China County

Signature of Water Well Contractor

MAR 1 0 2006

BY: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

County: Carro 11

Permit #:_

For Office Use Only:		
Aquifer:		
Well #: 1 - 40		
Elevation:		

Driller: Willie L. Bryan + Date completed: 2-12-06	P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		Well #: 1 - 40 Elevation:	
This report should be prepared by th installation of pump.	This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the			
Well Owner Informat		Well	Location	
Owner Name: Second M+ P/	easant Church	Latitude: 33° 21° 10 N	Longitude: <u>090° 09 , 40</u> W	
Mailing Address: 12/1 Thomas Street		Method of Lat/Long (circle one): Conventional Survey,		
1955t. Pas	tor	USGS quad Hand-held GPS, Survey-grade GPS		
V		Distance Direction	Nearest Town	
Telephone No. (602) 897 - 0270 7/2 Miles South of Sidon			Sidon	
Pump Type Circle one				
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (specify):	
Other (specify): Horse Power Rating of Motor: 2 HP			1 HP	
Date Pump Installed: 2-12-06		Setting Depth:	feet	
Rated Pump Capacity:	_Gallons Per Minute	Number of Stages:		
Pump Test Data			asuring Water Level	
Date Well Tested: 2-12-0	6	Ç.	icie one	
		Air Line Electric Mea Other (specify): Rope d	suring Line Steel Tape	
Pumping Water Level (B):Feet Below Land Surface		Other (specify):	- Cigh F	
Drawdown [(B) - (A)]:Feet Below Land Surface F		For flowing well, measured sh	ut in head:feet	
Test Pumping Rate: Gallons Per Minute We		Well yielded	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):			hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.			
Willie L. Bryant	0-639	Wille L. Busan	/
Print Name of Pump Installer and Licens	e No. (if applicable)	Signature of Pump Installer	

RECEIVED

MAR 1 0 2006

BY: OLWR