	STATE WE	LL REPORT	For	Office Use	
County: Carroll	Pa	rt 1	Well #:	L. 47	
Permit #: GW-46991		's Log	Aquifer:		
Driller: Irrigation Equipment	1	Water Resources	E-Log #:		
Date drilling completed: 06/04/2013		ox 2309 39225-2309			I
	(601) 9	61-5210 -0535 (fax)			
State Law requires that this report l			ible for the wo	rk and filed w	ith the
Department at the above address w		ion of drilling of t	the well or bor	ehole.	
Well Owner Informal (Landowner if borehole is not fo		Wei	Il or Borehole L	ocation	
Owner Name: Howard Farms	, , , , , , , , , , , , , , , , , , , ,	atitude: 33 21' 36.	5 N Longitu	ude: 90 09' 49	.9 W
Mailing Address: 14965 County Road	524	ethod of Lat/Long (cl			
Making Address			. •		-
] USGS quad, 🖾 Ha	and-held GPS, L	Survey-grade	GPS
Cruger Ms	38924	<u>SW</u> ¼	SE 14, Sec 2 T	<u>17 N</u> R <u>1 E</u>	
City State	e Zip code	4 Miles	Southeast o	r Sida	n
		(Distance)	(Direction)	(Nearest T	
	Well / Boreho	ole Data			
Date drilling started: 06/04/2013 D	ate drilling completed: 06/	04/2013 Hole dept	th: 116	Hole diameter:	24"
		· · · · · · · · · · · · · · · · · · ·			
·					
·	used in drilling and develop	oment:		рал. <u>111 онго на</u> с	
Location of the source of any surface wat Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log	•		Sonic 🗌 Neutror	1 🗌 Other:	
	•		Sonic 🗌 Neutror) 🗌 Other:	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🔯 No log	run [] Electric [] Gamma	Ray 🗋 Density 🗋 S		a 🗌 Other:	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W	ater Well	Ray [] Density [] S al/Geological Investi			
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W	ater Well Geotechnic	Ray Density S al/Geological Investi er (describe)	gation 🗌 Gro	und Source He	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🔲 S <i>If drilling is not rela</i>	ater Well Geotechnic eismic Survey Oth	Ray Density S al/Geological Investig er (describe)	gation	und Source Hea is block	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W	ater Well Geotechnic eismic Survey Oth	Ray Density S al/Geological Investig er (describe)	gation	und Source Hea is block	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🔲 S <u>If drilling is not rela</u> Purpose of Well <i>(check all applicable</i>): 🗍	ater Well Geotechnic eismic Survey Oth	Ray Density S al/Geological Investig er (describe)	gation	und Source Hea is block	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <u>If drilling is not rela</u> Purpose of Well (check all applicable): ☐ Other (describe):	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ	Ray Density S al/Geological Investig er (describe) cuction, skip the re ic Supply I Irrigation	gation	und Source Hea is block	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <u>If drilling is not relu</u> Purpose of Well (check all applicable): ☐ Other (describe): If a flowing well, method of flow regulation	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ	Ray Density S al/Geological Investig er (<i>describe</i>) <i>ruction, skip the re</i> ic Supply I Irrigation Other (describe)	gation	und Source Hea <u>is block</u>	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖄 W 🗌 S <u>If drilling is not relu</u> Purpose of Well (check all applicable): 🗌 Other (describe): If a flowing well, method of flow regulation Static Water Level:f	ater Well Geotechnic eismic Survey Oth mated to water well constr Home Industrial Publ n: Valve eet [I above or X below] I (check one)	Ray Density S al/Geological Investig er (<i>describe</i>) <i>nuction, skip the re</i> ic Supply I Irrigation Other (describe) and surface Da	gation	und Source Hea <u>is block</u>	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ S <i>If drilling is not rela</i> Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>18</u> f Method of Measurement (check one) 🖾	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ n: Valve eet [] above or Ø below] I (check one) Steel tape] Electric tape [Ray Density S al/Geological Investig er (<i>describe</i>) <i>ruction, skip the re</i> ic Supply I Irrigation Other (<i>describe</i>) and surface Da	gation	und Source Hea is block	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 18 f Method of Measurement (check one) 🖾 Well depth: 116 Well grouted to a	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ n: Valve eet [I above or I below] I (check one) Steel tape I Electric tape [depth of: 10 feet T	Ray Density S al/Geological Investig er (<i>describe</i>) <i>ruction, skip the re</i> ic Supply Irrigation Other (describe) and surface Da Air line Other: ('ype of grout (<i>check</i>)	gation	und Source Hea is block 06/07/2013 ement 🖾 Bento	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): I No log Name of organization running log(s): Purpose of borehole (check one): I W I S <u>If drilling is not rela</u> Purpose of Well (check all applicable): I Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>18</u> f Method of Measurement (check one) I Well depth: <u>116</u> feet Screen length: <u>40</u> feet	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ n: Valve eet [I above or X below] I (check one) Steel tape Electric tape [depth of: 10 feet T Casing diameter: 16 Screen diameter: 16	Ray Density S al/Geological Investig er (<i>describe</i>) <i>nuction, skip the re</i> ic Supply Inrigation Other (describe) and surface Da Air line Other: ype of grout (<i>check</i> inches inches	gation Gro emainder of th n Fish Culture ate measured: (describe) one): Neat Ce Type of casing: Type of screen:	und Source Hea is block 9 06/07/2013 ement 🖾 Bento PVC PVC	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖄 W □ S <u>If drilling is not rela</u> Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>18</u> f Method of Measurement (check one) 🖾 Well depth: <u>116</u> Well grouted to a Casing length: <u>76</u> feet Screen length: <u>40</u> feet	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ n: Valve eet [I above or X below] I (check one) Steel tape Electric tape [depth of: 10 feet T Casing diameter: 16 Screen diameter: 16	Ray Density S al/Geological Investig er (<i>describe</i>) <i>nuction, skip the re</i> ic Supply Inrigation Other (describe) and surface Da Air line Other: ype of grout (<i>check</i> inches inches	gation Gro emainder of th n Fish Culture ate measured: (describe) one): Neat Ce Type of casing: Type of screen:	und Source Hea is block 9 06/07/2013 ement 🖾 Bento PVC PVC	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖄 W □ S	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ n: Valve eet [above or S below] I (check one) Steel tape Electric tape [depth of: 10 feet T Casing diameter: 16 Screen diameter: 16 nches Setting depth: Fr	Ray Density S al/Geological Investig er (describe) nuction, skip the re- ic Supply I Irrigation Other (describe) and surface Da Air line Other: ('ype of grout (check inches inches inches	gation Gro emainder of th n Fish Culture ate measured: (describe) one): Neat Ce Type of casing: Type of screen: feet to	und Source Hea is block	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): W <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>18</u> f Method of Measurement (check one) Well depth: <u>116</u> Well grouted to a Casing length: <u>76</u> feet Screen length: <u>40</u> feet Screen slot size: <u>.050</u> ii	ater Well Geotechnic eismic Survey Oth ated to water well constr Home Industrial Publ n: Valve eet [above or S below] I (check one) Steel tape Electric tape [depth of: 10 feet T Casing diameter: 16 Screen diameter: 16 nches Setting depth: Fr	Ray Density S al/Geological Investig er (describe) nuction, skip the re- ic Supply I Irrigation Other (describe) and surface Da Air line Other: ('ype of grout (check inches inches inches	gation Gro emainder of th n Fish Culture ate measured: (describe) one): Neat Ce Type of casing: Type of screen: feet to	und Source Hea is block	at Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 18 Method of Measurement (check one) ⊠ Well depth: 116 Well grouted to a Casing length: 76 feet Screen length: 40 feet Screen slot size:050 ii Type of completion (check all applicable): ii Top of lap pipe or reduction in casing: Top of lap pipe or reduction in casing:	ater Well Geotechnic eismic Survey Oth mated to water well constr Home Industrial Publ n: Valve eet [above or X below] I (check one) Steel tape Electric tape [depth of: 10 feet T Casing diameter: 16 Screen diameter: 16 nches Setting depth: Fr : X Gravel packed Under	Ray Density S al/Geological Investig er (<i>describe</i>) <i>nuction, skip the re</i> ic Supply I Irrigation Other (<i>describe</i>) and surface Da Air line Other: ('ype of grout (<i>check</i>) inches inches inches of grout (<i>check</i>)	gation Gro gation Gro gation Gro gation Gro gate measured: (describe) (d	und Source Hea is block	at Pump

15

Į

County:	Carroll	
Permit #:	GW-46991	

	For Office Use Only:
Veli#:	LA7

BA: OFMH

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground level

Description of Formations Encountered		
Clay	Ground level	38
Fine Sand	39	43
Fine Sand & Gravel	44	54
Medium Sand & Gravel	55	113
Fine Sand	114	116
Blanked 3' on the bottom		
······································		
·····		
		ļ
· · · · · · · · · · · · · · · · · · ·		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If more than one screen, show location of each on sketch

Sketch the property lay 1) the well location	yout and include the following:			
2) any permanent	structures on the property that			
3) any roads, pow 4) a north arrow	er lines, or other items that may	y aid in locating the property	y and the well	
-) a north arrow				
Landowner Name:	Howard Farms			
Landonner Hame,	······································			
LHEREBY CERTIEY	hat the well/borehole was drilled	constructed and complete	Form: OLWR-SWR-1A (04/08) ed in accordance with all applicable	
requirements of the Mi	ssissippi Department of Environ		siscoppi Department of Health regulations,	
if applicable, and state Patrick Chism	laws. 0695	06/11/2013	100	
	sible Licensee and License No.		Signature of Licensee	r n
- manual of reapon		Juc	Form: OLWR-542-1443	ED
				~ • •
			JUN 1 3 2	013

na nanadahad ka Panusa Aut A Biala, Addi Addi Addi (PanusaAu BBiala anus

O	SIAIE	VELL REPORT		Use Only:
County: Carroll	D T "	Part 2	Well #:	<u>+</u>
ermit #: GW-46991		r's Completion Report nent of Environmental Quality		
Driller: Irrigation Equipment	Office of Land	and Water Resources	Aquifer:	
Date drilling completed: 06/04/2013	3	0. Box 2309 , MS 39225-2309		
Copy information from block on Pa	<u>wt1</u> (60	1) 961-5210		
	(601)	360-0535 (fax)		
This part of the report must be con of the report must be attached and				
Well Owner in			Il Location	inpution.
Owner Name: Howard Farms		Latitude: 33 21' 36.5 N	Longitude: 90 0	9' 49.9 W
······································				·····
Mailing Address: 14965 County	Rudu J24	Method of Lat/Long (check o	ne): 📋 Conventio	nal Survey,
		🔲 USGS quad, 🛛 Hand-he	id GPS, 🔲 Survey-g	rade GPS
	<u>Ms 38924</u>	<u>SW</u> % <u>SE</u> %	, Sec <u>2</u> T <u>17 N</u> R <u>1</u>	-
	State Zip code	A 1411 Oct-44	and -	Sidon
Telephone No. ()		(Distance) (Direct	ieast of(Nea	Sidon rest Town)
·	Pump Tvr	e (check one)		
🗅 Submersible 🖾 Turbine 🗔 Air Li			Other (describe)	
Date Pump Installed 06/07/2013		Rated Pump Capacity: 2500+		ons Per Minute
Is This Pump (check one): New				
		pe (check one)		
🗆 Electric 🛛 Diesel 🗆 Gasoline 🗖	Natural Gas 🛛 Tractor PTO	Windmill Other (describe):	
Horse Power Rating of Motor: 60				1
	······			· · · · · · · · · · · · · · · · · · ·
	Pump Test Data f	for Non Flowing Well		······
Date Well Tested:	•	Duration of Pump Test (minin	num 4 hours):	Hours
Static Water Level (A):				
Drawdown [(B) - (A)]:		· · · ·		
Method of measurement (check on				
·		a for Flowing Well		
Measured shut in head:	Feet			
		feet after	hours of	pumping
	with a drawdown of	feet after nstallation	hours of	pumping
	with a drawdown of	·····	·····	
Well yielded GPM	with a drawdown of Meter I	nstallation Meter Serial Number:		
Well yielded GPM Meter Manufacturer: None Inst Meter Model Number/Name:	with a drawdown of Meter I	nstallation Meter Serial Number: Type of Meter:	· · · · · · · · · · · · · · · · · · ·	······
Well yielded GPM Meter Manufacturer: None Inst Meter Model Number/Name: Totalizer Register Unit and Multiplie	with a drawdown of Meter is alled er Factor (AF x .001, gal x 100	nstallation Meter Serial Number: Type of Meter:		
Well yielded GPM Meter Manufacturer: None Inst Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date:	with a drawdown of Meter I alled er Factor (AF x .001, gal x 100 Meter installed by:	nstallation Meter Serial Number: Type of Meter: 00, etc):		
Well yielded GPM Meter Manufacturer: <u>None Insta</u> Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): New <i>Important: By submitting the</i>	Weter In the advance of the second se	nstallation Meter Serial Number:	led to manufacturer	
Well yielded GPM Meter Manufacturer: <u>None Insta</u> Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): Important: By submitting the	Weter In the advance of the second se	nstallation Meter Serial Number: Type of Meter: X0, etc):	led to manufacturer	
Well yielded GPM Meter Manufacturer: <u>None Insta</u> Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): Important: By submitting the	I with a drawdown of Meter I alled er Factor (AF x .001, gal x 100 Meter installed by: [] Repaired [] Replacement above information you are cen agricultural wells, a list of app	nstallation Meter Serial Number: Type of Meter: X0, etc): x0, etc): t t t t t t t t t t t t t	led to manufacturer	
Well yielded GPM Meter Manufacturer: <u>None Insta</u> Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): New <i>Important: By submitting the Left of a</i> Installation Cate: Important: By submitting the descent of a bow	Meter II Meter II alled er Factor (AF x .001, gal x 100 Meter installed by: [] Repaired [] Replacement above information you are cen agricultural wells, a list of app re statements are true to the b	nstallation Meter Serial Number:	led to manufacturer	
Well yielded GPM Meter Manufacturer: <u>None Insta</u> Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): Is This Meter (check one): Important: By submitting the For a I HEREBY CERTIFY that the abov Patrick Chism	Meter I Meter I alled er Factor (AF x .001, gal x 100 Meter installed by: [] Repaired [] Replacement above information you are cer agricultural wells, a list of app re statements are true to the b 0695	nstallation	lled to manufacturer	standards.
Well yielded GPM Meter Manufacturer: <u>None Insta</u> Meter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Is This Meter (check one): New <i>Important: By submitting the Left of a</i> Installation Cate: Important: By submitting the descent of a bow	Meter I Meter I alled er Factor (AF x .001, gal x 100 Meter installed by: [] Repaired [] Replacement above information you are cer agricultural wells, a list of app re statements are true to the b 0695	nstallation	lled to manufacturer ebsite.	standards.
Well yielded GPM Meter Manufacturer: Mone Insta Meter Model Number/Name: Fotalizer Register Unit and Multiplie Installation Date: s This Meter (check one): Important: By submitting the user of the second s	Meter I Meter I alled er Factor (AF x .001, gal x 100 Meter installed by: [] Repaired [] Replacement above information you are cer agricultural wells, a list of app re statements are true to the b 0695	nstallation	lled to manufacturer ebsite.	standards.
Well yielded GPM Meter Manufacturer: Mone Insta Meter Model Number/Name: Fotalizer Register Unit and Multiplie Installation Date: s This Meter (check one): Important: By submitting the user of the second s	Meter I Meter I alled er Factor (AF x .001, gal x 100 Meter installed by: [] Repaired [] Replacement above information you are cer agricultural wells, a list of app re statements are true to the b 0695	nstallation	lled to manufacturer ebsite.	standards.
Vell yielded GPM Aeter Manufacturer: None Insta Aeter Model Number/Name: Totalizer Register Unit and Multiplie Installation Date: Important: By submitting the a For a HEREBY CERTIFY that the above Patrick Chism	Meter I Meter I alled er Factor (AF x .001, gal x 100 Meter installed by: [] Repaired [] Replacement above information you are cer agricultural wells, a list of app re statements are true to the b 0695	nstallation	lled to manufacturer ebsite.	standards.

•

.

LA7



Google earth

RECEIVED JUN 1 3 2013 BY: OLWR