



If well telescopes please sketch and show depths.

GROUND LEVEL


SECTION 22

Please indicate well location X.

ADDITIONAL INFORMATION

If more than one screen,  
show locations of each on sketch.

COPED

Chickasaw  
L 22  
10-69  
U.S.G.S.

MISSISSIPPI  
BOARD OF WATER COMMISSIONERS  
416 North State Street  
Jackson, Mississippi 39201

WATER WELL DRILLERS LOG

1969 T.M. PARKS DRILCO. Chickasaw

date well completed

firm name

county well located

LANDOWNER:

Southeast Water Dist.

Description of formations encountered

from

to

Houston, Miss.

Clays

0 80

Sandy Chalk

80 280

Chalk, white, few Rock

280 580

Sand, Shale, Clays

580 800

(mailing address)

WELL LOCATION:

sec. 22 T14 S R. 4 E  
7 miles East of Houston  
(distance) (direction) (nearest town)

T.D.

800'

WELL PURPOSE:

Municipal  
(home, irrigation, municipal, industrial)

WELL COMPLETION DATA:

- (1) diameter (inches) 8 5/8"
- (2) total depth (feet) 800'
- (3) static water level (feet) 161' below top of ground.
- (4) casing Steel, 530'  
(material) (depth)  
5"  
(size) if telescope see back.
- (5) screen 60' spaced between 600-800  
(length) (depth to top)  
5" Stainless  
(size) (material)
- (6) pump 30 200  
(HP) (yield gpm)  
3 PHASE  
(type power)
- (7) electric log YES  
(yes or no)  
U.S.G.S.  
(organization running log)
- (8) how well bottom plugged BPV

OCT 7 - 1969

MISS. Bd. of WATER Comm.

DRILLERS REMARKS:

