
State W	ell Report	
		For Office Use Only:
County: CHATAN Part 1-I	oriller's Log	Aquifer:
Mississippi Departmen	t of Environmental Quality nd Water Resources	N- 107
Permit #: Uffice of Land a	nd water Resources	well #: <u>D-103</u>
	IS 39289-0631	L. S. Elevation:
	961-5210	
	4-6938 (fax)	E-log#:
(001)55		
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	sletion of drilling of the well	or porenoie.
Information on Well Owner	Well or Bo	prehole Location
(Landowner if borehole is not for a water well)	33 14	" Longitude: 87 . 39 , 43 "
	Latitude: <u>52°</u> <u>26</u> <u>26</u>	Longitude: 04
Owner Name MS LILNITE MINING CU	Method of Lat/Long (circle o	ne): Conventional Survey,
Mailing Address: 1000 MCINTIRE RD	Method of Las Long (chere o	
	USGS quad, Hand-held	GPS, Survey-grade GPS
ALKERMAN M15 39735	-	
	<u>SW 1/4 SE 1/4 Sec CE</u>	Twn <u>/BIV</u> Rng <u>IUE</u>
City State Zip Code	Distance Direction	Nearest Town
112. 380 6200	2.5 Miles $MW$	of
Telephone No. (662) 389 - 5200		
Well / Bor	ehole Data	
Date drilling started: $9-21-06$ Date drilling completed: $11-20$ Location of the source of any surface water used for drilling: $11-20$ Method of dosing and volume of Chlorine used in drilling and deve	-06 Hole depth: 235	Hole diameter: 10"
Method of dosing and volume of Chlorine used in drilling and deve		
Logs run (circle all applicable): No log run Electric Camma Ra Name of organization running log(s): <u>CENTURY</u> <u>LEOPHYSI</u>	Density Sonic Neutron	Other:
Purpose of borehole (check one): Water Well Geotechnical/Geo	logical Investigation Groun	nd Source Heat Pump
Seismic Survey Other ( <i>descrit</i>		
If drilling is not related to water well construct	on, skip the remainder of this l	block
Purpose of Well (check one): Home Industrial Public Supp		
10 0 1	Other (describe)	
If a flowing well, method of flow regulation: Valve		
Static Water Level: <u>150</u> feet above of below circle one	) land surface Date measured	: 12-4-06
Method of Measurement (circle one) steel tape electric tap		
Well depth: 235 Well grouted to a depth of 180 feet Ty		•
Casing length: <u>190</u> feet Casing diameter: <u>4</u>	inches Type of casing:	<u>PVC</u>
Screen length: <u>40</u> feet Screen diameter: <u>4</u>		
Screen slot size: $O \cdot O I O$ inches Setting depth: From		
Type of completion (circle all applicable): Gravel packed Und		
Other (describe):		
Top of lap pipe or reduction in casing:	<u>telescoped or more than one sc</u>	reen, describe on next page
	·····	Form: OLWR-SWR-

+ + c

.

D-103

## The sketch below only required for water wells



Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	53
SALID	53	54
liquite	54	73
<u>- 5/17</u>	73	75
_Lignite	75	119
CAY	119	123
Lighte	123	158
CUTY	150	1624
Lisute	1104	185
LAGNIK	135	190
CA GIULE	190	208
SAND	7,08	211
Lignite	211	230
C/14	230	735
- CUTT		
· · · · · · · · · · · · · · · · · · ·		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Landowner Name: MS lignite Mining Co.

Form: OLWR-SWR-1A

RDAD

MCINTIRE

ROAD

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

KANDY SALERS MSLic 00 79GM 3-21.01 Rondy Salers

Print Name of Responsible Licensee and License No.

ECEIVED APR 0 9 2007 BY: OLWR

		LL REPORT		
County: Christen ANDY SALERS Driller: RANDY SALERS Date completed: 12-4-06 Copy information from block on Part 1	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		For Office Use Only: Aquifer: Well #: <u>D-103</u> Elevation:	
This part of the report must be completed report must be attached and both parts fil	ed with the Department a	t the above address within 30 a	installer. A copy of Part 1 of th lays of well completion. 11 Location	
Well Owner Informat	ININGCoLatitude: $33^{\circ}32^{\circ}Go^{\prime\prime}$ ININGCoLatitude: $33^{\circ}32^{\circ}Go^{\prime\prime}$ IningMethod of Lat/Long (check orIningUSGS quad, Hand-heldIningStop 1/4 Step 1/4 Sec 20IningDistanceDirection		Longitude: <u>8739'4</u> ne): Conventional Survey, IGPS, Survey-grade GPS 8T_1814_R_ <i>LOE</i>	
Owner Name: <u>MS LIGNITE MIN</u> Mailing Address: <u>1000</u> <u>M&amp; Jutt</u>				
Mailing Address: 1000 MIS 2000				
Pump Type Circle one		Po C		
Air Lift Jet	Submersible	Diesel Engine Gasol	ine Engine Natural Ga	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PT	
Centrifugal Rotary Other (specify):	Flowing Well		r (specify): pr:/2_	
Date Pump Installed: _/2-4-Zoc			Setting Depth: / BBfeet	
Rated Pump Capacity: <i>9.5</i>	Gallons Per Minute	Number of Stages:		
Pump Test Data	a.		leasuring Water Level Circle one	
Date Well Tested: <u>12-2-20</u> Static Water Level (A): <u>150</u> Fee Pumping Water Level (B): <u>185</u> Fee	et Below Land Surface		easuring Line Steel Tape	
Drawdown [(B) - (A)]:Fee	et Below Land Surface	-	shut in head:fe	
Test Pumping Rate:3_ Duration of Pump Test (minimum 4 hours	,	-	GPM with a drawdown of	
I HEREBY CERTIFY that the above state <i>Andy SAIErs M.5 LiC</i> Print Name of Pump Installer and License	0079 GM	of my knowledge. A Kanky Dalue Signature of Pump		

.