

DW 41

County: Choctaw  
 Permit #: MSLIC 0779GM  
 Driller: Randy Saleps  
 Date drilling completed: 4-26-07

**State Well Report**  
**Part 1 - Driller's Log**  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

**For Office Use Only:**  
 Aquifer: \_\_\_\_\_  
 Well #: D-118  
 L. S. Elevation: \_\_\_\_\_  
 E-log #: \_\_\_\_\_

*State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.*

Information on Well Owner (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: <u>MS Lignite Mining Co.</u>	Latitude: <u>33° 22' 50"</u> Longitude: <u>89° 14' 58"</u>
Mailing Address: <u>1000 McTulire Rd</u> <u>Akerman, MS 39735</u>	Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, <u>Survey-grade GPS</u>
City: _____ State: _____ Zip Code: _____	<u>SW 1/4 NE 1/4 Sec 33 Twn 18 N Rng 10 E</u>
Telephone No. <u>(602) 387-5200</u>	Distance: <u>2.5</u> Miles Direction: <u>NU</u> of Nearest Town: <u>Heater</u>

**Well / Borehole Data**

Date drilling started: 10-2-06 Date drilling completed: 1-19-07 Hole depth: 207 Hole diameter: 4 3/4

Location of the source of any surface water used for drilling: Little Bay creek  
 Method of dosing and volume of Chlorine used in drilling and development: 1 gal bleach to 500 gal water

Logs run (circle all applicable): No log run  Electric  Gamma-Ray  Density  Sonic  Neutron Other: \_\_\_\_\_  
 Name of organization running log(s): Century Geophysical Corp

Purpose of borehole (check one): Water Well  Geotechnical/Geological Investigation  Ground Source Heat Pump   
 Seismic Survey  Other (describe) \_\_\_\_\_

*If drilling is not related to water well construction, skip the remainder of this block*

Purpose of Well (check one): Home  Industrial  Public Supply  Irrigation  Fish Culture  Other: \_\_\_\_\_

If a flowing well, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_

Static Water Level: 95.2 feet above or below (circle one) land surface Date measured: 2-5-07

Method of Measurement (circle one) steel tape  electric tape  air line  other: \_\_\_\_\_

Well depth: 188 Well grouted to a depth of 135 feet Type of grout (circle one) Neat Cement  Bentonite  Mix

Casing length: 140 feet Casing diameter: 4 inches Type of casing: PVC

Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC

Screen slot size: 0.01 inches Setting depth: From 140 feet to 180 feet

Type of completion (circle all applicable): Gravel-packed  Underreamed  Telescoped  Open hole  Natural Development   
 Other (describe): \_\_\_\_\_

Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. *If telescoped or more than one screen, describe on next page*

**RECEIVED**  
**MAY 04 2007**  
**BY: OLWR**



