For Office Use Only:

Mississpip Department of tenthuniant and under Resources 2.0. Box 1631 Jackson, MS 3928-0631 Jackson, MS 3928-	County: ChocTAW		riller's Log	For Office Ose Only.
Rate drilling completed: 12-15-06 State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. Information on Well Owner (Landowners) is breckels to not for a water well) Well or Borehole Location Latitude: 35 * 22 * 40 " Longitude: 89 * /5 * 30 " Method of Latitung (circle one): Conventional Survey, Latitude: 35 * 22 * 40 " Longitude: 89 * /5 * 30 " Method of Latitung (circle one): Conventional Survey, Latitude: 35 * 22 * 40 " Longitude: 89 * /5 * 30 " Method of Latitung (circle one): Conventional Survey, Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water used for drilling: Location of the source of any surface water well construction. Skip the remainder of this block Purpose of borehole (check one): Water Well X Geotechnical/Geological Investigation Ground Source Heat Pump Location of Beasurement (circle one): Steel tape Location of Measurement (circle one): Steel tape Location of Measurement (circle one): Steel tape Location of the surface to water well construction. Skip the remainder of this block Purpose of Well (check one): Home Location of flow regulation: Valve Officer (describe): Latitu				Aquifer:
Jackson, MS 39289-0631 (601)354-6938 (fax) State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the above address within 30 days of completion of drilling of the work and filed with the Department at the work of a water well or the drilling of the work of the filed with the Department at the work and filed with the well or of the filed spile and the work and filed with the well or of the filed spile and the work and filed with the Department at the work and filed with the Department at the work and filed with the well or of the filed spile and the filed with the Department at the did this partment at the did the work and filed w				Well#:
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. Information as Well Owner (Landowner if borehole is not for a water well) Well or Borehole Location Well or Borehole Location and the state of the well of borehole Location of drilling of the well or borehole. Information as Well Owner (Landowner if borehole is not for a water well) Well or Borehole Location Well or Borehole Location and the state of the well of Latitude; 33: 22: 40 "Longitude: 89: 15: 30 " Method of Lat/Long (circle one): Conventional Survey, Gate GPS) Note that the difference of the well of the well of Latitude; 33: 22: 40 "Longitude: 89: 15: 30 " Method of Cat/Long (circle one): Conventional Survey, Gate GPS) Note that the conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS Note that the convention of the source of any surface water used for drilling: Well / Borehole Data Well / Borehole Data Well / Borehole Data Well / Borehole Data Dete drilling started: 9: 20: 40 Hole dismeter; 40 Hole dism				L. S. Elevation:
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. Information on Well Owner (Landowner of borehole is not for a water well) When the prepared by the license of prepared by the license holder responsible for the well or borehole. Latitude: 33 ° 22 ' 40 " Longitude: \$9 ° /5 ' 30 " Method of Lat/Long (circle one): Conventional Survey, Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS (Survey-grade GPS) July 5 W / Sec 33 Two Levy Rng LOE City State Zip Code Distance Direction Nearest Town Celephone No. (16/2) 387 - \$200 Well / Borehole Data Dete drilling started: 9 20 O Date drilling completed: 17 15 ° 00 Hole depth: 205 Hole diameter: 47 Well / Borehole Data Dete drilling started: 9 20 O Date drilling completed: 17 15 ° 00 Hole depth: 205 Hole diameter: 47 Well / Borehole Data Dete drilling started: 9 20 O Date drilling completed: 17 15 ° 00 Hole depth: 205 Hole diameter: 47 Well / Borehole Data Determine of organization running log(s): 20 O Date drilling on the velopment of the source of any surface water used for drilling and development of the survey of the construction of the source of borehole (cheek one): Water Well X Geotechnical/Geological Investigation Office: 20 O Date (Bettic State State Water Level: 20 5 5 feet above Objoin/Diricle one) land surface Date measured: 12 - 20 - 0 D Method of Measurement (circle one) steel tape leaching tape air line other: Well depth: 20 Swell grouted to a depth of 152 feet Type of grout (circle one) Neat Cement) Bentunite Mix Well depth: 20 Swell grouted to a depth of 152 feet Type of grout (circle one) Neat Cement) Bentunite Mix Static Water Level: 20 Sec Screen diameter: 4 inches Type of completion (circle all applicables) Gravel pages Type of completion (circle all applicables) Gravel pages Type of completion (circle all applicables) Gravel pages	Date drilling completed: 12-15-06	(601)9	61-5210	E-log#:
Department at the above address within 30 days of completion of drilling of the well or borence. Information and Well Owner. (Landowner of borehole is not for a water well) Well or Borehole location Latitude: 33 * 22 * 40 ** Longitude: \$9 * /5 * 30 ** Method of Lat/Long (circle one): Conventional Survey, Method of Lat/Long (circle one): Conventional Survey, USOS quad, Hand-held GRS, Survey-grade GPS New / Soo 3 3 Twn 20 N Rang OE Distance: Distance: Distance: Distance: Distance: Distance: Distance: Distance: Distance: Of Let STER Date drilling started: 724-06 Date drilling completed: 12-15-06 Held depth: 20 D Hole diameter: 4/4 Location of the source of any surface water used for drilling: Little Starter of the survey of any surface water used for drilling: Little Starter of Colorine used in drilling and development: 1 CAL BLEECH TO SCO GAL WATER Logs un (circle all applicable): No log run Electric Gamma Ray Cansily Sonic Neutron Other: 1 CAL BLEECH TO SCO GAL WATER Logs un (circle all applicable): No log run Electric Gamma Ray Cansily Sonic Neutron Other: 1 CAL BLEECH TO SCO GAL WATER Logs un (circle all applicable): No log run Electric Gamma Ray Cansily Sonic Neutron Other: 1 CAL BLEECH TO SCO GAL WATER Logs un (circle all applicable): No log run Electric Gamma Ray Cansily Sonic Neutron Other: 1 CAL BLEECH TO SCO GAL WATER Logs un (circle all applicable): No log run Electric Gamma Ray Cansily Sonic Neutron Other: 1 CAL BLEECH TO SCO GAL WATER Logs un (circle all applicable): No log und development of this block Purpose of borehole (check one): Water Well X Geotechnical/Geological Investigation Ground Source Heat Pump Seismic Survey Other (describe) 1 Add Bleech Cash one): Hater Well Cansil Survey Gamma Ray Cansily Sonic Neutron Other: 1 Gall Bleech Cash one): Water Well Cansil Bleech Cash one Neutron Other: 1 Gall Bleech Cash one Neutron Other: 2 Debut (describe): Date one Neutron Other: 2 Debut (describe): Date one Neutron Other: 2 Debut (describe): Date one Neutron Other:				
Information on Well Owner (Landowner of forchole is not for a water well) where Name 1	State Law requires that this reportment at the above addre	ort be prepared by the lice ss within 30 days of comp	letion of drilling of the well	or borenoie.
where Name 13 by 14 hours CD. Method of Lat/Long (circle one): Conventional Survey, Failing Address: (CDD M Andre Rd Ackel Man. MS 39735 City State Zip Code City State Zip Code City State Zip Code City State Zip Code Distance Direction Well / Borehole Data Well / Borehole Dat	Information on Well	Owner	Well or Be	orehole Location
Method of Lat/Long (circle one): Conventional Survey, [ailling Address: GDD Mandfel A Ackelman MS 39735 City State Zip Code	(Landowner if borehole is not	for a water well)	Latitude: 33 º 22 , 40	" Longitude: 89 ° /5 , 30 "
USGS quad, Hand-held GPS Survey-grade GPS NW 1/4 SW	Owner Name 1915 Lignite Mi	nine Co.		
City State Zip Code Distance Direction Nearest Town Colephone No. (10162) 387 - 5200 Well / Borehole Data Date drilling started: 7-20-00 Date drilling completed: 12-15-00 Hole depth: 205 Hole diameter: 4/20 Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development Cocation of the source of any surface water used for drilling and development of the source of any surface water used for drilling and development of the source of any surface water used for drilling and development of the source of any surface water used for drilling completed (legal any surface water used for drilling completed			Method of Lat/Long (circle o	ne): Conventional Survey,
City State Zip Code Distance Direction Nearest Town 2.5 Miles Distance Direction of Chester Note drilling started: 9-20-06 Date drilling completed: 12-15-06 Hole depth: 205 Hole diameter: 424 Cocation of the source of any surface water used for drilling Little Bylling Creek Method of dosing and volume of Chlorine used in drilling and development: 1 Gall Reference To 500 Gall Material Logs nun (circle all applicable): No log run Electric Camma Ray Canasiay Sonic Neutron Other: Name of organization running log(s): Canada Ca			USGS quad, Hand-hel	d GPS, Survey-grade GPS
Well / Borehole Data Well / Borehole Data Oute drilling started: 9-26-06 Date drilling completed: 12-15-06 Hole depth: 205 Hole diameter: 434 Cocation of the source of any surface water used for drilling: 4 TILE BYLLY CREEN Method of dosing and volume of Chlorine used in drilling and development: 1 GAL BLEACH TO SOO GAL WATER Logs run (circle all applicable): No log run Electric Camma Rev. Creen Hole depth: 205 Hole diameter: 4 Purpose of borehole (check one): Water Well & Geotechnical/Geological Investigation Ground Source Heat Pump Scismic Survey Other (describe) If drilling is not related to water well construction, skin the remainder of this block Purpose of Well (check one): Home Industria Public Supply Irrigation Fish Culture Other: If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: 05.5 feet above a below birele one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 205 Well grouted to a depth of 155 feet Type of grout (circle one) Neat Cement) Bentonite Mix Casing length: 10 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 10 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 0,01 inches Setting depth: From 160 feet to 200 feet Type of completion (circle all applicables Gravel pagins) Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	Ackernan,	MS: 39735		
Well / Borehole Data Well / Borehole Data Well / Borehole Data Oute drilling started: 7-21-06 Date drilling completed: 12-15-06 Hole depth: 205 Hole diameter: 474 Location of the source of any surface water used for drilling: 4 THE BYWY CREEN Method of dosing and volume of Chlorine used in drilling and development: 1 GAL BLEACH TO SOO GAL WATER Logs run (circle all applicable): No log run Electric Camma Rev Cerciphys Call Core Name of organization running log(s): 4 CHNLAY CREEN Name of organization running log(s): 4 CHNLAY CREEN Purpose of borehole (check one): Water Well & Geotechnical/Geological Investigation Ground Source Heat Pump Seismic Survey Other (describe) H drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check one): Home Industria Public Supply Irrigation Fish Culture Other: If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: 05.5 feet above a below pirele one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 202 Well grouted to a depth of 55 feet Type of grout (circle one) Neat Cement) Bentonite Mix Casing length: 108 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Type of completion (circle all applicable) Gravel pagina Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	City	State Zip Code	Distance Direction	Nearest Town
Netled drilling started: 9-24-06 Date drilling completed: 12-15-06 Hole depth: 205 Hole diameter: 474 Location of the source of any surface water used for drilling: LITTLE BYWY CREEY Method of dosing and volume of Chlorine used in drilling and development: 1 GAL BLEACH TO 500 GAC WATER Logs run (circle all applicable): No log run Electric Camma Ray Censity Sonic Neutron Other: Name of organization running log(s): CHNUN GEOLHYSKAL CCG O Purpose of borehole (check one): Water Well & Geotechnical/Georgial Investigation Ground Source Heat Pump Purpose of borehole (check one): Water Well & Geotechnical/Georgial Investigation Ground Source Heat Pump Purpose of Well (check one): Home Industria) Public Supply Irrigation Fish Culture Other: If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: 05.5 feet above (below (circle one) Isnd surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 205 Well grouted to a depth of 155 feet Type of grout (circle one) Neat Cement) Bentonite Mix Casing length: 40 feet Casing diameter: 44 inches Type of screen: PVC Screen length: 40 feet Screen diameter: 44 inches Type of screen: PVC Screen slot size: 0.01 inches Setting depth: From 160 feet to 200 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. Helescoped or more than one screen, describe on next page	,		7.5 Miles NW	of Chester
Coation of the source of any surface water used for drilling: LITTLE BYWY CREEY Method of dosing and volume of Chlorine used in drilling and development: Logs run (circle all applicable): No log run Electric Camma Ray Oensity Sonic Neutron Other: Name of organization running log(s): CENTALY GEODITYSKAL CORP Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation. Ground Source Heat Pump Seismic Survey. Other (describe) If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other: Static Water Level: 05.5 feet above or below prirole one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 20 Well grouted to a depth of 155 feet Type of grout (circle one) Neat Coment) Bentonite Mix Casing length: 40 feet Casing diameter: 4 inches Type of screen: PVC Screen length: 40 feet Screen diameter: 41 inches Type of screen: PVC Screen length: 40 feet Screen diameter: 41 inches Type of screen: PVC Screen length: 100 feet Screen diameter: 42 inches Type of screen: PVC Screen length: 100 feet Screen diameter: 42 inches Type of screen: PVC Type of completion (circle all applicables: Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	reiephone ivo. (Netter) 1907			
Coastion of the source of any surface water used for drilling:				. 3
Logs run (circle all applicable): No log run Electric Camma Ray Censity Sonic Neutron Other: Name of organization running log(s): CANNEY CHOUNTS CAL CORP Purpose of borehole (check one): Water Well Construction (Construction) Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check one): Home Industria Public Supply Irrigation Fish Culture Other: If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: 05.5 feet above or below trircle one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 20.5 Well grouted to a depth of 155 feet Type of grout (circle one) Neat Cement Bentonite Mix Casing length: 40 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 0, Ol inches Setting depth: From 100 feet to 200 feet Type of completion (circle all applicables Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	Date drilling started: 9-26-06 Date	drilling completed: 12-15-	106 Hole depth: 205	Hole diameter: 4/4
Logs run (circle all applicable): No log run Electric Camma Ray Censity Sonic Neutron Other: Name of organization running log(s): CANNEY CHOUNTS CAL CORP Purpose of borehole (check one): Water Well Construction (Construction) Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check one): Home Industria Public Supply Irrigation Fish Culture Other: If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: 05.5 feet above or below trircle one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 20.5 Well grouted to a depth of 155 feet Type of grout (circle one) Neat Cement Bentonite Mix Casing length: 40 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 0, Ol inches Setting depth: From 100 feet to 200 feet Type of completion (circle all applicables Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	Location of the source of any surface v Method of dosing and volume of Chlo	vater used for drilling:	TILE BYWY CRES	EX ACH TO 500 GAL WATER
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check one): Home Industria Public Supply Irrigation Fish Culture Other: If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: O 5.5 feet above or below wirele one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 205 Well grouted to a depth of 55 feet				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other: If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: O 5.5 feet above or below prirele one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 20 5 Well grouted to a depth of 5 feet Type of grout (circle one) Neat Cement Bentonite Mix Casing length: 10				
Static Water Level: 05.5 feet above of below (circle one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 205 Well grouted to a depth of 155 feet Type of grout (circle one) Neat Cement) Bentonite Mix Casing length: 40 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 0, 01 inches Setting depth: From 100 feet to 200 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	Seisi <u>If drilling is not rel</u>	nic SurveyOther (describ ated to water_well constructi	e) on, skip the remainder of this	block
Static Water Level: 05.5 feet above or below wirele one) land surface Date measured: 12-20-06 Method of Measurement (circle one) steel tape electric tape air line other:	Purpose of Well (check one): Home	Industria Public Supp	ly Irrigation Fish Cultu	re Other:
Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 205 Well grouted to a depth of 155 feet Type of grout (circle one) Neat Cement Bentonite Mix Casing length: 40 feet Casing diameter: 4 inches Type of casing: 900 Screen length: 40 feet Screen diameter: 4 inches Type of screen: 900 Screen slot size: 6,01 inches Setting depth: From 100 feet to 200 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. **Ittelescoped or more than one screen, describe on next page	If a flowing well, method of flow regu	lation: Valve	Other (describe)	
Well depth: 205 Well grouted to a depth of 155 feet Type of grout (circle one) [Neat Cement] Bentonite Mix Casing length: 40 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 6, 6) inches Setting depth: From 160 feet to 200 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): 1 feet. If telescoped or more than one screen, describe on next page	Static Water Level: 05.5 fe	et above or below trircle one) land surface Date measure	d: 12-20-06
Casing length:	Method of Measurement (circle one)	steel tape electric tap	air line other:	
Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 0, 0) inches Setting depth: From 160 feet to 200 feet Type of completion (circle all applicables: Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	_			
Screen slot size: O, C) inches Setting depth: From 160 feet to 200 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	Casing length: 168 feet	Casing diameter: 4	inches Type of casing	E PVC
Type of completion (circle all applicables: Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page	Screen length: 40 feet	Screen diameter: 4	inches Type of screen	: PVC
Other (describe): Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page	Screen slot size: O, Ol inc	hes Setting depth: From	1feet to	200 feet
Top of lap pipe or reduction in casing:feet. <u>If telescoped or more than one screen, describe on next page</u>	Type of completion (circle all applica	ble Gravel packed Und	derreamed Telescoped C	pen hole Natural Development
Top of lap pipe or reduction in casing:feet. <u>If telescoped or more than one screen, describe on next page</u>		Other (describe):		
	Top of lap pipe or reduction in casing			
				Form: OLWR-SWR-1

State Well Report Part 1 – Driller's Log

RECEIVED
JUN 27 2007
BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Sand	Ground Level	25
Clan	25	105
	105	109
Lignite Clay	105	155
64.40	155	160
Sand	160	180
hisnite	180	183
Sand	. 183	SIL
	715	318
Cles .	718	220

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. Landowner Name: MS lighte Wining Co. Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state Kanby Salen

RANDY SAIETS MSLIC 0779 OM 6-21-07

Print Name of Responsible Licensee and License No.

Signature of Licensee

RECEIVED JUN 27 2007 BY: OLWR

STATE WELL REPORT

Part 2 County: ChacTAW

Permit #:

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

For Office Use Only:		
Aquifer:		
Well#: D - 128 Elevation:		

Driller: RAWAY Date completed: 1275-06 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information _Longitude: 89°/S'30" Owner Name: M Method of Lat/Long (check one): Conventional Survey_ Mailing Address: 1000 USGS quad____, Hand-held GPS___, Survey-grade GPS_X_ NW 1/4 SW 1/4 Sec 33 T 18N R 10E Zip Code State City Direction Nearest Town Distance of CHESTER Telephone No. (462) 387-5200 7.5 Miles NW Power Type Pump Type Circle one Circle one Natural Gas Gasoline Engine Diesel Engine Submersible Jet Air Lift Tractor PTO Electric Motor Hand Piston Turbine Bucket Flowing Well Windmill Other (specify): Centrifugal Rotary Horse Power Rating of Motor: Other (specify): 1-5-2007 Setting Depth: _ Date Pump Installed: 7.5 Gallons Per Minute Number of Stages: Rated Pump Capacity: Method of Measuring Water Level Pump Test Data

	Circle one	
Date Well Tested:	Air Line Electric Measuring Line Steel Tape	
Static Water Level (A): 105.5 Feet Below Land Surface Pumping Water Level (B): 158 Feet Below Land Surface	Other (specify):	
Drawdown [(B) – (A)]: 52.5 Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute Duration of Pump Test (minimum 4 hours):hours	Well yielded GPM with a drawdown of feet after hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.	
Randy SAIERS MSLIC B179 6M	Randy Salen	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	
		Form: OLWR-SWR-1R

