	State We	II Report	For Office Use Only:
County: Charthw		riller's Log	
Permit#:	Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631		Aquifer:
			Well#:
Driller: RANDY SALERS		3 3 9 2 8 9 - 0 6 3 1	L. S. Elevation:
Date drilling completed: 3-28-07		61-5210 -6938 (fax)	E-log#:
State Law requires that this repo	ort be prepared by the lice ss within 30 days of comp	etion of ariting of the wea	i or outenoie.
Information on Well	Owner	Well of B	orenoie Location
(Landowner if borehole is not	for a water well)	Latitude: 33 ° 23 '21	" Longitude: <u>89 ° 14 , 53</u> "
Owner Name 195 Lignite Mi	ning Co.	Method of Lat/Long (circle of	31.
Mailing Address: 100 M Int	re Rd	Handhel	d GPS, Survey-grade GPS
Ackernan,	MS 39735		Twn 18 N Rng 10 E
City	state Zip Code	Distance Direction	Nearest Town of Chester
Telephone No. (1962) 387 - 5	005		
	Well / Bore	hole Data	
Date drilling started: 3-3-07 Date	drilling completed: 3-28-	07 Hole depth: 190	Hole diameter: 4 3/4
Location of the source of any surface v Method of dosing and volume of Chlo	***		
Logs run (circle all applicable): No log Name of organization running log(s):	rum Electria Gamma Rav	Density Sonic Neutron	Other:
Purpose of borehole (check one): Water			
Seisi If drilling is not rel	nic Survey Other (describ ated to water_well constructi	e) on, skip the remainder of this	block
Purpose of Well (check one): Home			
If a flowing well, method of flow regu	lation: Valve	Other (describe)	
Static Water Level: 159 fe	et above or below (circle one		
Method of Measurement (circle one)			
Well depth: 190 Well grouted to			
Casing length: /63 feet	Casing diameter: 4	inches Type of casing	Si
Screen length: 30 feet	Screen diameter	inches Type of screen	:
Screen slot size: O.Ol inc	hes Setting depth: From		185feet
Type of completion (circle all applica			
	Other (describe):		
Top of lap pipe or reduction in casing	g:feet. <u>If</u>	telescoped or more than one	screen, describe on next page

Form: OLWR-SWR-1A

JUN 27 2007 BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered		lo (depth)
	Ground Level	49
SAND LIGNITE	49	52
CLAY	52	5 3
LIGNITE	53	
SAND	53 55	67
LIGHTE	67	70
CLAIL	70	89
CLAY LIGHTE GANGY CLAY LIGHTE	89	93
CA-OL COL	93	129
411114 2011	129	133
CIGNOTIZ	133	150
SANOY CLAY UGNITE	150	156
UGNIM	156	175
SAM LIGNIR	175	178
LIGNAR	178	190
SAMO	170	
		-

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Model Research

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

KANDY SAIETS MSLIC 0779 GM 6-21-07

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

JUN 27 2007

BY: OLWR

STATE WELL REPORT

County: Charaw Permit #: Driller: Rangy Date completed: 3-28-07 Copy information from block on Part 1

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well#: D- 40	
Elevation:	

This part of the report must be completed by a licensed water well of	contractor or a licensea pump installer. A copy of Furt 1 of the		
report must be attached and both parts filed with the Department a. Well Owner Information	t the above address within 30 days of well completion. Well Location		
Owner Name: MS Lignite Mining Co. Mailing Address: 1000 M Zabire Rd Ackerman MS 39735	Latitude: 33° 23′ 21″ Longitude: 89° /4′ 53″ Method of Lat/Long (check one): Conventional Survey,		
City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS_\(\sigma \) \(\sigma \) \(\s		
Telephone No. (462) 387-5200	2.5 Miles NW of Chester		
Pump Type Circle one	Power Type Circle one		

Pump Type Circle one			Power Type Circle one		
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	of Motor:5	
Date Pump Installed:	5-1-07		Setting Depth:	180	_feet
Rated Pump Capacity:	7.5	Gallons Per Minute	Number of Stages:		

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested:	Air Line Electric Measuring Line Steel Tape		
Static Water Level (A): 159 Feet Below Land Surface	Other (specify):		
Pumping Water Level (B): 180 Feet Below Land Surface			
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours			

1	I HEREBY CERTIFY that the above statements are true to the best of m	y knowledge.	Solen		
	Print Name of Pump Installer and License No. (if applicable)	Signatu	ire of Pump Installer	DECEIVE!	
				Form: OLWR-SWR-1B	

JUN 27 2007 BY: OLWR