Count	y: CHOCTAW	Part 1 – D	ell Report	For Office Use Only:	
	t#:	Mississippi Department Office of Land ar	of Environmental Quality ad Water Resources	Well #: D-160	
	RANDY SALERS	P.O. B	ox 10631		
			S 39289-0631 961-5210	L. S. Elevation:	
Date	frilling completed: 4-29-07	(601)354	4-6938 (fax)	E-log#:	
Own Mail		owner for a water well) inc Co. MS 39735	Latitude: 33 ° 23 ' 39 Method of Lat/Long (circle of USGS quad, Hand-he	orehole Location "Longitude: 89 ° 14 ', 11 " one): Conventional Survey, Id GPS, Survey-grade GPS Twn S N Rng C E	
Tele	phone No. (<u>lake</u> 2) 387-5				
			ehole Data	43/4	
Dat	e drilling started: 3-4-07 Date	drilling completed: 4-79	-01 Hole depth: 127	Hole diameter: 7 / 4	
Loc	Date drilling started: 3-4-07 Date drilling completed: 4-79-07 Hole depth: 125 Hole diameter: 43/4 Location of the source of any surface water used for drilling: LITILE BYWY CREEK Method of dosing and volume of Chlorine used in drilling and development: 1 GAL BLEACH TO 500 CHL NATER				
Log	Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): CENTURY CIECHYSICAL (OPP				
Pur	Purpose of borehole (check one): Water Well X Geotechnical/Geological Investigation Ground Source Heat Pump				
	Seisi <i>If drilling is not rel</i>	nic Survey Other (descri ated to water well construc	be) tion, skip the remainder of thi	s block	
	Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If	a flowing well, method of flow regr				
St	static Water Level:				
M	ethod of Measurement (circle one)	steel tape electric to	ape air line other: _		
V	Well depth: 125 Well grouted to a depth of 85 feet Type of grout (circle one): Neat Cement Bentonite Mix				
C	Casing length: 98 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 30 feet Screen diameter: 4 inches Type of screen: PVC				
5	creen length:feet	Screen diameter. 4	inches Type of scree	TI: YVC	
S	creen slot size: O.O. inc	ches Setting depth: Fro	mfeet to	feet feet	
-	Type of completion (circle all applic	able): Gravel packed U	nderreamed Telescoped	Open hole Natural Development	
	Fop of lap pipe or reduction in casin	g:fæt.	If telescoped or more than on		
1				Form: OI WR-SWR-14	

RECEIVED JUN 27 2007 BY: OLWR Description of formations encountered must be provided for wells and boreholes, unless specifically exempted by regulations

If well telescopes,	show	depths	on	sketch.
Ground Level		7		

Description of Formations Encountered	From (depth)	o (depth)
Sand	Ground Level	17
Cha	17	52
1.0.4	52	510
792	56	82
1 :0.1.10	82	87
9260	87	105
Lieni xa	105	108
50.01	108	116
n in .	110	140
Cay		
	-	-
		-
· ·		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. W-102 W-103 W-104 W-105 W-107 W-108 Landowner Name: MS liquite Mining Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

KANDY SALEYS MELIC OTTEGM 6-71-07

Print Name of Responsible Licensee and License No.

Signature of Licensee

RECEIVED

JUN 27 2007

BY: OLWR

STATE WELL REPORT

County: CHOCTAN

Part 2 Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:		
Aquifer:		
Well#: D • 160		
Elevation:		

This part of the report must be completed by a licensed water well correport must be attached and both parts filed with the Department at t.	6938 (fax) Elevation: Intractor or a licensed pump installer. A copy of Part 1 of the shows address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: MS Lignite Mining Co.	Latitude: 33°23'39" Longitude: 59° 14' /1"
	Method of Lat/Long (check one): Conventional Survey,
Arkerman, Ms 38735	USGS quad, Hand-held GPS, Survey-grade GPS_X
	SE 1/4 NV 1/4 Sec 27 T BN R 10E
City State Zip Code	Distance Direction Nearest Town
Telephone No. (462) 387-5200	2.5 Miles NW of CHESTER
Pump Type	Power Type
Circle one	Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:
Date Pump Installed: 5-3/-07	Setting Depth:feet
Rated Pump Capacity: 7.5 Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level
Date Well Tested: 5-31-07	Circle one
Static Water Level (A): 77 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B): 110 Feet Below Land Surface	Other (specify):
Drawdown [(B) – (A)]: 33 Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.	
	of my knowledge.	
Print Name of Pump Installer and License No. (if applicable)	Randy Salen	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	E CHAIR CIAID 4D

JUN 27 2007

BY: OLWR