*	State Well Report			
County: Choctaus	Part 1 – Driller's Log	For Office Use Only:		
Mississ	sippi Department of Environmental Quality	Aquifer:		
Permit #:	Office of Land and Water Resources P.O. Box 10631 2309	Well #: D-168		
Driller: Randy Saleys	Jackson, MS 39289-0631 342 2.5	L. S. Elevation:		
Date drilling completed: 3-17-08	(601)961-5210 (601)354-6938 (fax)	E-log #:		
	, ,			
State Law requires that this report be pre	pared by the license holder responsible for 30 days of completion of drilling of the we	the work and fued with the ll or borehole.		
Information on Well Owner	Well or E	orehole Location		
(Landowner if borehole is not for a wate	Latitude: 37 ° 23 '21	4% Longitude: <u>85° 15 * 17 18</u> "		
Owner Name Mississippi Lishite M	Method of Lat/Long (circle)	one): Conventional Survey.		
Mailing Address: 1000 McIntine	Rd			
	<u> </u>	d GPS, Survey-grade GPS		
A.K. Mc	35731 SE 1/4 SW/4 Sec 2/4	8 Twn 18N Rng 10E		
Ackena Ms City State	Zip Code Distance Direction	Nearest Town of ∠ Seste		
Telephone No. (662) 387 5200	Miles NW	or zseste		
	Well / Borehole Data			
Date drilling started: 1-15-01 Date drilling completed: 3-17-03 Hole depth: 179 Hole diameter: 9				
Location of the source of any surface water used for drilling: 1, H/e Brwy Creek Method of dosing and volume of Chlorine used in drilling and development: 1991 clorax to 500 gs 1 ws te-				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): Century Geophysics Century				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrialPublic SupplyIrrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 179 feet above or below (circle one) land surface Date measured: 3-21-08				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 2/8 Well grouted to a depth of 160 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 178 feet Casing diameter: 4 inches Type of casing: PVC				
Screen length: 40 feet Screen diameter: 4 inches Type of screen:				
Screen slot size: 001 inches Setting depth: From 170 feet to 210 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page				
		Form: OLWR-SWR-1A		

RECEIVED APR 1 = 2008 BYOUNE

The sketch below only required for water wells

If well telescopes,	show depths on sketch.
Ground I suel	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
sundy clay	Ground Level	68
- CO41	68	72
. 6149	72	90
604	90	15
1.169	95	113
(04)	1 13	121
clay	121	125
conl	12'5	140
Clay	140	162
C 164	162	170
4914	170	187
conl	187	195
	195	230
5474		
		1
	1_	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the following: 1) the well location; 2) any permanent structures on the property layout and include the property la	perty that may ty and the well;
Landowner Name: MS lignite Mining Co.	OLAMO CIACO
	Form: OLWR-SWR-1.

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

KANAY SAIETS MS Lie 0779 GM 3-17-08 Signature of Licensee Print Name of Responsible Licensee and License No.

RECEIVED

APR 14 2008

BY: OLWP

STATE WELL REPORT Part 2 County: _ For Office Use Only: Pump Installer's Completion Report Mississippi Department of Environmental Quality Permit #: Aquifer: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 Date completed: (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 33 23 3/49" Longitude: 89 015 417 18 Owner Name: M Method of Lat/Long (check one): Conventional Survey_ Mailing Address: 1000 39735 MS USGS quad_____, Hand-held GPS____, Survey-grade GPS____ SE 1/4 SW 1/4 Sec 28 T/8N R/1 Zip Code State Distance Direction 2.5 Miles NW of Chester Telephone No. (462) 387-5200 Power Type Pump Type Circle one Circle one Submersible Diesel Engine Gasoline Engine Natural Gas Air Lift Jet Tractor PTO Bucket Piston Electric Motor Hand Centrifugal Windmill Other (specify): Rotary Horse Power Rating of Motor: _ Other (specify): 3-11-08 Setting Depth: Date Pump Installed: Number of Stages: Rated Pump Capacity: Gallons Per Minute Pump Test Data Method of Measuring Water Level Circle one 3-17-08 Date Well Tested: Electric Measuring Line Air Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): 203 Feet Below Land Surface For flowing well, measured shut in head: Drawdown [(B) - (A)]: Feet Below Land Surface Well yielded GPM with a drawdown of Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

KANDY SAIETS MS Lic 0779 GM Print Name of Pump Installer and License No. (if applicable)

RECEIVED

APR 13 7008

Form: OLWR-SWR-1B

Signature of Pump Installer

BY: OLWA