State V	Well Report	For Office Use Only:
	· · · · · · · · · · · · · · · · · · ·	
Mississinni Denartmo	Mississippi Department of Environmental Quality	
	Office of Land and Water Resources P.O. Box 10631- 2204	
Driller: Kandy Saler's Jackson,	MS 39 <del>289-0631</del> • <b>3</b> \$225	Well #:
Date drilling completed: $3-/9-0$ (60)	1)961-5210	
(601)3	54-6938 (fax)	E-log #:
State Law requires that this report be prepared by the l Department at the above address within 30 days of cor	icense holder responsible for a	the work and filed with the or borehole.
Information on Well Owner	Well or Bo	orehole Location
(Landowner if borehole is not for a water well)	Latitude: 33 ° 23 '24'3	9" Longitude: 85 ° 15 '11 56"
Owner Name Mississippi Lignite Mining Lo	Method of Lat/Long (circle or	y' Longitude: 85 ° 15 ''/ 54"  ne): Conventional Survey,
Mailing Address: 1000 McIntire Rd		GPS, Survey-grade GPS
	SW 1/4 SE 1/4 Sec 28	
Ackenso As 39735 City State Zip Code		
	25 Miles NU	Nearest Town of <u>Chester</u>
Telephone No. (662) 387 5200		
Well / Bo	rehole Data	
Date drilling started: $117-08$ Date drilling completed: $3-$	19-08 Hole depth: 200	Hole diameter: 4
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and dev	colopment: 1991 clore	ell y to SUU gg/ water
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s): Lentury Geophysical Corp		
Purpose of borehole (check one): Water Well Geotechnical/Ge	ological Investigation Ground	i Source Heat Pump
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block		
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: 151.5 feet above or below (circle one) land surface Date measured: 3-20-08		
Method of Measurement (circle one) steel tape electric tape air line other:		
Well depth: 198 Well grouted to a depth of 140 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: /Sy feet Casing diameter: // inches Type of casing: ///		
Screen length: 40 feet Screen diameter: 4 inches Type of screen: PVC		
Screen slot size: 0.01 inches Setting depth: From /50 feet to /90 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing: feet. <u>If telescoped or more than one screen, describe on next page</u>		
		Form: OLWR-SWR-1A

State APR 14 2000 BY OLWA The sketch below only required for water wells

Description of formations encountered must be provided for a wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depths on sketch.			
Ground Level	K		
		1	
		1	

	To (depth)
Ground Level	46
46	52
52	64
64	69
	99
99	106
104	120
120	127
127	146
146	159
154	170
170	179
179	200
	4
	Ground Level  46  52  64  69  99  120  127  146

If more than one screen, show location of each on sketch

operty layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.	
35 462.025 McINTIRE ROAD  DW133	
Name: MS lignite Mining Co.	
Name: MS lighte Mining Co.	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws.

KANY SAIC PS MELICOTIEGE 3-16-18

Print Name of Responsible Licensee and License No.

Date

## STATE WELL REPORT

## County: Chocker Permit #: Date completed: 3-19-08

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

For Offi	ce Use Only:
Aquifer:	
Well#:	)-/7/

Copy information from block on Part 1	, ,	4-6938 (fax)	Elevation:
This part of the report must be completed report must be attached and both parts file	by a licensed water well c ed with the Department a	contractor or a licensed pump in t the above address within 30 da	staller. A copy of Part 1 of the
Well Owner Informat			Location
Owner Name: MS Lignite M.	ining lo.	Latitude: 33°23'24,38'	Longitude: 85°15'1156"
Mailing Address: 1000 M. Zndire		Method of Lat/Long (check on	e): Conventional Survey,
Ackerman, ms		USGS quad, Hand-held	GPS, Survey-grade GPS_
Ackeman Ms City State	39735 Zip Code	5W 1/4 5E1/4 Sec 28	T18 R 10E
5.19		Distance Direction	Nearest Town
Telephone No. ( <u>462)</u> 387-526	D	2.5 Miles NW of	Lhester_
Pump Type Circle one			wer Type ircle one
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	t .	specify):
Other (specify):		Horse Power Rating of Motor:	5
Date Pump Installed: 3-16-08		Setting Depth: 183	feet
Rated Pump Capacity: 7.5	Gallons Per Minute	Number of Stages:	
Pump Test Data			asuring Water Level ircle one
Date Well Tested: 3-/6-08		The state of the s	Ct. IT.
Static Water Level (A): 151.5 Feet	Below Land Surface	Air Line Electric Mea	suring Line Steel Tape
Pumping Water Level (B): 183 Feet	Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]:Feet	Below Land Surface	For flowing well, measured sh	nut in head:feet
Test Pumping Rate:	_Gallons Per Minute	Well yielded 3	GPM with a drawdown of
Duration of Pump Test (minimum 4 hours)	:	32.5 feet after_	4h hours of pumping
I HEREBY CERTIFY that the above states	nents are true to the best of	of my knowledge.	

I HEREBY CERTIFY that the above statements are true to the best of my  Randy SAIERS MS 2:0 0779 6M  Print Name of Pump Installer and License No. (if applicable)	knowledge.  Kandy Salor  Signature of Pump Installer	
Trans rathe of rather instance and Elevator rot (2 approach)		Form: OLWR-SWR-1B

RECEIVED APR 14 2008 BY: OLWR