	State W	/ell Report		
County: Choctaw		Driller's Log	For Office Use Only:	
Permit #: MS Lic 0779		nt of Environmental Quality	Aquifer:	
Driller: Randy Salers	Office of Land and Water Resources P.O. Box 2309		Well #: <u>D212</u>	
	Jackson, MS 39225 (601)961- 5210		L. S. Elevation:	
Date drilling completed: 5/29/09		1- 5228 (fax)	E log #:	
E-log #:				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner Well or Borehole Location				
(Landowner if borehole is not fe	-	Latitude: 33 ° 53 ' 18	" Longitude: <u>89°14</u> ,48 "	
Owner Name_MS_Lignite_Mir	ning Co	Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 1000 McIntir	e Rd			
		USGS quad, Hand-held	GPS, Survey-grade GPS	
		<u>NW 1/4 SW 1/4 Sec_27</u>	Twn18NRng10E	
Ackerman MS City Sta	39735 te Zip Code	SE SE 28 Distance Direction	Nearest Tour	
	le Zip Code	SE SE 28 Distance Direction 2.5 Miles	of <u>Chester</u>	
Telephone No. (662) 387-5200				
	Well / Bore	hole Data		
Date drilling started: 5/27/09 Date dr	illing completed. 5/29	9/09 Hole depth: 130	Hole diameter: 4.75	
Location of the source of any surface wate Method of dosing and volume of Chloring	er used for drilling: e used in drilling and devel	opment: <u>1 GAl Clore</u>	ox to 500 Gal Water	
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water W	ell X Geotechnical/Geol	ogical Investigation Ground	I Source Heat Pump	
	Survey Other (<i>describe</i> to water well construction) n, skip the remainder of this bl	ock	
Purpose of Well (check one): Home Industrial X Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation				
Static Water Level: <u>32.2</u> feet at	ove or below (circle one) l	and surface Date measured:	5/29/09	
Method of Measurement (circle one) st	eel tape electric tape	air line other:		
Well depth: <u>120</u> Well grouted to a depth of <u>50</u> feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 83feet Casing diameter: 4inches Type of casing: PVC				
Screen length: <u>50</u> feet Screen diameter: <u>4</u> inches Type of screen: <u>PVC</u>				
Screen slot size: 0.01 inches	Setting depth: From _			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page				
Form: OLWR-SWR-1A (04/08)				

e e

~

RECEIVED JUN 12 2009 BY: OLWR

	STATE WE	LL REPORT		
County: Choctaw	-	art 2 Completion Report	For Office Use Only:	
Permit #: MS Lic 0779 GM	Mississippi Departmen	t of Environmental Quality nd Water Resources	Aquifer:	
Driller: Randy Salers	P.O . 1	Box 2309	Well #: D212	
Date completed: 5/29/09	1	, MS 39225 961-5210	Elevation:	
Copy information from block on Part 1	(601)961-5228 (fax)			
This part of the report must be complete report must be attached and both parts	ed by a licensed water well o filed with the Depart <u>ment a</u>	contractor or a licensed pump t the above address within 30	installer. A copy of Part 1 of the days of well completion.	
Well Owner Information Well Location				

- -

15 M

n 7

Well Owner Information	Well Location		
Owner Name: MS Lignite Mining Co	Latitude: 33'23'18 Longitude: 89'14'48		
Mailing Address: 1000 McIntire Rd	Method of Lat/Long (check one): Conventional Survey,		
Ackerman MS 39735 City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS X \underline{NW} '4 \underline{SW} '4 Sec $\underline{27}$ T 18N R 10E $5 \in 5 \in$		
Telephone No. (662) 387-5200	2.5 Miles NW of Chester		

Pump Type Circle one		Power Type Circle one			
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Ratin	ng of Motor: 0.5	
Date Pump Installed	d:5/29/09		Setting Depth:	20	feet
Rated Pump Capaci	ity:	Gallons Per Minute	Number of Stages:		

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: 5/29/09 Static Water Level (A): 32.2 Feet Below Land Surface Pumping Water Level (B): 120 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):		
Drawdown [(B) – (A)]: 87.8 Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: 3 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours	Well yielded <u>3</u> GPM with a drawdown of 87.8 feet after <u>4</u> hours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of m	hy knowledge. Kanny Jolen Signature of Pump Installer	
Randy Salers MS Lic 0779 GM	Jany Joren	
Print Name of Pump Installer and License No. (if applicable)	Signaturgol I unip instanci	
	Form: OLWR-SWR-1B (04/08)	

JUN 1 2 2009

BY: OLWR

P

DZIZ DLB8

required for water wells


If well telescopes, show depths on sketch. Ground Level

Note : Well still in service

<u>Description of formations encountered must be pr</u>ovided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	

If more than one screen, show location of each on sketch



Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Randy Salers MS lic 0779 GM

5-8.09

Randy Jalen Signature of Licensee 1 2 2023

Print Name of Responsible Licensee and License No.

Date

SY CONR