For Office Use Only:

State Well Report

Charter	Dort 1 Duillow's Log		For Office Use Only:		
County: Choctaw	Part 1 – Driller's Log Mississippi Department of Environmental Quality		Aquifer:		
Permit #: MS Lic 0779	Office of Land and Water Resources		-		
Driller: Randy Salers	P.O. Box 2309		Well #:		
		Jackson, MS 39225			
Date drilling completed: 7/20/09	(601)961- 5210 (601)961- 5228 (fax)		E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the					
Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well (rehole Location		
(Landowner if borehole is not for a water well)		T	\$7		
Owner Name MS Lignite Mir	ning Co	Latitude: 40	7 Longitude: 89 . 14 , 54.4		
Mailing Address 1000 McIntin	Mailing Address: 1000 McIntire Rd		ne): Conventional Survey,		
Maning / Nations.	·		GPS, Survey-grade GPS		
		SE NE Sec 28	Twn 18 Rng 10		
Value of the Control	39735				
City Sta	te Zip Code	Distance Direction NW	Nearest Town of Chester		
Telephone No. (662) 387-5200		Minos	VI		
	Well / Borel	nole Data			
_ 1 - 1 - 1					
Date drilling started: 7/17/09Date drilling completed: 7/20/09Hole depth: 205 Hole diameter: 4.75					
Location of the source of any surface water used for drilling: Little ByWy Method of dosing and volume of Chlorine used in drilling and development: 1 GAl Clorox to 500 Gal Water					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): Century Geophysical Corp.					
Purpose of borehole (check one): Water Well X Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial X Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation	n: ValveO	her (describe)			
Static Water Level:feet above or below (circle one) land surface Date measured:					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 205 Well grouted to a depth offeet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 145feet Casing diameter: 4inches Type of casing: PVC					
Screen length: 45 feet Screen diameter: 4 inches Type of screen: PVC					
Screen slot size: 0.01 inches Setting depth: From 155 feet to 200 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page					
		·	Form: OLIMP CIMP 14 (04/09)		

Form: OLWR-SWR-1A (04/08)

RECEIVED AUG 1 4 2009

BY: OLWR

From (depth)

Ground Level

To (depth)

BY: OLWR

Description of formations encountered must be provided for all

wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

If more than one screen, show location of each on sketch				
4) a north arrow. DV183A	DV181A	ems that may aid in locating the property and the well		
Landowner Name: Mississippi Lignite Mining Co	7			
Form: OLWR-SWR-1A (04/08) I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state				
laws. Randy Salers MS lic 0779 GM	AIRI	RECEIVE	ΞC	
		Cignotine at LAND 11 and	^	
Print Name of Responsible Licensee and License No.	Date	Signature of Lic Als 6 1 4 200	9	

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level__

STATE WELL REPORT

Part 2

Pump Installer's Completion Report Permit#: MS Lic 0779 GM

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

For Office Use Only:		
Aquifer:		
Well #:		

Copy information from block on Part 1

7/20/09

Print Name of Pump Installer and License No. (if applicable)

Driller: Randy Salers

County: Choctaw

Date completed:

Well Owner Information	Well Location
Owner Name: MS Lignite Mining Co	Latitude: 33*23'39.7 Longitude: 89*14'54.4 AC Method of Let/Long (check one): Conventional Surgery
Mailing Address: 1000 McIntire Rd	Method of Lat/Long (check one): Conventional Survey 54,
	USGS quad, Hand-held GPS, Survey-grade GPS_X
Ackerman MS 39735 City State Zip Code	SE 1/4 NE 1/4 Sec 28 T 29 R 10
City State Zip Code	Distance Direction Nearest Town
Telephone No. (662) 387-5200	2.5 Miles NW of Chester
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor: 0.5
Date Pump Installed: 7/20/09	Setting Depth:feet
Rated Pump Capacity: 5gal Gallons Per Minute	Number of Stages:
Pump Test Data 7/20/09 Date Well Tested:	Method of Measuring Water Level Circle one
Static Water Level (A): 102 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B): 190 Feet Below Land Surface	Other (specify):
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours): 4 hours	88feet after 4hours of pumping
I HEREBY CERTIFY that the above statements are true to the best of Randy Salers MS Lic 0779 GM	of my knowledge.

Signature of Pump Installer

Form: OLWR-SWR-18 PECEIVED

AUG 1 4 2009

BY: OLWR