	ate Well Report For Office Use Only:	
	rt 1 – Driller's Log	
	Office of Land and Water Resources P.O. Box 10631 Well #:	
D. Warren		
Jac	Ekson, MS 39289-0631 L. S. Elevation:	
Date drilling completed: 10/14/09	(601)961-5210 (601)354-6938 (fax) E-log #:	
State Law requires that this report be prepared by Department at the above address within 30 days	y the license holder responsible for the work and filed with the	
Information on Well Owner	Well or Borehole Location	
(Landowner if borehole is not for a water well)	Latitude: 33 ° 23 ' 41 " Longitude: 89 ° 14 ' 51 "	
Owner Name MS Lignite Mining Company		
Mailing Address: 1000 McIntire Road	Method of Lat/Long (circle one): Conventional Survey,	
Walning Address. 1000 Mother Load	USGS quad, Hand-held GPS, Survey-grade GPS	
	SW 1/4 NW 1/4 Sec 27 Twn 18N Rng 10E	
Ackerman MS 3973	5	
City State Zip Cod	Distance Direction Nearest Town	
Telephone No. (662) 387-5200	J Miles IIII VI PACACIMAIA	
We	ell / Borehole Data	
Date drilling started: $10/14/0$ Date drilling completed: 1	L0/14/09Hole depth: <u>245</u> Hole diameter: 8 in.	
Location of the source of any surface water used for drilling	: Creek Water	
Method of dosing and volume of Chlorine used in drilling a	and development: 1 gal per 500 gal water	
Logs run (circle all applicable): No log run Electric Gan	nma Ray Density Sonic Neutron Other:	
Name of organization running log(s): Century Wirel:	ine - Pilot Borings, E-log	
Purpose of borehole (check one): Water Well X Geotechni	ical/Geological Investigation Ground Source Heat Pump	
Seismic Survey Other (If drilling is not related to water well con	(describe)nstruction, skip the remainder of this block	
Purpose of well (check one): Home industrial Publi	ic SupplyIrrigationFish CultureOther: <u>De-water</u>	
If a flowing well, method of flow regulation: Valve	Other (describe)	
Static Water Level: <u>180.4</u> feet above or below (circ	cle one) land surface Date measured: 3/12/10	
Method of Measurement (circle one) steel tape	etric tape air line other:	
Well depth: 245 Well grouted to a depth of 205 feet	Type of grout (circle one): Neat Cement Bentonite Mix	
Casing length: 205 feet Casing diameter:	4 inches Type of casing: PVC	
Screen length: 40 feet Screen diameter:	4 inches Type of screen: PVC	
Screen slot size: 0.01 inches Setting depth:	From <u>200</u> feet to <u>240</u> feet	
Type of completion (circle all applicable): Gravel packed	Underreamed Telescoped Open hole Natural Development	
Other (describe	s):	
Top of lap pipe or reduction in casing:fe	eet. If telescoped or more than one screen, describe on next page	
	Form: OLWR-SWR-1	

APR 0 1 2010 BY: OLWR


The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground LevelDescription of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
WILCOX FORMATION	0	245
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.



Landowner Name: MS Lignite Mining Company

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

GOMER WALLACE 0565 3-30-2010

Signature of Licensee

Print Name of Responsible Licensee and License No.

STATE WELL REPORT

Part 2

County:

Permit #:

Driller:

Date completed:

Copy information from block on Part 1

Pump Installer's Completion Report
Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

Fo	r Office Use Only:
Aquifer:	D ? 36
Well #:	
Elevation	

Well Owner Information	Well Location	
Owner Name:	Latitude:Longitude:	
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
City State Zip Code	Distance Direction Nearest Town 5 Miles NW of Ackerman	
Telephone No. ()	original in the second of	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed:	Setting Depth:feet	
Rated Pump Capacity: Gallons Per Minute	Number of Stages:	
Pump Test Data	Method of Measuring Water Level Circle one	
Date Well Tested: Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):	
Pumping Water Level (B):Feet Below Land Surface	For flowing well are award shut in book.	
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	

APR 0 1 2010

