	State Wo	ell Report	For Office Use Only:	
County: Claiborne		rt 1		
Permit #: Mi	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer:	
		ox 10631	i	
Driller: Gary Rayborn		S 39289-0631	L. S. Elevation:	
Date drilling completed: 1-5-2007	, ,	61-5210 -6938 (fax)	E-log #:	
	` '			
State Law requires that this report	be prepared by the o	iriller in detail and filed w	ith the Department within	
30 days of completion of drilling of the well. Well Owner Information		Wel	Location	
Owner Name John Bell Construction		Latitude:'	_" Longitude:'"	
Mailing Address: P.O.Box 49		Method of Lat/Long (circle or		
Mailing Address: 1.0.05				
2			S quad; Hand-held GPS, Survey-grade GPS	
Patlison, MS City State	39144 7in Code	1414 Sec	7 Twn 11 N Rng 2 E	
•		Distance Direction	Nearest Town of Port Gibson	
Telephone No. (601) 786 - 7867		Miles	of <u>FORT GIOSON</u>	
	Well D	Pata		
Purpose of Well (circle one Home Industr	ial Public Supply	Irrigation Fish Culture	Other:	
Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: 1-5-2007 Date well drilling completed: 1-5-2007				
If flowing, method of flow regulation: Valve Other (describe)				
Static Water Level: 80 feet above of below (circle one) land surface Date measured: 1-5-2007				
Method of Measurement (circle one) steel	tape electric tape	air line other:		
The state of the s				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 80 feet Casing diameter: 4 inches Type of casing: PVC JAN 2 2 200				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC BY: OLW				
Screen slot size: • O 1 O inches Setting depth: From 80 feet to 100 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
			•	
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Logs run (circle all applicable) No log run	Electrić Gamma Ray	Density Sonic Neutron	Otner:	
Name of organization running log(s):		3 643 - 39 30 - 3 3		
I certify that the well was drilled, construct				
Department of Environmental Quality and/	or the Mississippi Dep	partment of Health regulation	s and state laws.	
RAYBORN DRILLING, INC.	0-60	~ \ \	_	
Print Name of Water Well Contractor and Lic	rense No	Signature	of Water Well Contractor	

Print Name of Water Well Contractor and License No.

Ground Level				

Description of Formations Encountered	From	То
Top Soil Fine Sand Clay Coarse Sand	0	4
Fine Sand	4	12
Clay	12	40
Coarse Sand	40	100
		1
		
		
		\vdash
		┼─┤
		1
	_	1
		1
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include aid in locating the well; 3 4) indicate direction.	the following: 1) the well 3) any roads, power lines,	I location; 2) any permanent structures on or other items that may aid in locating the	the property that may property and the well;
	Chamberlin Hunt [61N	RECEIVED JAN 2 2 2007 BY: OLWE
4th hause on	Gordon Station	<u>Natchez</u> Trace	
Landowner Name:			

Signature of Water Well Contractor

STATE WELL REPORT

Part 2

County: Claiborne Permit #: Driller: Gary Rayborn Date completed: 1-5-2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: <u>L - 85</u>		
Elevation:		

This report should be prepared by the pump installer in detainstallation of pump.	il and filed with the Department within 30 days of the	
Well Owner Information	Well Location	
Owner Name: John Bell Construction	Latitude:Longitude:	
Mailing Address: P.O.Box 49	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
Pathison, MS 39144 City State Zip Code	14 Sec 27 Twn 11N Rng 2 E	
	Distance Direction Nearest Town	
Telephone No. (601) 786-7867	2 Miles S of Port 6: bson	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specifý):	Horse Power Rating of Motor: HRECEIVED	
Date Pump Installed: 1-5-2007	Setting Depth: 98 feet Av 2 2 2	
Rated Pump Capacity: Gallons Per Minute	Setting Depth: 98 fepAN 2 2 2007 Number of Stages: 4 BY: 01 14/15	
	- EWR	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested: 1-5-2007	Circle one	
Static Water Level (A): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B):Feet Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.		
Gary Rayborn 0-60 >		
Print Name of Pump Installer and License No. (if applicable)	Signature of Pulhp Installer	