Part 1 Permit * Permit *	19	State W	ell Report	Por Office Use Only:
Mississippi Department of Environmental Quanty Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name Teff Higg/INS Mailing Address: 3088 M055 Down Ln Well Owner Information Owner Name Path Son MS 39144 City State Zip Code Path Son MS 39144 City State Zip Code Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Jate well drilling started 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04 If thowing, method of flow regulation: Valve Method of Measurement (circle one) Get above or below (circle one) land surface Hole depth: 400' Well depth: 380' Well grouted to a depth of 1/0 feet I ype of grout (circle one): Well Data Well owner Information Well Data Well owner Information Well Data Well Data Purpose of Well (circle one): Well owner Information Well Data Well Data Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Jate well drilling completed: 10 - 21 - 04 If thowing, method of flow regulation: Valve Other (describe) Static Water Level: Well owner Resources Well I detail and filed with the Department within Well Location La Silve Resources La Silve Resources Well Location La Silve Resources La Silve Resources La Silve Resources Well Location La Silve Resources La Silve Resources Well Cattride one) Well Location La Silve Resources La Silve Resources Well Location La Silve Resources La Silve Resources La Silve Resources Well Cattride One) Well Location La Silve Resources La Silve Resources Well Location La Silve Resources La Silve Resources Well Location La Silve Resources La Silve Resources La Silve Resources La Silve	Claibagh			For Office Ose Omy.
Date unling completed: 10-21-04	County Clariffer L	Mississippi Department of Environmental Quality		
Jackson, MS 39289-0631 LS Elevation E-log #: State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Ocartion		Office of Land a	nd Water Resources	Well #: 0 - 33
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name Jeff Higgins Mailing Address: 3088 Moss Down Lin Well Location Latitude "Longitude: "L	Uniller Larry EASley			I S Flavation:
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name		, , , , , , , , , , , , , , , , , , , ,		L. S. Bievation.
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Well Cowner Information Well Location Well Location Well Location Well Location Latitude _ " Longitude: _ " Longitude: _ " Longitude: _ " Well Address: 3088 Moss Down Ln USGS quad, Hand-held GPS, Survey-grade GPS Loty State Zip Code Distance _ Direction _ Nearest Town of FAHLSON Well Data Purpose of Well (circle one, Home) Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04 If thowing, method of flow regulation: Valve _ Other (describe) Static Water Level: 160 feet above or below (circle one) land surface Date measured: 10 - 22 - 04 Method of Measurement (circle one) _ Gel tapp electric tape air line other:	Tale drilling completed: 10-21-07			
Mailing Address: 3088 Moss Down Ln Well Data Purpose of Well (circle one Home) Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10-16-04 Date well drilling completed: 10-21-04 If flowing, method of flow regulation: Valve Other (describe) Static Water Level: 100 feet above or below (circle one) land surface Date measured: 10-22-04 Method of Measurement (circle one) Geel tap electric tape air line other: Type of grout (circle one): Cement Bentonite Mix t asing length: 360 feet Casing diameter: 4 inches Type of casing: PVC Screen slot size: 010 inches Setting depth: From 160 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other.	30 days of completion of drilling Well Owner Inform	g of the well.	Wel	Location
USGS quad, Hand-held GPS, Survey-grade GPS Lity State Zip Code Well Data Well Data Purpose of Well (circle one Home) Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04 If flowing, method of flow regulation Valve Other (describe) Static Water Level: 160 feet above or below (circle one) land surface Date measured: 10 - 22 - 04 Method of Measurement (circle one) Geel tape electric tape air line other: Hole depth: 400 Well depth: 380 Well grouted to a depth of 6 feet Lype of grout (circle one): General Bentonite Mix Casing length: 360 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 010 inches Setting depth: From 160 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other	- /			
USGS quad, Hand-held GPS, Survey-grade GPS V. V. Sec 22 Twn IDN Rng 48 V. V. V. Sec 22 Twn IDN Rng 48 V. V. Sec 22 Twn IDN Rng 48 V. V. V. Sec 22 Twn IDN Rng 48 V.	Mailing Address: 3088 Moss	Down Ln	Method of Lat/Long (circle or	ne): Conventional Survey,
Telephone No. (USGS quad, Hand-held	I GPS, Survey-grade GPS
Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04 If thowing, method of flow regulation: Valve Other (describe) Static Water Level: 160 feet above or below (circle one) land surface Date measured: 10 - 22 - 04 Method of Measurement (circle one) feet tape electric tape air line other: Hole depth: 400 Well depth: 380 Well grouted to a depth of 10 feet Type of grout (circle one): General Bentonite Mix Casing length: 360 feet Casing diameter: 4 inches Type of screen: PVC Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 010 inches Setting depth: From 360 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page 1.00s run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other.	Pattison M	5 39144	¼ ¼ Sec ½	Twn ION Rng 4E
Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04 If thowing, method of flow regulation: Valve Other (describe) Static Water Level: 160 feet above or below (circle one) land surface Date measured: 10 - 22 - 04 Method of Measurement (circle one) feet lappe electric tape air line other: Hole depth: 400 Well depth: 380 Well grouted to a depth of feet Type of grout (circle one) feet Casing diameter: 4 inches Type of casing: PVC Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 010 inches Setting depth: From 360 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other	City St.	ate Zip Code	Distance Direction	Nearest Town
Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04 If flowing, method of flow regulation: Valve Other (describe) Static Water Level: 160 feet above or below (circle one) land surface Date measured: 10 - 22 - 04 Method of Measurement (circle one) feet lappe electric tape air line other: Hole depth: 400 Well depth: 380 Well grouted to a depth of feet Type of grout (circle one) feet Casing diameter: 4 inches Type of casing: PVC Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 010 inches Setting depth: From 360 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Lop of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other	Telephone No. ()		<u>@</u> Miles <u>5</u>	or FAHison
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04 If flowing, method of flow regulation: Valve Other (describe) Static Water Level: 160 feet above or below (circle one) land surface Date measured: 10 - 22 - 04 Method of Measurement (circle one) feet lape electric tape air line other: Hole depth: 400 Well depth: 380 Well grouted to a depth of feet Type of grout (circle one) feet Casing diameter: 4 inches Type of casing: PVC Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 010 inches Setting depth: From 360 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Lop of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04				
Date well drilling started: 10 - 16 - 04 Date well drilling completed: 10 - 21 - 04	Purpose of Well (circle one Home) In	dustrial Public Supply	Irrigation Fish Culture	Other:
Static Water Level:	Date well drilling started: 10 - 16	0-04 Date	well drilling completed:/(70-15-04
Method of Measurement (circle one)				
Method of Measurement (circle one) Method of Measurement (circle one) Method				
Hole depth:	Static Water Level: /60 feet			
Type of grout (circle one): Gement Bentonite Mix Casing length: 360 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 610 inches Setting depth: From 360 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:	Method of Measurement (circle one)	cel tape electric tape	air line other:	
Type of grout (circle one): Gement Bentonite Mix Casing length: 360 feet Casing diameter: 4 inches Type of casing: PVC Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 610 inches Setting depth: From 360 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:	Hole depth: 400 Well d	epth: 380 '	_ Well grouted to a depth of _	10 feet
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC Screen slot size: 010 inches Setting depth: From 360 feet to 380 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:	Type of grout (circle one): Cement) Bentonite Mix		
Screen slot size: inches	Casing length: 360 feet Ca	sing diameter: 4	inches Type of casing:	PYC
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:	Screen length: 20 feet Sc	reen diameter:	inches Type of screen:	PVC
Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:	Screen slot size:inches	Setting depth: From	360 feet to	380 feet
For of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:	Type of completion (circle all applicable	e): Gravel packed Und	erreamed Telescoped Ope	en hole Natural Development
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:		Other (describe):		
And the second of the second o	Top of lap pipe or reduction in casing:	feet. If	telescoped or more than one s	creen, describe on back of page
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippers of the	Logs run (circle all applicable). No log	run Electric Gamma Ra	y Density Sonic Neutron	Other:
I certify that the well was drilled, constructed, and completed in accordance with an applicable requirements of the wississipped.	Name of organization running log(s):		dan as mith all applicab	le requirements of the Mississinni
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.	I certify that the well was drilled, con	structed, and completed i	a accordance with all applicat	ie requirements of the mississippi

FASIEY WATERWOLL 510

Print Name of Water Well Contractor and License No.

RECEIVED

MAY 0 3 2006

BY: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

County Claiboene

(vate completed: 10-27-04

Limiter LARRY

Permit #

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

(601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer	
Well #: $\phi - 33$ Elevation:	

This report should be prepared by the pump installer in detainstallation of pump.	Well Location
Well Owner Information	Latitude:Longitude:
Owner Name: Jeff Hisgins Mailing Address: 3088 Nloss Down Ln	Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
Pattison M5 39144 City State Zip Code	
l elephone No. ()	Miles 0i
Pump Type Circle one	Power Type Circle one
An Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Hectric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:/
Date Pump Installed: 10 - 22 - 04 Kated Pump Capacity: 10 Gallons Per Minute	Setting Depth:
Pump Test Data	Method of Measuring Water Level
Date Well Tested:	Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet
Duration of Pump Test (minimum 4 hours):	Well yielded
HUREBY CERTIFY that the above statements are true to the beautiful to the	Signature of Pump Installer

RECEIVED MAY 0 3 2006

BY: OLWR

Ground Level	Description of Formations Encountered	From	To
Glowid Devel	Clau	U	20
	SANGU	20	
	Blue Chalk	60	
	SAOd	300	380
	Clay	380	40
			<u> </u>
		1	
			<u> </u>
			ļ
			-
			┼
			├
			-
·			
If more than one screen, show location of each on sketch			
tch the property layout and include the following: 1) the wel	l location; 2) any permanent structures on the property	that may	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	l location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the wel	l location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	l location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	I location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	I location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	I location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	Il location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	Il location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	Il location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	Il location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	Il location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	Il location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	
tch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	Il location; 2) any permanent structures on the property or other items that may aid in locating the property an	that may d the well;	

Signature of Water Well Contractor

Landowner Name: Teff Hisgins

RECEIVED

MAY 0 3 2006

BY: OLWR